

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-33148
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Clarence BCU
8. Well Number 1
9. OGRID Number 7377
10. Pool name or Wildcat Pecos River; Morrow/Wildcat; Atoka

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>D</u> : <u>800</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>West</u> line Section <u>14</u> Township <u>16S</u> Range <u>26E</u> NMPM <u>Eddy</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3332'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☒  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/16/21 – MIRU and NU BOP. Spotted a 15 sx Class "H" cement plug from 7832'-7631' calc TOC.

7/19/21 – Tagged TOC 7682'. Set a CIBP at 7620' with 3 sx Class "H" cement on top to 7580' calc TOC. Tagged TOC 7582'. Set a 2<sup>nd</sup> CIBP at 7484' and tagged.

7/20/21 – Displaced with 116 bbls brine gel mud. Tested to 600 psi, good. Spotted 40 sx Class "C" cement on top of CIBP to 6879' calc TOC. Tagged TOC 6907'. Spotted a 25 sx Class "C" cement plug from 6514'-6136' calc TOC.

7/21/21 – Spotted a 25 sx Class "C" cement plug from 5617'-5239' calc TOC. Spotted a 25 sx Class "C" cement plug from 4460'-4082' calc TOC.

Spotted a 25 sx Class "C" cement plug from 3722'-3344' calc TOC. Spotted a 25 sx Class "C" cement plug from 2343'-1964' calc TOC. Perforated at 1262'. Attempted to establish rate through perms. Tested to 500 psi, good. Spotted a 35 sx Class "C" cement plug from 1316'-787' calc TOC.

7/22/21 – Tagged TOC 821'. Perforated at 435'. Did not establish injection rate. Spotted a 35 sx Class "C" cement plug from 529' and circulated up to surface. Visual cement to surface.

8/16/21 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE September 6, 2021

Type or print name Tina Huerta E-mail address: [tina.huerta@eogresources.com](mailto:tina.huerta@eogresources.com) PHONE: 575-748-4168  
**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 9/21/2021  
 Conditions of Approval (if any):

- Plug 10
- Plug 9
- Plug 8
- Plug 7
- Plug 6
- Plug 5
- Plug 4
- Plug 3  
*Existing Atoka Perfs: 7534' - 7535'*
- Plug 2  
*Existing Morrow Perfs: 7678' - 7679'*
- Plug 1



Sec-TWN-RNG:		Sec. 14-16S-26E		API: 30-015-33148					
FOOTAGES:		800'FNL & 660'FWL		GL: 3332					
				KB: 3350					
CASING DETAIL									
#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	48	H-40	0	385	440	Circ	
B	12 1/4	9 5/8	36	J-55	0	1,212	644	Circ	
C	8 3/4	4 1/2	11.6	P-110	0	8,000	2245	50'	CBL
FORMATION TOPS									
	Formation	Top		Formation	Top		Formation	Top	
	San Andres	901		Abo	4264		Morrow	7636	
	Glorieta	2081		Wolfcamp	5420		Chester	7806	
	U Yeso	2279		U Penn	6322				
	Tubb	3536		Strawn	7104				
	L Yeso	3678		Atoka	7459				
TUBING DETAIL									
#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ftKB):
		2-3/8" Tubing and packer						7,460	
PLUGS									
#	SX	Class	Top	Bottom	Tag	Notes			
1	15	H	7682	7832	Y				
2	3	H	7582	7620	Y	CIBP			
3	40	C	6907	7484	Y	CIBP			
4	25	C	6136	6514	N				
5	25	C	5239	5617	N				
6	25	C	4082	4460	N				
7	25	C	3344	3722	N				
8	25	C	1964	2343	N				
9	35	C	821	1316	Y	Perforated at 1262'			
10	35	C	0	529	N	Perforated at 435'			
PERFORATION DETAIL									
	Formation	Top	Bottom		Formation	Top	Bottom		
	Morrow	7,678	7,684						
	Atoka	7,534	7,540						
ADDITIONAL DETAIL									

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 46507

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 46507
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/21/2021