

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 24 / SESW / 32.1818556 / -103.5269713	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1064616		
Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	01/19/2021	Time Sundry Submitted:	12:40:35 PM
Date Operation Will Begin:	12/10/2020	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	09/21/2020		
US Well Number	3002547791		
Field Contact Name:	C CASKEY	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP653
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:			
Disposition:	Accepted		
Accepted Date:	07/30/2021		

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 24 / SESW / 32.1818556 / -103.5269713	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1338023	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	12:32:40 PM
Date Sundry Submitted:	Jan 25, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Jan 4, 2021	Field Contact Number:	4326363600
Field Contact Name:	C CASKEY	Rig Number:	HP653
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3532	1360	1360	2172

Procedure Description:	1-5-2021 12 1/4" HOLE 1-5-2021 Surface Hole @ 1,370' MD, 1,370' TVD Casing shoe @ 1,355' MD Ran 9-5/8" 40# J-55 LTC Lead Cement w/ 600 sx Class C (1.64 yld, 13.8 ppg), followed by 200 sx Class C (1.36 yld, 14.8 ppg) Test casing to 1,550 psi for 30 min - OK. Circ 274 sx cement to surface Resumr drilling 8-3/4" hole
Disposition:	Accepted
Accepted Date:	07/30/2021

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 24 / SESW / 32.1818556 / -103.5269713	County or Parish/State: LEA / NM
Well Number: 701H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779100X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1340116	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	11:59:09 AM
Date Sundry Submitted:	Feb 1, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Jan 26, 2021	Field Contact Number:	4326363600
Field Contact Name:	C CASKEY	Rig Number:	HP653
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	11480	11480	-7948

**Procedure Description:** 1-27-2021 8 3/4" HOLE  
1-27-2021 Intermediate Hole @ 11,854' MD, 11,824' TVD  
Casing shoe @ 11,839' MD  
Ran 7-5/8", 29.7#, HCP-110 MO-FXL  
Stage 1: Lead Cement w/ 405 sx Class H (1.20 yld, 15.6 ppg)  
Test casing to 2,600 psi for 30 min - OK. Did not circ cement to surface, TOC @ 7,000' by Calc  
Stage 2: Bradenhead squeeze w/ 1,000 sx Class H (1.51 yld, 14.8 ppg)  
Stage 3: Top out w/ 61 sx Class C (1.37 yld, 15.6 ppg), Lines flushed w/ 4 bbls FW, TOC @ 96' by Echometer Resume drilling 6-3/4" hole

Disposition:	Accepted
Accepted Date:	07/30/2021

Well Name: FALCON 25 FED COM

Well Location: T24S / R33E / SEC 24 / SESW / 32.1818556 / -103.5269713

County or Parish/State: LEA / NM

Well Number: 701H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM103610

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254779100X1

Well Status: Drilling Well

Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:

1516989

Type of Submission:

Notification

Type of Action:

Casing and Cementing

Date Sundry Submitted:

Mar 2, 2021

Time Sundry Submitted:

8:35:36 AM

Date Operation will begin:

Feb 10, 2021

Time Operation will begin:

11:00:00 AM

Field Contact Name:

C CASKEY

Field Contact Number:

4326363600

Rig Name:

Rig Number:

HP653

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11480	11480	-7948	22657	12449	-8917
PRODUCTION	10980	10980	-7448	11480	11480	-7948
PRODUCTION	0	0	3491	10980	10980	-7448

Procedure Description:

2-11-2021 6 3/4" HOLE  
2-11-2021 Production Hole @ 22,914' MD, 12,362' TVD  
Casing shoe @ 22,900' MD, 12,361' TVD  
Ran 5-1/2", 20#, ECP-110 DWC 0' - 11,288' (MJ @ 12,163' and 22,195')  
Ran 5-1/2", 20#, HCP-110 TLW 11,288' - 11,862'  
Ran 5-1/2", 20#, HCP-110 DWC 11,862' - 22,900'  
Cement w/ 1,025 sx Class H (1.19 yld, 14.5 ppg)  
Did not circ cement to surface, TOC @ 11,839' by CBL RR 2-13-2021 Completion to follow

Disposition:

Accepted

Accepted Date:

06/11/2021

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 50740

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 50740
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/23/2021