

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 25 / SWSW / 32.1819773 / -103.5343855	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19858	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1340565	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	2:08:07 PM
Date Sundry Submitted:	Feb 3, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Jan 30, 2021	Field Contact Number:	4326363600
Field Contact Name:	C FELTS	Rig Number:	HP462
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3543	1360	1360	2183

Procedure Description: 1-31-2021 12 1/4" HOLE
1-31-2021 Surface Hole @ 1,395' MD, 1,321' TVD
Casing shoe @ 1,380' MD
Ran 9-5/8" 40# J-55 LTC
Lead Cement w/ 580 sx Class C (1.60 yld, 13.8 ppg), trail w/ 105 sx Class C (1.33 yld, 14.8 ppg)
Test casing to 1,630 psi for 30 min - OK. Circ 235 sx cement to surface Resume drilling

Disposition:	Accepted
Accepted Date:	07/09/2021

Well Name: FALCON 25 FED COM	Well Location: T24S / R33E / SEC 25 / SWSW / 32.1819773 / -103.5343855	County or Parish/State: LEA / NM
Well Number: 704H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19858	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254779400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1517646	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	12:06:16 PM
Date Sundry Submitted:	Mar 9, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Mar 6, 2021	Field Contact Number:	4326363600
Field Contact Name:	C FELTS	Rig Number:	
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	11480	11480	-7937

Procedure Description:	3-7-2021 8 3/4" HOLE 3-7-2021 Intermediate Hole @ 11,860' MD, 11,816' TVD Casing shoe @ 11,845' MD 7-5/8", 29.7#, HCP-110 FXL Stage 1: Cement w/ 415 sx Class H (1.19 yld, 15.6 ppg) Test casing to 2,650 psi for 30 min - Good. Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class H (1.52 yld, 14.8 ppg) Stage 3: Top out w/ 120 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 0' by Visual Resume drilling
Disposition:	Accepted
Accepted Date:	06/11/2021

Well Name: FALCON 25 FED COM

Well Location: T24S / R33E / SEC 25 / SWSW / 32.1819773 / -103.5343855

County or Parish/State: LEA / NM

Well Number: 704H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM19858

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254779400X1

Well Status: Drilling Well

Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID: 1519291

Type of Submission: Notification

Date Sundry Submitted: Mar 24, 2021

Date Operation will begin: Mar 20, 2021

Field Contact Name: C FELTS

Rig Name:

Type of Action: Casing and Cementing

Time Sundry Submitted: 7:19:32 AM

Time Operation will begin: 11:00:00 AM

Field Contact Number: 4326363600

Rig Number: HP462

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	10980	10980	-7448	11480	11480	-7937
PRODUCTION	11480	11480	-7948	22696	12481	-8938
PRODUCTION	0	0	3491	10980	10980	-7437

Procedure Description:

Disposition: Accepted

Accepted Date: 05/18/2021

3-21-2021 6 3/4" HOLE
3-21-2021 Production Hole @ 23,055' MD, 12,442' TVD
Casing shoe @ 23,036' MD, 12,441' TVD
Ran 5-1/2", 20#, ICYP-110 DWC 0' - 11,224' (MJ @ 12,063' and 22,553')
Ran 5-1/2", 20#, ICYP-110 TLW 11,224' - 12,063'
Ran 5-1/2", 20#, ICYP-110 DWC 12,063' - 23,036'
Cement w/ 1,083 sx Class H (1.19 yld, 14.5 ppg)
Test casing to 4,140 psi for 10 min - OK. Did not circ cement to surface, TOC @ 10,845,' by
Calc RR 3-22-2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 50662

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 50662
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/23/2021