

Submit a Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-21303
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name J Lazy J
8. Well Number 10
9. OGRID Number 7377
10. Pool name or Wildcat Eagle Creek; San Andres

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A <input type="checkbox"/>	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>H</u> : <u>1750</u> feet from the <u>North</u> line and <u>430</u> feet from the <u>East</u> line Section <u>22</u> Township <u>17S</u> Range <u>25E</u> NMPM <u>Eddy</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3529'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/20/21 – MIRU and NU BOP. RIH with GR/JB to 1860'. Set a CIBP at 1263'. Perforated at 1247'. Tagged CIBP at 1263'. Pressure tested to 500 psi for 15 min, good. Spotted 30 sx Class "C" cement on top of CIBP to 821' calc TOC.

8/23/21 – Tagged TOC 833'. Spotted a 30 sx Class "C" cement plug from 796'-503' calc TOC. Perforated at 373'. Pressure tested to 500 psi for 15 min, good. Spotted 40 sx Class "C" cement from 423' and circulated up to surface.

8/24/21 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date:

Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE September 14, 2021

Type or print name Tina Huerta E-mail address: [tina.huerta@eogresources.com](mailto:tina.huerta@eogresources.com) PHONE: 575-748-4168

**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 9/27/2021  
 Conditions of Approval (if any):

J Lazy J 10		Sec-TWN-RNG: Sec. 22-17S-25E FOOTAGES: 1750 FNL & 430 FEL	API: 30-015-21303 GL: 3529 KB:																																																
<div style="display: flex; justify-content: space-between;"> <div>Plug 3</div> <div>Plug 2</div> <div>Plug 1</div> <div>Perf A</div> </div>																																																			
	<b>CASING DETAIL</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>#</th> <th>HOLE SIZE</th> <th>SIZE</th> <th>WGHT</th> <th>GRADE</th> <th>Top</th> <th>Bottom</th> <th>Sx Cmt</th> <th>Circ/TOC</th> <th>TOC Method</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>15</td> <td>10 3/4</td> <td>25</td> <td>J-55</td> <td>0</td> <td>323</td> <td>175</td> <td>Circ</td> <td></td> </tr> <tr> <td>B</td> <td>9 7/8</td> <td>7</td> <td>23</td> <td>J-55</td> <td>0</td> <td>1,197</td> <td>725</td> <td>Circ</td> <td></td> </tr> <tr> <td>C</td> <td>6 1/4</td> <td>4 1/2 &amp; 5 1/2</td> <td>9.5 &amp; 15.5</td> <td>J-55 &amp; K-55</td> <td>0</td> <td>1,470</td> <td>125</td> <td>Circ</td> <td></td> </tr> </tbody> </table> <p style="color: red; font-size: small;">Note: 4 1/2" casing from 1470' to 662' &amp; 5 1/2" casing from 662' to 0'</p>			#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method	A	15	10 3/4	25	J-55	0	323	175	Circ		B	9 7/8	7	23	J-55	0	1,197	725	Circ		C	6 1/4	4 1/2 & 5 1/2	9.5 & 15.5	J-55 & K-55	0	1,470	125	Circ									
	#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method																																									
	A	15	10 3/4	25	J-55	0	323	175	Circ																																										
	B	9 7/8	7	23	J-55	0	1,197	725	Circ																																										
	C	6 1/4	4 1/2 & 5 1/2	9.5 & 15.5	J-55 & K-55	0	1,470	125	Circ																																										
	<b>FORMATION TOPS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Formation</th> <th>Top</th> <th></th> <th>Formation</th> <th>Top</th> </tr> </thead> <tbody> <tr> <td></td> <td>San Andres</td> <td>746</td> <td></td> <td></td> <td></td> </tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				Formation	Top		Formation	Top		San Andres	746																																							
		Formation	Top		Formation	Top																																													
		San Andres	746																																																
	<b>TUBING DETAIL</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>#</th> <th>Joints</th> <th>Description</th> <th>Length</th> <th>OD</th> <th>ID</th> <th>Grade</th> <th>Wt (lb/ft):</th> <th>Top (ftKB):</th> <th>Btm (ftKB):</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>2" EUE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1420</td> </tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p style="font-size: small;">Note: No mention of seating nipple or packer in well file</p>			#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ftKB):			2" EUE							1420																												
#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ftKB):																																										
		2" EUE							1420																																										
<b>Plugs</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>#</th> <th>SX</th> <th>Class</th> <th>Top</th> <th>Bottom</th> <th>Tag</th> <th>Notes</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30</td> <td>C</td> <td>833</td> <td>1263</td> <td>Y</td> <td>CIBP &amp; Perforate</td> </tr> <tr> <td>2</td> <td>30</td> <td>C</td> <td>503</td> <td>796</td> <td>N</td> <td></td> </tr> <tr> <td>3</td> <td>40</td> <td>C</td> <td>0</td> <td>423</td> <td>N</td> <td>Perforate</td> </tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>			#	SX	Class	Top	Bottom	Tag	Notes	1	30	C	833	1263	Y	CIBP & Perforate	2	30	C	503	796	N		3	40	C	0	423	N	Perforate																					
#	SX	Class	Top	Bottom	Tag	Notes																																													
1	30	C	833	1263	Y	CIBP & Perforate																																													
2	30	C	503	796	N																																														
3	40	C	0	423	N	Perforate																																													
<b>Perforation Detail</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Formation</th> <th>Top</th> <th>Bottom</th> <th>Treatment</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>San Andres</td> <td>1,288</td> <td>1,443</td> <td>3000 gal. 15% Acid, 115000# 20-40 Sand, 13000# 10-20 Sand &amp; 80,000 gal. treated water</td> </tr> <tr><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>				Formation	Top	Bottom	Treatment	A	San Andres	1,288	1,443	3000 gal. 15% Acid, 115000# 20-40 Sand, 13000# 10-20 Sand & 80,000 gal. treated water																																							
	Formation	Top	Bottom	Treatment																																															
A	San Andres	1,288	1,443	3000 gal. 15% Acid, 115000# 20-40 Sand, 13000# 10-20 Sand & 80,000 gal. treated water																																															
<div style="display: flex; justify-content: space-between;"> <div>           PBTD: 1,470 MD            TD: 1,520 MD         </div> <div>9/14/21</div> </div>																																																			

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 48620

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 48620
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/27/2021