

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-31719
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Yates AS Fee Com
8. Well Number 6
9. OGRID Number 7377
10. Pool name or Wildcat Penasco Draw; Morrow

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A <input type="checkbox"/>	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>K</u> : <u>1550</u> feet from the <u>South</u> line and <u>1600</u> feet from the <u>West</u> line Section <u>25</u> Township <u>18S</u> Range <u>25E</u> NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3464' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/25/21 – MIRU and NU BOP. RIH with GR/JB to 8910'. Set a CIBP at 8900'.

8/26/21 – Tagged CIBP. Circulated 180 bbls fresh water. Spotted 25 sx Class "H" cement on top of CIBP to 8672', tagged.

8/27/21 – Spotted a 25 sx Class "H" cement plug from 8648'-8428' calc TOC. Spotted a 25 sx Class "H" cement plug from 8212'-7992' calc TOC.

Spotted a 25 sx Class "H" cement plug from 7740'-7660' calc TOC. Spotted a 25 sx Class "C" cement plug from 5726'-5479' calc TOC. Spotted a 25 sx Class "C" cement plug from 4330'-4083' calc TOC. Spotted a 25 sx Class "C" cement plug from 3720'-3473' calc TOC. Spotted a 25 sx Class "C" cement plug from 2117'-1870' calc TOC.

8/30/21 – Perforated at 1264'. Attempted to establish injection rate. Pressured up to 700 psi, good. Spotted a 35 sx Class "C" cement plug from 1314'-968' calc TOC. Tagged TOC 984'. Ok'd by Gilbert Cordero with NMOCD-Artesia. Spotted a 30 sx Class "C" cement plug from 756'-509'. Perforated at 446'. Attempted to establish injection rate. Pressured up to 700 psi for 15 min, good.

8/31/21 – Spotted 45 sx Class "C" cement from 483' and circulated up to surface.

9/1/21 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE September 20, 2021

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 9/27/2021

Conditions of Approval (if any):

Yates AS Fee Com 6

Plug 11

Plug 10

Plug 9

Plug 8

Plug 7

Plug 6

Plug 5

Plug 4

Plug 3

Plug 2

Plug 1

A

B

Perf A

C

PBTD: 9,198 MD
TD: 9,200 MD

Sec-TWN-RNG: Sec. 25-18S-25E API: 30-015-31719
FOOTAGES: 1550'FSL & 1600'FWL GL: 3464
KB:

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	48	H-40	0	396	450	Surface	Circ
B	12 1/4	9 5/8	36	J-55	0	1,214	965	Surface	Circ
C	7 7/8	5 1/2	15.5/17	J55/P110	0	9,200	1310	Surface	Circ

FORMATION TOPS

	Formation	Top		Formation	Top
	San Andres	706		Canyon	7610
	Glorieta	2067		Strawn	8162
	Tubb	3670		Atoka	8598
	Abo	4280		Morrow	8850
	Wolfcamp	5676		Chester	9135

Perforation Detail

	Formation	Top	Bottom	Treatment
A	Morrow	8,980	9,006	Acidize w/1000 gals 7.5% MSA

PLUGS

#	sx	Class	Top	Bottom	Tag	Notes
1	25	H	8672	8900	Y	CIBP
2	25	H	8428	8648	N	
3	25	H	7992	8212	N	
4	25	H	7660	7740	N	
5	25	H	5479	5726	N	
6	25	C	4083	4330	N	
7	25	C	3473	3720	N	
8	25	C	1870	2117	N	
9	25	C	984	1314	N	Perforate
10	25	C	509	756	N	
11	25	C	0	483	N	Perforate

Prepared by: Hiram C 5/19/21

9/20/21

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 50091

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 50091
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/27/2021