

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-46428	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 326260	⁸ Property Name POKER LAKE UNIT 18 TWR	⁹ Well Number 122H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
D	19	24S	31E		40	North	785	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	30	24S	31E	4	199	South	1211	West	Eddy

¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
------------------------------------	---	-----------------------------------	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	Plains Marketing, LP	Oil
373075	XTo Permian Operating	Gas
005380	XTo Energy, Inc	Water

IV. Well Completion Data

²¹ Spud Date 2/24/2020	²² Ready Date 6/18/2021	²³ TD 21695 MD 11735 TVD	²⁴ PBDT 21695 MD 11735 TVD	²⁵ Perforations 12,174 - 21,538	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14.75	11.75	850	850		
10.625	8.625	10937	1355		
7.875	5.5	21695	3685		

V. Well Test Data

³¹ Date New Oil 6/19/21	³² Gas Delivery Date 6/23/21	³³ Test Date 6/23/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 0
³⁷ Choke Size	³⁸ Oil 1922	³⁹ Water 6827	⁴⁰ Gas 5007		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Cassie Evans*

Printed name: Cassie Evans

Title: Regulatory Analyst

E-mail Address: cassie.evans@exxonmobil.com

Date: 08/24/2021

Phone: 432.218.3671

OIL CONSERVATION DIVISION

Approved by: **KURT SIMMONS**Title: **NMOCD, SANTA FE**Approval Date: **09/28/2021**

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-46428	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 326260	⁵ Property Name POKER LAKE UNIT 18 TWR	⁶ Well Number 122H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC	⁹ Elevation 3,493'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	19	24 S	31 E		40	NORTH	785	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	30	24 S	31 E		199	SOUTH	1,211	WEST	EDDY

¹² Dedicated Acres 659.8	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Cassie Evans 08/24/2021
Signature Date

Cassie Evans
Printed Name

cassie.evans@exxonmobil.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

8-19-2021

Date of Survey

Signature and Seal of Professional Surveyor:

MARK DILLON HARP 23786
Certificate Number JC 2018010181

Intent ☐ As Drilled ☒API #
30-015-46428

Operator Name: XTO PERMIAN OPERATING, LLC.	Property Name: POKER LAKE UNIT 18 TWR	Well Number 122H
---	--	---------------------

Kick Off Point (KOP)

UL L1	Section 19	Township 24S	Range 31E	Lot	Feet 117	From N/S FNL	Feet 1,094	From E/W FWL	County EDDY
Latitude 32.209747					Longitude 103.822141			NAD 83	

First Take Point (FTP)

UL L1	Section 19	Township 24S	Range 31E	Lot	Feet 854	From N/S FNL	Feet 1,191	From E/W FWL	County EDDY
Latitude 32.207719					Longitude 103.821829			NAD 83	

Last Take Point (LTP)

UL L4	Section 30	Township 24S	Range 31E	Lot	Feet 357	From N/S FSL	Feet 1,210	From E/W FWL	County EDDY
Latitude 32.181996					Longitude 103.821791			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #

Operator Name:	Property Name:	Well Number
----------------	----------------	-------------

KZ 06/29/2018



MWD SURVEY CERTIFICATION
Gordon Technologies, LLC

State Of New Mexico

County Of Eddy

I, Marcus Mitcham certify that; I am employed by Gordon Technologies, LLC.;
that I did on the day(s) of February 23, 2020 through April 25, 2020 conduct
or supervise the taking of a MWD survey from a depth of 157 feet to a depth of
21,695 feet; that the data is true, correct, complete and within the limitations of the
tool set forth by Gordon Technologies, LLC.; that I am authorized and qualified to make this report;
that this survey was conducted at the request of XTO Energy Inc. for the
Poker Lake Unit 18 TWR 122H Well, A.P.I. No. 30-015-46428 in
Purple Sage - Wolfcamp (Gas) Field and that I have reviewed this report and find that
it conforms to the principles and procedures set forth by Gordon Technologies, LLC.

A handwritten signature in black ink that reads "Marcus Mitcham". The signature is written in a cursive, flowing style.

Signature

MWD Coordinator

Title



Directional Survey Report

Company: **XTO Permian Operating LLC**
 Well: **Poker Lake Unit 18 TWR 122H**
 County: **Eddy**
 State: **New Mexico**
 Field: **Purple Sage - Wolfcamp (Gas)**
 API: **30-015-46428**
 Rig: **Nabors X15**
 Service Co: **Gordon Technologies LLC**
 Job #: **GT2010496**
 Survey Calc: **Minimum Curvature**

Well Surface Location
 Latitude: **32.2098344**
 Longitude: **-103.8226560**
 Reference: **NAD 1927**
 Y (Northing): **440,432.40'**
 X (Easting): **657,946.60'**
 Field Engr: **Chris Faulkner**
Salim Timsar

Report Date: **Apr 24 2020**
 Time: **14:04**
 Mag Reference: **Grid North**
 Mag Correction: **6.55**
 Vert Sect. Azi: **179.78**
 Perm Datum: **Mean Sea Level**
 Depth Ref: **Rotary Table**
 RKB Height: **33**
 GL Elev: **3495**

Survey	MD	Inc	Azimuth	TVD	VS	Rectangular Offsets		Course		Closure				Source
Tie In	0	0	0	0	0	NS	EW	Length	DLS	Temp	Distance	Azimuth		
1	157.00	0.26	354.06	157.00	-0.35	0.35	-0.04	157.00	0.17	0.00	0.36	354.06	CorrSvys	
2	278.00	0.62	13.28	278.00	-1.26	1.26	0.09	121.00	0.32	0.00	1.27	3.85	CorrSvys	
3	372.00	0.85	0.01	371.99	-2.46	2.46	0.20	94.00	0.30	0.00	2.47	4.70	CorrSvys	
4	463.00	1.41	18.82	462.97	-4.19	4.19	0.56	91.00	0.73	0.00	4.23	7.65	CorrSvys	
5	555.00	1.06	4.07	554.95	-6.11	6.11	0.99	92.00	0.51	0.00	6.19	9.19	CorrSvys	
6	647.00	0.82	272.35	646.94	-6.99	6.99	0.39	92.00	1.48	0.00	7.00	3.21	CorrSvys	
7	739.00	1.25	255.57	738.93	-6.77	6.76	-1.24	92.00	0.57	0.00	6.88	349.63	CorrSvys	
8	782.00	1.44	269.35	781.91	-6.65	6.64	-2.23	43.00	0.87	0.00	7.01	341.42	CorrSvys	
9	884.00	1.41	264.87	883.88	-6.53	6.51	-4.76	102.00	0.11	0.00	8.07	323.82	CorrSvys	
10	975.00	0.45	265.40	974.87	-6.41	6.39	-6.24	91.00	1.05	0.00	8.93	315.68	CorrSvys	
11	1067.00	0.13	207.32	1066.87	-6.29	6.26	-6.64	92.00	0.43	0.00	9.13	313.32	CorrSvys	
12	1160.00	0.38	99.51	1159.87	-6.14	6.12	-6.39	93.00	0.47	0.00	8.85	313.77	CorrSvys	
13	1254.00	0.53	95.82	1253.86	-6.05	6.02	-5.65	94.00	0.16	0.00	8.26	316.85	CorrSvys	
14	1348.00	0.50	92.91	1347.86	-5.98	5.96	-4.81	94.00	0.04	0.00	7.66	321.12	CorrSvys	
15	1442.00	0.58	104.85	1441.86	-5.83	5.82	-3.94	94.00	0.15	0.00	7.02	325.91	CorrSvys	
16	1536.00	0.72	108.26	1535.85	-5.52	5.51	-2.92	94.00	0.15	0.00	6.23	332.11	CorrSvys	
17	1629.00	0.97	90.31	1628.84	-5.33	5.32	-1.57	93.00	0.39	0.00	5.55	343.53	CorrSvys	
18	1723.00	0.34	121.24	1722.83	-5.18	5.17	-0.54	94.00	0.75	0.00	5.20	354.05	CorrSvys	
19	1818.00	0.08	118.85	1817.83	-5.00	4.99	-0.24	95.00	0.27	0.00	5.00	357.25	CorrSvys	
20	1912.00	0.54	123.39	1911.83	-4.72	4.72	0.19	94.00	0.49	0.00	4.72	2.27	CorrSvys	
21	2006.00	0.77	106.74	2005.83	-4.29	4.29	1.16	94.00	0.32	0.00	4.45	15.14	CorrSvys	
22	2099.00	0.23	210.56	2098.82	-3.95	3.95	1.67	93.00	0.92	0.00	4.29	22.85	CorrSvys	
23	2193.00	0.15	238.02	2192.82	-3.72	3.73	1.47	94.00	0.13	0.00	4.00	21.47	CorrSvys	
24	2288.00	0.31	140.03	2287.82	-3.46	3.46	1.52	95.00	0.38	0.00	3.78	23.77	CorrSvys	
25	2383.00	0.58	116.12	2382.82	-3.05	3.05	2.12	95.00	0.34	0.00	3.72	34.79	CorrSvys	
26	2476.00	1.01	86.02	2475.81	-2.89	2.90	3.36	93.00	0.63	0.00	4.44	49.18	CorrSvys	
27	2569.00	0.74	104.65	2568.80	-2.79	2.81	4.76	93.00	0.42	0.00	5.53	59.46	CorrSvys	
28	2664.00	0.37	137.73	2663.79	-2.41	2.43	5.56	95.00	0.50	0.00	6.07	66.43	CorrSvys	
29	2758.00	0.17	151.14	2757.79	-2.06	2.08	5.83	94.00	0.22	0.00	6.19	70.37	CorrSvys	
30	2852.00	0.16	263.73	2851.79	-1.92	1.94	5.77	94.00	0.29	0.00	6.09	71.38	CorrSvys	
31	2946.00	0.00	6.57	2945.79	-1.91	1.93	5.64	94.00	0.17	0.00	5.96	71.11	CorrSvys	
32	3040.00	0.13	17.90	3039.79	-2.01	2.03	5.67	94.00	0.14	0.00	6.02	70.30	CorrSvys	
33	3133.00	0.46	43.16	3132.79	-2.38	2.40	5.96	93.00	0.37	0.00	6.43	68.04	CorrSvys	
34	3228.00	0.48	11.11	3227.79	-3.05	3.07	6.30	95.00	0.27	0.00	7.01	63.99	CorrSvys	
35	3322.00	0.97	83.29	3321.78	-3.52	3.55	7.16	94.00	1.00	0.00	7.99	63.63	CorrSvys	
36	3416.00	2.70	111.88	3415.73	-2.78	2.82	10.01	94.00	2.03	0.00	10.40	74.27	CorrSvys	
37	3510.00	4.68	112.39	3509.53	-0.47	0.53	15.61	94.00	2.11	0.00	15.62	88.04	CorrSvys	
38	3603.00	6.19	113.93	3602.11	3.04	-2.95	23.70	93.00	1.63	0.00	23.88	97.09	CorrSvys	
39	3695.00	7.06	116.31	3693.50	7.59	-7.46	33.30	92.00	0.99	0.00	34.13	102.63	CorrSvys	
40	3786.00	4.67	115.29	3784.01	11.69	-11.53	41.67	91.00	2.63	0.00	43.23	105.46	CorrSvys	
41	3878.00	5.23	117.16	3875.67	15.23	-15.04	48.78	92.00	0.63	0.00	51.05	107.13	CorrSvys	
42	3971.00	5.42	115.33	3968.27	19.07	-18.85	56.52	93.00	0.27	0.00	59.58	108.45	CorrSvys	
43	4065.00	5.14	100.86	4061.87	21.79	-21.55	64.67	94.00	1.44	0.00	68.17	108.43	CorrSvys	
44	4160.00	4.77	84.36	4156.52	22.24	-21.96	72.78	95.00	1.54	0.00	76.02	106.79	CorrSvys	
45	4254.00	4.47	97.94	4250.22	22.39	-22.08	80.30	94.00	1.20	0.00	83.28	105.38	CorrSvys	
46	4347.00	4.34	102.03	4342.95	23.65	-23.32	87.33	93.00	0.37	0.00	90.39	104.95	CorrSvys	
47	4440.00	4.50	101.33	4435.67	25.13	-24.77	94.35	93.00	0.18	0.00	97.55	104.71	CorrSvys	
48	4534.00	4.22	100.31	4529.40	26.50	-26.11	101.37	94.00	0.31	0.00	104.68	104.44	CorrSvys	

49	4628.00	5.18	98.09	4623.08	27.74	-27.33	108.97	94.00	1.04	0.00	112.35	104.08	CorrSvys
50	4722.00	6.10	102.70	4716.63	29.47	-29.02	118.05	94.00	1.09	0.00	121.56	103.81	CorrSvys
51	4816.00	6.06	100.64	4810.10	31.53	-31.04	127.79	94.00	0.24	0.00	131.51	103.65	CorrSvys
52	4911.00	6.31	99.68	4904.54	33.37	-32.84	137.87	95.00	0.28	0.00	141.73	103.40	CorrSvys
53	5005.00	6.36	100.96	4997.97	35.27	-34.70	148.07	94.00	0.16	0.00	152.08	103.19	CorrSvys
54	5098.00	6.46	102.59	5090.39	37.42	-36.82	158.24	93.00	0.22	0.00	162.46	103.10	CorrSvys
55	5192.00	6.15	102.35	5183.82	39.69	-39.05	168.32	94.00	0.33	0.00	172.79	103.06	CorrSvys
56	5287.00	6.24	102.25	5278.27	41.92	-41.23	178.33	95.00	0.10	0.00	183.04	103.02	CorrSvys
57	5380.00	5.20	104.28	5370.80	44.06	-43.34	187.36	93.00	1.14	0.00	192.30	103.03	CorrSvys
58	5474.00	4.92	106.72	5464.43	46.30	-45.55	195.34	94.00	0.38	0.00	200.58	103.13	CorrSvys
59	5569.00	5.00	105.36	5559.08	48.60	-47.82	203.24	95.00	0.15	0.00	208.79	103.24	CorrSvys
60	5663.00	4.81	105.81	5652.73	50.79	-49.98	210.98	94.00	0.21	0.00	216.82	103.33	CorrSvys
61	5757.00	4.64	106.53	5746.42	52.97	-52.14	218.42	94.00	0.19	0.00	224.55	103.43	CorrSvys
62	5852.00	4.73	104.97	5841.10	55.11	-54.24	225.88	95.00	0.16	0.00	232.31	103.50	CorrSvys
63	5945.00	4.58	107.42	5933.79	57.24	-56.34	233.13	93.00	0.27	0.00	239.84	103.59	CorrSvys
64	6039.00	4.63	106.57	6027.49	59.47	-58.55	240.35	94.00	0.09	0.00	247.38	103.69	CorrSvys
65	6133.00	4.45	108.29	6121.19	61.72	-60.77	247.45	94.00	0.24	0.00	254.80	103.80	CorrSvys
66	6227.00	4.58	107.47	6214.90	64.02	-63.05	254.49	94.00	0.15	0.00	262.18	103.91	CorrSvys
67	6321.00	4.74	108.95	6308.59	66.44	-65.43	261.74	94.00	0.21	0.00	269.80	104.04	CorrSvys
68	6415.00	4.26	102.88	6402.30	68.51	-67.47	268.82	94.00	0.72	0.00	277.16	104.09	CorrSvys
69	6508.00	3.61	93.91	6495.08	69.50	-68.44	275.11	93.00	0.96	0.00	283.49	103.97	CorrSvys
70	6602.00	3.25	93.78	6588.91	69.90	-68.82	280.72	94.00	0.38	0.00	289.03	103.77	CorrSvys
71	6697.00	3.44	96.78	6683.75	70.43	-69.33	286.24	95.00	0.27	0.00	294.51	103.62	CorrSvys
72	6791.00	3.33	98.68	6777.59	71.20	-70.08	291.74	94.00	0.17	0.00	300.03	103.51	CorrSvys
73	6885.00	3.11	96.43	6871.44	71.92	-70.78	296.97	94.00	0.27	0.00	305.29	103.41	CorrSvys
74	6980.00	2.22	105.09	6966.34	72.70	-71.54	301.31	95.00	1.03	0.00	309.68	103.36	CorrSvys
75	7073.00	1.52	119.09	7059.29	73.78	-72.61	304.12	93.00	0.89	0.00	312.67	103.43	CorrSvys
76	7167.00	1.62	122.40	7153.25	75.11	-73.93	306.33	94.00	0.14	0.00	315.13	103.57	CorrSvys
77	7262.00	1.27	107.18	7248.22	76.15	-74.96	308.47	95.00	0.54	0.00	317.45	103.66	CorrSvys
78	7356.00	0.48	58.48	7342.21	76.25	-75.06	309.80	94.00	1.08	0.00	318.77	103.62	CorrSvys
79	7450.00	0.61	348.96	7436.21	75.56	-74.37	310.04	94.00	0.67	0.00	318.84	103.49	CorrSvys
80	7544.00	0.43	356.65	7530.20	74.71	-73.52	309.93	94.00	0.20	0.00	318.53	103.35	CorrSvys
81	7638.00	0.39	10.16	7624.20	74.05	-72.86	309.96	94.00	0.11	0.00	318.41	103.23	CorrSvys
82	7732.00	0.24	6.90	7718.20	73.54	-72.35	310.04	94.00	0.16	0.00	318.37	103.13	CorrSvys
83	7827.00	0.32	351.04	7813.20	73.08	-71.89	310.03	95.00	0.12	0.00	318.25	103.05	CorrSvys
84	7921.00	0.38	327.23	7907.20	72.55	-71.37	309.82	94.00	0.17	0.00	317.93	102.97	CorrSvys
85	8014.00	0.46	325.46	8000.19	71.99	-70.80	309.44	93.00	0.09	0.00	317.43	102.89	CorrSvys
86	8107.00	0.44	281.62	8093.19	71.60	-70.42	308.88	93.00	0.36	0.00	316.80	102.84	CorrSvys
87	8201.00	0.53	254.74	8187.19	71.64	-70.46	308.10	94.00	0.26	0.00	316.06	102.88	CorrSvys
88	8294.00	1.05	275.96	8280.18	71.66	-70.49	306.84	93.00	0.63	0.00	314.83	102.94	CorrSvys
89	8388.00	0.49	269.66	8374.17	71.57	-70.40	305.58	94.00	0.60	0.00	313.59	102.97	CorrSvys
90	8482.00	0.51	316.73	8468.17	71.27	-70.10	304.89	94.00	0.43	0.00	312.85	102.95	CorrSvys
91	8576.00	0.34	40.13	8562.17	70.75	-69.58	304.79	94.00	0.62	0.00	312.63	102.86	CorrSvys
92	8670.00	1.22	79.38	8656.16	70.35	-69.18	305.95	94.00	1.04	0.00	313.67	102.74	CorrSvys
93	8764.00	0.73	42.51	8750.14	69.73	-68.55	307.34	94.00	0.82	0.00	314.89	102.57	CorrSvys
94	8858.00	0.70	357.76	8844.14	68.72	-67.54	307.72	94.00	0.58	0.00	315.05	102.38	CorrSvys
95	8952.00	0.52	49.30	8938.13	67.87	-66.69	308.02	94.00	0.59	0.00	315.16	102.22	CorrSvys
96	9045.00	0.34	174.54	9031.13	67.87	-66.69	308.37	93.00	0.83	0.00	315.50	102.20	CorrSvys
97	9139.00	0.80	226.40	9125.13	68.60	-67.42	307.92	94.00	0.69	0.00	315.21	102.35	CorrSvys
98	9234.00	0.86	254.21	9220.12	69.25	-68.07	306.75	95.00	0.42	0.00	314.21	102.51	CorrSvys
99	9328.00	0.89	226.48	9314.11	69.94	-68.76	305.54	94.00	0.45	0.00	313.19	102.68	CorrSvys
100	9423.00	0.75	206.45	9409.10	71.00	-69.83	304.73	95.00	0.33	0.00	312.63	102.91	CorrSvys
101	9517.00	0.75	193.01	9503.09	72.15	-70.98	304.32	94.00	0.19	0.00	312.49	103.13	CorrSvys
102	9612.00	0.50	191.95	9598.08	73.16	-71.99	304.09	95.00	0.26	0.00	312.50	103.32	CorrSvys
103	9705.00	0.06	73.42	9691.08	73.54	-72.37	304.06	93.00	0.57	0.00	312.55	103.39	CorrSvys
104	9800.00	0.65	105.26	9786.08	73.67	-72.50	304.62	95.00	0.63	0.00	313.13	103.39	CorrSvys
105	9894.00	0.99	123.21	9880.07	74.26	-73.09	305.82	94.00	0.45	0.00	314.43	103.44	CorrSvys
106	9989.00	1.27	123.34	9975.05	75.29	-74.11	307.38	95.00	0.29	0.00	316.19	103.56	CorrSvys
107	10083.00	1.43	115.50	10069.02	76.38	-75.19	309.31	94.00	0.26	0.00	318.32	103.66	CorrSvys
108	10178.00	1.44	94.91	10164.00	77.00	-75.80	311.57	95.00	0.54	0.00	320.66	103.67	CorrSvys
109	10271.00	1.57	86.79	10256.96	77.04	-75.83	314.01	93.00	0.27	0.00	323.04	103.58	CorrSvys
110	10366.00	0.85	66.30	10351.94	76.69	-75.48	315.95	95.00	0.87	0.00	324.84	103.44	CorrSvys
111	10460.00	0.60	15.81	10445.94	75.94	-74.72	316.73	94.00	0.70	0.00	325.42	103.27	CorrSvys
112	10553.00	0.31	36.64	10538.93	75.27	-74.05	317.01	93.00	0.35	0.00	325.54	103.15	CorrSvys
113	10647.00	0.14	235.96	10632.93	75.13	-73.91	317.07	94.00	0.47	0.00	325.57	103.12	CorrSvys
114	10742.00	0.98	253.64	10727.93	75.42	-74.21	316.19	95.00	0.89	0.00	324.78	103.21	CorrSvys
115	10866.00	1.45	273.79	10851.90	75.60	-74.40	313.61	124.00	0.51	0.00	322.31	103.35	CorrSvys
116	10996.00	1.31	282.82	10981.86	75.15	-73.96	310.51	130.00	0.20	150.80	319.20	103.40	MWD Run 4

117	11059.00	1.40	282.66	11044.84	74.82	-73.63	309.06	63.00	0.13	156.20	317.71	103.40	MWD Run 4
118	11153.00	9.94	157.50	11138.40	82.10	-80.90	311.06	94.00	11.50	159.80	321.41	104.58	MWD Run 4
119	11200.00	16.46	154.92	11184.14	91.90	-90.69	315.44	47.00	13.92	158.00	328.22	106.04	MWD Run 4
120	11247.00	19.71	159.78	11228.81	105.39	-104.16	321.00	47.00	7.61	161.60	337.48	107.98	MWD Run 4
121	11294.00	25.33	170.39	11272.23	122.78	-121.53	325.42	47.00	14.72	165.20	347.38	110.48	MWD Run 4
122	11341.00	29.95	171.31	11313.85	144.31	-143.05	328.88	47.00	9.86	167.00	358.64	113.51	MWD Run 4
123	11435.00	37.70	172.31	11391.89	196.09	-194.80	336.28	94.00	8.27	168.80	388.63	120.08	MWD Run 4
124	11528.00	46.38	174.03	11460.90	257.90	-256.58	343.60	93.00	9.41	172.40	428.83	126.75	MWD Run 4
125	11623.00	44.89	173.85	11527.32	325.46	-324.11	350.77	95.00	1.57	172.40	477.59	132.74	MWD Run 4
126	11717.00	52.18	178.94	11589.55	395.70	-394.34	355.02	94.00	8.75	172.40	530.60	138.00	MWD Run 4
127	11812.00	60.29	180.24	11642.30	474.60	-473.24	355.54	95.00	8.61	174.20	591.92	143.08	MWD Run 4
128	11907.00	66.91	176.21	11684.53	559.59	-558.22	358.25	95.00	7.94	176.00	663.29	147.31	MWD Run 4
129	12001.00	75.31	167.80	11714.98	647.52	-646.10	370.75	94.00	12.30	168.80	744.92	150.15	MWD Run 4
130	12048.00	78.74	163.82	11725.54	691.94	-690.48	381.99	47.00	11.02	167.00	789.10	151.05	MWD Run 4
131	12095.00	82.46	166.69	11733.22	736.82	-735.31	393.78	47.00	9.97	172.40	834.11	151.83	MWD Run 4
132	12142.00	87.73	168.75	11737.23	782.59	-781.05	403.73	47.00	12.02	176.00	879.23	152.67	MWD Run 4
133	12189.00	92.30	170.96	11737.22	828.88	-827.30	412.01	47.00	10.80	177.80	924.22	153.53	MWD Run 4
134	12236.00	92.95	173.73	11735.07	875.43	-873.83	418.26	47.00	6.06	179.60	968.77	154.42	MWD Run 4
135	12283.00	93.34	176.59	11732.49	922.20	-920.58	422.22	47.00	6.12	181.40	1012.79	155.36	MWD Run 4
136	12330.00	92.58	178.81	11730.07	969.10	-967.48	424.11	47.00	4.99	181.40	1056.36	156.33	MWD Run 4
137	12378.00	90.90	180.27	11728.61	1017.08	-1015.45	424.50	48.00	4.64	183.20	1100.61	157.31	MWD Run 4
138	12471.00	91.32	179.71	11726.81	1110.06	-1108.44	424.51	93.00	0.75	185.00	1186.95	159.04	MWD Run 4
139	12565.00	92.13	181.01	11723.98	1204.01	-1202.39	423.93	94.00	1.63	183.20	1274.93	160.58	MWD Run 4
140	12660.00	92.30	180.48	11720.31	1298.92	-1297.31	422.69	95.00	0.59	188.60	1364.43	161.95	MWD Run 4
141	12754.00	91.46	179.16	11717.23	1392.87	-1391.26	422.99	94.00	1.66	190.40	1454.14	163.09	MWD Run 4
142	12848.00	92.22	180.15	11714.21	1486.82	-1485.20	423.55	94.00	1.33	192.20	1544.42	164.08	MWD Run 4
143	12941.00	91.01	179.82	11711.60	1579.78	-1578.16	423.57	93.00	1.35	195.80	1634.02	164.98	MWD Run 4
144	13035.00	88.15	183.61	11712.29	1673.70	-1672.09	420.76	94.00	5.05	192.20	1724.22	165.88	MWD Run 4
145	13130.00	88.60	184.12	11714.98	1768.42	-1766.84	414.35	95.00	0.71	197.60	1814.77	166.80	MWD Run 4
146	13224.00	88.06	181.98	11717.72	1862.22	-1860.66	409.35	94.00	2.34	195.80	1905.16	167.59	MWD Run 4
147	13318.00	87.50	181.27	11721.36	1956.10	-1954.55	406.68	94.00	0.96	201.20	1996.41	168.25	MWD Run 4
148	13412.00	87.95	179.63	11725.08	2050.01	-2048.47	405.93	94.00	1.81	203.00	2088.30	168.79	MWD Run 4
149	13506.00	89.44	179.17	11727.22	2143.98	-2142.44	406.92	94.00	1.66	203.00	2180.74	169.25	MWD Run 4
150	13600.00	91.94	180.40	11726.10	2237.97	-2236.42	407.28	94.00	2.96	204.80	2273.20	169.68	MWD Run 4
151	13694.00	92.55	180.08	11722.41	2331.89	-2330.35	406.88	94.00	0.74	201.20	2365.60	170.10	MWD Run 4
152	13789.00	92.16	178.95	11718.51	2426.81	-2425.26	407.68	95.00	1.26	203.00	2459.29	170.46	MWD Run 4
153	13883.00	92.44	179.95	11714.73	2520.73	-2519.18	408.58	94.00	1.11	203.00	2552.10	170.79	MWD Run 4
154	13975.00	92.19	180.51	11711.02	2612.65	-2611.10	408.21	92.00	0.67	204.80	2642.82	171.11	MWD Run 4
155	14069.00	89.21	180.67	11709.87	2706.62	-2705.08	407.24	94.00	3.17	206.60	2735.56	171.44	MWD Run 4
156	14162.00	89.13	180.81	11711.21	2799.60	-2798.06	406.03	93.00	0.18	208.40	2827.37	171.74	MWD Run 4
157	14257.00	89.33	180.41	11712.49	2894.58	-2893.05	405.01	95.00	0.47	208.40	2921.26	172.03	MWD Run 4
158	14352.00	90.59	180.63	11712.56	2989.57	-2988.04	404.14	95.00	1.35	206.60	3015.25	172.30	MWD Run 4
159	14446.00	90.78	180.15	11711.44	3083.56	-3082.03	403.50	94.00	0.56	210.20	3108.33	172.54	MWD Run 4
160	14537.00	91.01	180.30	11710.01	3174.55	-3173.02	403.14	91.00	0.30	210.20	3198.53	172.76	MWD Run 4
161	14631.00	91.23	180.03	11708.17	3268.53	-3267.00	402.87	94.00	0.37	210.20	3291.75	172.97	MWD Run 4
162	14725.00	91.37	179.91	11706.03	3362.50	-3360.98	402.92	94.00	0.20	212.00	3385.04	173.16	MWD Run 4
163	14820.00	90.45	179.00	11704.52	3457.49	-3455.96	403.82	95.00	1.36	210.20	3479.47	173.34	MWD Run 4
164	14934.00	91.09	181.68	11702.99	3571.46	-3569.94	403.14	114.00	2.42	192.20	3592.63	173.56	MWD Run 5
165	15028.00	90.87	181.41	11701.38	3665.40	-3663.89	400.61	94.00	0.38	197.60	3685.72	173.76	MWD Run 5
166	15121.00	90.64	181.46	11700.15	3758.35	-3756.85	398.28	93.00	0.25	199.40	3777.90	173.95	MWD Run 5
167	15215.00	90.14	181.90	11699.51	3852.30	-3850.81	395.52	94.00	0.71	201.20	3871.07	174.14	MWD Run 5
168	15309.00	88.66	180.19	11700.50	3946.26	-3944.78	393.81	94.00	2.40	203.00	3964.39	174.30	MWD Run 5
169	15403.00	87.87	179.78	11703.35	4040.22	-4038.74	393.83	94.00	0.94	204.80	4057.89	174.43	MWD Run 5
170	15497.00	88.04	179.64	11706.70	4134.16	-4132.68	394.30	94.00	0.23	203.00	4151.44	174.55	MWD Run 5
171	15591.00	88.07	179.90	11709.89	4228.11	-4226.62	394.68	94.00	0.27	206.60	4245.01	174.67	MWD Run 5
172	15686.00	89.13	180.12	11712.21	4323.08	-4321.59	394.67	95.00	1.15	204.80	4339.58	174.78	MWD Run 5
173	15779.00	89.41	180.18	11713.40	4416.07	-4414.58	394.43	93.00	0.31	204.80	4432.17	174.89	MWD Run 5
174	15874.00	88.46	179.58	11715.16	4511.05	-4509.57	394.63	95.00	1.18	206.60	4526.80	175.00	MWD Run 5
175	15968.00	87.79	179.23	11718.24	4604.99	-4603.51	395.61	94.00	0.81	208.40	4620.48	175.09	MWD Run 5
176	16062.00	88.80	179.67	11721.04	4698.95	-4697.46	396.51	94.00	1.17	210.20	4714.17	175.18	MWD Run 5
177	16156.00	88.74	179.85	11723.06	4792.93	-4791.44	396.90	94.00	0.20	213.80	4807.85	175.26	MWD Run 5
178	16250.00	88.85	179.73	11725.04	4886.91	-4885.42	397.24	94.00	0.18	213.80	4901.54	175.35	MWD Run 5
179	16344.00	88.21	179.71	11727.45	4980.88	-4979.39	397.70	94.00	0.69	215.60	4995.24	175.43	MWD Run 5
180	16438.00	88.54	178.23	11730.11	5074.83	-5073.33	399.39	94.00	1.61	213.80	5089.03	175.50	MWD Run 5
181	16532.00	87.53	179.12	11733.33	5168.75	-5167.25	401.57	94.00	1.43	210.20	5182.83	175.56	MWD Run 5
182	16625.00	88.12	179.57	11736.85	5261.68	-5260.17	402.63	93.00	0.80	210.20	5275.56	175.62	MWD Run 5
183	16720.00	89.44	179.95	11738.87	5356.66	-5355.15	403.02	95.00	1.44	213.80	5370.29	175.70	MWD Run 5
184	16813.00	91.65	180.30	11737.99	5449.65	-5448.14	402.81	93.00	2.41	206.60	5463.01	175.77	MWD Run 5

185	16907.00	90.20	180.35	11736.47	5543.63	-5542.12	402.28	94.00	1.55	212.00	5556.70	175.85	MWD Run 5
186	17001.00	87.09	180.28	11738.70	5637.58	-5636.08	401.76	94.00	3.31	217.40	5650.38	175.92	MWD Run 5
187	17095.00	88.63	181.22	11742.21	5731.50	-5730.01	400.53	94.00	1.92	210.20	5743.99	176.00	MWD Run 5
188	17188.00	89.50	181.38	11743.74	5824.46	-5822.97	398.42	93.00	0.95	213.80	5836.58	176.09	MWD Run 5
189	17282.00	90.06	180.47	11744.10	5918.43	-5916.95	396.91	94.00	1.14	217.40	5930.25	176.16	MWD Run 5
190	17376.00	92.86	180.50	11741.72	6012.39	-6010.91	396.11	94.00	2.98	219.20	6023.95	176.23	MWD Run 5
191	17469.00	93.50	180.76	11736.56	6105.23	-6103.76	395.09	93.00	0.75	213.80	6116.53	176.30	MWD Run 5
192	17563.00	92.27	180.46	11731.82	6199.10	-6197.63	394.09	94.00	1.35	213.80	6210.15	176.36	MWD Run 5
193	17657.00	86.47	180.02	11732.86	6293.05	-6291.59	393.70	94.00	6.19	213.80	6303.89	176.42	MWD Run 5
194	17752.00	87.17	178.74	11738.13	6387.90	-6386.43	394.72	95.00	1.53	217.40	6398.62	176.46	MWD Run 5
195	17846.00	87.28	179.26	11742.68	6481.78	-6480.31	396.36	94.00	0.56	217.40	6492.42	176.50	MWD Run 5
196	17939.00	88.37	178.42	11746.20	6574.70	-6573.22	398.25	93.00	1.48	215.60	6585.27	176.53	MWD Run 5
197	18034.00	89.55	177.11	11747.92	6669.62	-6668.13	401.96	95.00	1.86	219.20	6680.23	176.55	MWD Run 5
198	18128.00	90.11	176.58	11748.19	6763.50	-6761.99	407.13	94.00	0.82	204.80	6774.23	176.55	MWD Run 6
199	18222.00	90.20	179.37	11747.94	6857.44	-6855.92	410.46	94.00	2.97	210.20	6868.19	176.57	MWD Run 6
200	18317.00	90.28	179.23	11747.55	6952.44	-6950.91	411.61	95.00	0.17	212.00	6963.09	176.61	MWD Run 6
201	18410.00	90.17	179.60	11747.18	7045.44	-7043.90	412.56	93.00	0.41	213.80	7055.97	176.65	MWD Run 6
202	18504.00	88.74	179.68	11748.08	7139.43	-7137.89	413.16	94.00	1.52	215.60	7149.84	176.69	MWD Run 6
203	18598.00	88.32	179.93	11750.49	7233.40	-7231.86	413.49	94.00	0.52	219.20	7243.67	176.73	MWD Run 6
204	18691.00	88.26	180.25	11753.27	7326.35	-7324.82	413.34	93.00	0.35	222.80	7336.47	176.77	MWD Run 6
205	18785.00	88.07	180.13	11756.27	7420.30	-7418.77	413.03	94.00	0.24	222.80	7430.26	176.81	MWD Run 6
206	18879.00	86.95	179.93	11760.36	7514.21	-7512.68	412.99	94.00	1.21	221.00	7524.02	176.85	MWD Run 6
207	18974.00	87.67	180.17	11764.82	7609.11	-7607.58	412.90	95.00	0.81	221.00	7618.77	176.89	MWD Run 6
208	19068.00	88.57	177.80	11767.90	7703.04	-7701.50	414.57	94.00	2.69	219.20	7712.65	176.92	MWD Run 6
209	19163.00	93.17	178.14	11766.46	7797.95	-7796.41	417.93	95.00	4.85	222.80	7807.60	176.93	MWD Run 6
210	19257.00	93.03	178.04	11761.38	7891.78	-7890.22	421.06	94.00	0.19	221.00	7901.44	176.95	MWD Run 6
211	19351.00	90.36	178.35	11758.60	7985.69	-7984.12	424.02	94.00	2.85	226.40	7995.37	176.96	MWD Run 6
212	19446.00	88.49	177.83	11759.55	8080.64	-8079.06	427.18	95.00	2.05	228.20	8090.35	176.97	MWD Run 6
213	19540.00	91.79	178.67	11759.32	8174.59	-8173.00	430.05	94.00	3.63	228.20	8184.31	176.99	MWD Run 6
214	19635.00	93.11	178.41	11755.26	8269.48	-8267.88	432.46	95.00	1.41	221.00	8279.18	177.01	MWD Run 6
215	19729.00	93.34	178.04	11749.98	8363.30	-8361.69	435.36	94.00	0.46	228.20	8373.01	177.02	MWD Run 6
216	19823.00	92.89	177.08	11744.88	8457.09	-8455.46	439.36	94.00	1.13	230.00	8466.87	177.03	MWD Run 6
217	19918.00	92.89	178.66	11740.09	8551.91	-8550.27	442.88	95.00	1.67	226.40	8561.74	177.03	MWD Run 6
218	20012.00	92.05	178.22	11736.05	8645.80	-8644.15	445.44	94.00	1.01	222.80	8655.62	177.05	MWD Run 6
219	20105.00	91.51	178.40	11733.16	8738.72	-8737.07	448.18	93.00	0.61	226.40	8748.55	177.06	MWD Run 6
220	20198.00	90.42	178.38	11731.59	8831.68	-8830.01	450.79	93.00	1.18	228.20	8841.51	177.08	MWD Run 6
221	20293.00	90.78	178.39	11730.59	8926.65	-8924.97	453.47	95.00	0.38	228.20	8936.48	177.09	MWD Run 6
222	20387.00	90.14	179.19	11729.84	9020.63	-9018.95	455.45	94.00	1.09	230.00	9030.44	177.11	MWD Run 6
223	20481.00	90.62	178.92	11729.22	9114.62	-9112.93	457.00	94.00	0.59	233.60	9124.38	177.13	MWD Run 6
224	20576.00	89.58	178.37	11729.05	9209.60	-9207.90	459.25	95.00	1.23	235.40	9219.35	177.14	MWD Run 6
225	20670.00	89.52	178.37	11729.79	9303.57	-9301.86	461.92	94.00	0.06	235.40	9313.32	177.16	MWD Run 6
226	20764.00	89.50	179.23	11730.59	9397.55	-9395.84	463.89	94.00	0.92	230.00	9407.28	177.17	MWD Run 6
227	20859.00	89.97	181.04	11731.03	9492.54	-9490.83	463.67	95.00	1.96	228.20	9502.15	177.20	MWD Run 6
228	20953.00	89.44	180.01	11731.52	9586.53	-9584.82	462.81	94.00	1.23	235.40	9595.99	177.24	MWD Run 6
229	21047.00	89.38	180.04	11732.48	9680.53	-9678.82	462.76	94.00	0.07	237.20	9689.88	177.26	MWD Run 6
230	21141.00	89.41	179.36	11733.47	9774.52	-9772.81	463.25	94.00	0.73	239.00	9783.79	177.29	MWD Run 6
231	21235.00	90.45	179.77	11733.58	9868.52	-9866.81	463.97	94.00	1.19	239.00	9877.71	177.31	MWD Run 6
232	21329.00	91.04	179.70	11732.37	9962.51	-9960.80	464.41	94.00	0.63	239.00	9971.62	177.33	MWD Run 6
233	21423.00	88.88	179.79	11732.44	10056.50	-10054.79	464.83	94.00	2.30	239.00	10065.53	177.35	MWD Run 6
234	21517.00	88.94	179.61	11734.23	10150.49	-10148.77	465.32	94.00	0.20	240.80	10159.44	177.37	MWD Run 6
235	21611.00	90.28	179.78	11734.87	10244.48	-10242.77	465.82	94.00	1.44	240.80	10253.35	177.40	MWD Run 6
236	21644.00	89.92	179.39	11734.81	10277.48	-10275.77	466.06	33.00	1.61	237.20	10286.33	177.40	MWD Run 6
PROJ	21695.00	89.92	179.39	11734.89	10328.48	-10326.76	466.60	51.00	0.01	0.00	10337.30	177.41	PROJ

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-46428		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name POKER LAKE UNIT 18 TWR		
								6. Well Number: 122H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	19	24S	31E		40	North	785	West	Eddy
BH:	M	30	24S	31E	4	199	SOut	1211	West	Eddy
13. Date Spudded 2/24/2020	14. Date T.D. Reached 4/24/2020		15. Date Rig Released 4/27/2020		16. Date Completed (Ready to Produce) 6/18/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3495' GL		
18. Total Measured Depth of Well 21,695			19. Plug Back Measured Depth 21,693		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,174 - 21,538 PURPLE SAGE;WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
11 3/4"		54.0		850'		14 3/4"		850		
8 5/8"		32.0		10,937'		10 5/8"		1355		
5 1/2"		23.0		21,695'		7 7/8"		3685		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						2 7/8" L80 6.5#	10,986		10,971	
26. Perforation record (interval, size, and number) 12,174 - 21,538 4spf, 1512 Total Shots 63 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,174 - 21,538		323,321 bbl fluid + 14,189,060 lbs proppant		
28. PRODUCTION										
Date First Production 6/19/21		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in) Producing				
Date of Test 6/23/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1922	Gas - MCF 5007	Water - Bbl. 6287	Gas - Oil Ratio 2605			
Flow Tubing Press. 0	Casing Pressure 0	Calculated 24-Hour Rate	Oil - Bbl. 1922	Gas - MCF 5007	Water - Bbl. 6287	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Cassie Evans		Title Regulatory Analyst			Date 08/24/2021		
E-mail Address cassie.evans@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 899'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 4005'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 4265'	T. Morrison	
T. Drinkard	T. Bone Springs 8133'	T. Todilto	
T. Abo	T. Rustler 529'	T. Entrada	
T. Wolfcamp 11507'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 44076

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 44076
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44076

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 44076
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/29/2021