

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: BETONNIE TSOSIE Well Location: T23N / R8W / SEC 35 / County or Parish/State: SAN

WASH UNIT SWNW / 36.18669 / -107.657189 JUAN / NM

Well Number: 505H Type of Well: OIL WELL Allottee or Tribe Name:

NAVAJO NATION

Lease Number: NMNM50999 Unit or CA Name: Unit or CA Number:

NMNM135219A

US Well Number: 3004538241 Well Status: Drilling Well Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2637958

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/11/2021 Time Sundry Submitted: 08:15

Date Operation Actually Began: 10/02/2021

Actual Procedure: Liner Casing & Cement / Depth have been adjusted for 26' KB of production rig. 10/2/21: Accept rig on day work. NU BOP. PT 7 inch 26# J55 LTC casing, 1500 psi for 30 min. Test good & recorded on chart (3rd party Wilson Services). No regulatory agencies onsite to witness. Drill 6.125 inch hole from 5398 ftKB to 7123 ftKB. 10/3/21: Drill 6.125 inch hole from 7123 ftKB to 10,101 ftKB. 10/4/21: Drill 6.125 inch hole from 10,101 ftKB to 11,850 ftKB. 10/5/21: Drill 6.125 inch hole from 11,850 ftKB to 13,285 ftKB TD (TVD 4995'). TOH. 10/6/21: RU casing crew. Run 206 jts of 4.5 inch 11.6# P110 BTC production liner set from TOL: 5010' BOL: 13281'. Float collar at 13267'. Alpha Sleeve at 13240'. Marker jts at 5541', 10424', 13067'. RU cement crew. 5000 psi test on lines. Test good. Class G cement with 40% excess: 193 bbls (695 sx) 13.3 ppg, 1.56 yield, 7.69 gps. Bump plug 1930 psi, pressure up to 2710 psi & hold for 5 min. 21 bbls good cement to surface. TOC: 5010' BOC: 13281'. RD cementers. 10/7/21: Install pack off. PT to 5000 psi. Test good. ND BOP. Install night cap. Rig H&P 443 released on 10/7/21

WASH UNIT

Well Location: T23N / R8W / SEC 35 / SWNW / 36.18669 / -107.657189

County or Parish/State: SAN

JUAN / NM

Well Number: 505H

Type of Well: OIL WELL

Allottee or Tribe Name: **NAVAJO NATION**

Lease Number: NMNM50999

Unit or CA Name:

Unit or CA Number: NMNM135219A

US Well Number: 3004538241

Well Status: Drilling Well

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD Signed on: OCT 11, 2021 08:14 AM

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

State: NM City: Aztec

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field Representative

Representative Name:

Street Address:

State: City: Zip:

Phone:

Email address:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 55274

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	55274
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	10/12/2021