

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-38702
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No. 312488
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name WHIRLWIND 25 ST
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>S</u> line and <u>990</u> feet from the <u>E</u> line Section <u>25</u> Township <u>16S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4037 GR		9. OGRID Number 298299
		10. Pool name or Wildcat VACUUM; ATOKA-MORROW, N

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: TA EXTENSION ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Cross Timbers Energy requests extension of TA status.

FINAL TA STATUS- EXTENSION

Approval of TA EXPIRES: 8/13/23
 Well needs to be **PLUGGED OR RETURNED**
 to **PRODUCTION**
 BY THE DATE STATED ABOVE: 8/13/23

Attachments include passing 8-16-21 MIT, Bradenhead and Current WBD.

Spud Date:

02/15/2008

Rig Release Date:

03/28/2008

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Holly Wood TITLE REGULATORY ANALYST DATE 08/16/2021

Type or print name Kerry Fortner E-mail address: hwood@mspartners.com PHONE: 817-334-8088
For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 10/28/21
 Conditions of Approval (if any):

District I
1615 N French Dr., Hobbs, NM 88240
Phone (575) 393-6161 Fax: (575) 393-0720

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name CROSS TIMBERS ENERGY, LLC	API Number 30-025-38702
Property Name WHIRLWIND 25 STATE	Well No. 1

1. Surface Location

UL - Lot P	Section 25	Township 16S	Range 34E	Feet from 660	N/S Line FSL	Feet From 900	E/W Line FEL	LEA County
----------------------	----------------------	------------------------	---------------------	-------------------------	------------------------	-------------------------	------------------------	------------

Well Status

TA'D WELL YES	NO	SHUT-IN YES	NO	INJ NO	INJECTOR NO	SWD NO	OIL NO	PRODUCER NO	GAS NO	DATE 8-13-21
-------------------------	----	-----------------------	----	------------------	-----------------------	------------------	------------------	-----------------------	------------------	------------------------


OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Casing	(E)Tubing
Pressure	-0-	2/4	2/4	-0-	-0-
Flow Characteristics					
Puff	Y/N	Y/N	Y/N	Y/N	CO2
Steady Flow	Y/N	Y/N	Y/N	Y/N	WTR
Surges	Y/N	Y/N	Y/N	Y/N	GAS
Down to nothing	Y/N	Y/N	Y/N	Y/N	Type of Field
Gas or Oil	Y/N	Y/N	Y/N	Y/N	Injected for
Water	Y/N	Y/N	Y/N	Y/N	Waterflood if
					applies

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.


Signature		OIL CONSERVATION DIVISION	
Printed name.		Entered into RBDMS	
Title		Re-test	
E-mail Address:			
Date:	Phone		
	Witness		

INSTRUCTIONS ON BACK OF THIS FORM



Schematic & History

Well Name WHIRLWIND 25 STATE #1		API/UWI 3002538702	County Lea		State/Province New Mexico		Field Name VACUUM N	
Location NEAR BUCKEYE, NM			Township 16S	Range 34E	Section 25	Latitude (°) 32° 53' 16.217" N		Longitude (°) 103° 30' 31.93" W
Original KB Elevation (ft) 4,055.00		Ground/Corrected Ground Elevation (ft) 4,037.00		KB-Ground Distance (ft) 18.00		Spud Date 2/15/2008		

Vertical - Original Hole, 5/13/2015 10:17:53 AM**Jobs**

Type	Start Date	Summary
DRILLING ORIGINAL & INITIAL COMPLETION	2/15/2008	D&C Atoka/Morrow producer.
Open Additional Pay - OAP	1/20/2009	Shoot hole sin tbg, pl tbg & pkr, Set CIBP, dump cmt, perf Atoka, RDMO.
Upgrade Rods/Tubing	3/3/2009	
Production Test	6/15/2009	
Swab	6/18/2009	
Swab	7/20/2009	
Temporarily Abandon Well	5/4/2015	MIRU, kill well, POOH, flowing condensate, kill well, POOH, att. RIH GR to PBTD, tagged high 12,624', recieved approval from OCD to abandon adding cement over Morrow, set CIBP over Atoka, dump bail cement, RDMO, top off hole w/ pkr fluid, perform MIT, passed. FR wellbore TA'd.

Wellbore Sections

Section Des	Wellbore Name	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
SURFAC	Original Hole	17 1/2	18.0	425.0	2/15/2008
INTRM1	Original Hole	12 1/4	425.0	4,735.0	2/22/2008
PROD1	Original Hole	8.785	4,735.0	13,200.0	3/27/2008

Surface 421.0 ftKB 2/15/2008**Comment**

Csg on hand: 12 (506.97') Csg Left out: 2 (84.87')

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
13 3/8	48.00	H-40	18.1	377.6	359.5	Casing Joints
13 3/8			377.6	377.6	0	INSERT FLOAT
13 3/8	48.00	H-40	377.6	419.8	42.2	Casing Joints
13 3/8			419.8	421.0	1.3	Shoe

Intermediate 4,735.0 ftKB 2/22/2008**Comment**

Csg on hand: 113 (4908.23') Csg Left Out: 4 (172.99) CUT OFF: 20.5'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
9 5/8	36.00	J-55	18.0	3,135.7	3117.7	Casing Joints
9 5/8	40.00	J-55	3,135.7	4,137.5	1001.8	Casing Joints
9 5/8	40.00	HC-J55	4,137.5	4,687.0	549.5	Casing Joints
9 5/8	40.00	HC-J55	4,687.0	4,688.2	1.2	FLOAT COLLAR
9 5/8	40.00	HC-J55	4,688.2	4,734.0	45.8	Casing Joints
9 5/8	36.00	H-40	4,734.0	4,735.0	1	Casing Joints

Production 13,195.0 ftKB 3/27/2008**Comment**

Csg on hand 300 jts 13,378.62' (4 joints left out 181.14') cut off 25.'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
5 1/2	17.00	P-110	17.9	9,934.4	9916.5	Casing Joints
5 1/2	17.00	P-110	9,934.4	9,936.9	2.5	D.V. TOOL
5 1/2	17.00	P-110	9,936.9	11,458.7	1521.8	Casing Joints
5 1/2	17.00	P-110	11,458.7	11,472.6	13.9	MARKER JOINT
5 1/2	17.00	P-110	11,472.6	12,316.0	843.4	Casing Joints
5 1/2	17.00	P-110	12,316.0	12,330.0	14	MARKER JOINT
5 1/2	17.00	P-110	12,330.0	13,146.0	816	Casing Joints
5 1/2	17.00	P-110	13,146.0	13,147.5	1.5	FLOAT COLLAR
5 1/2	17.00	P-110	13,147.5	13,193.5	46	Casing Joints
5 1/2	17.00	P-110	13,193.5	13,195.0	1.5	FLOAT SHOE

Released to Imaging: 10/28/2021 2:17:52 PM

District I
1615 N French Dr, Hobbs, NM 88240
Phone (575) 393-6161 Fax: (575) 393-0120

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name CROSS TIMBERS ENERGY, LLC	API Number 30-025-38702
Property Name WHIRLWIND 25 STATE	Well No. 1

1. Surface Location

UL - Lot P	Section 25	Township 16S	Range 34E	Feet from 660	N/S Line FSL	Feet From 900	E/W Line FEL	LEA County
----------------------	----------------------	------------------------	---------------------	-------------------------	------------------------	-------------------------	------------------------	------------

Well Status

TA'D WELL ☒ YES	NO	SHUT-IN YES	NO	INJ	INJECTOR SWD	OIL	PRODUCER GAS	DATE 8-13-21
--	----	----------------	----	-----	-----------------	-----	-----------------	------------------------


OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csg	(E)Tubing
Pressure	-0-	2/4	2/4	-0-	-0-
Flow Characteristics					
Puff	Y/N	Y/N	Y/N	Y/N	CO2
Steady Flow	Y/N	Y/N	Y/N	Y/N	WTR
Surges	Y/N	Y/N	Y/N	Y/N	GAS
Down to nothing	Y/N	Y/N	Y/N	Y/N	Type of Field
Gas or Oil	Y/N	Y/N	Y/N	Y/N	Injected for
Water	Y/N	Y/N	Y/N	Y/N	Waterflood if
					applies

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.


Signature	OIL CONSERVATION DIVISION
Printed name.	Entered into RBDMS
Title	Re-test
E-mail Address:	
Date:	Phone
	Witness

INSTRUCTIONS ON BACK OF THIS FORM



Schematic & History

Well Name WHIRLWIND 25 STATE #1		API/UWI 3002538702	County Lea		State/Province New Mexico		Field Name VACUUM N	
Location NEAR BUCKEYE, NM			Township 16S	Range 34E	Section 25	Latitude (°) 32° 53' 16.217" N		Longitude (°) 103° 30' 31.93" W
Original KB Elevation (ft) 4,055.00		Ground/Corrected Ground Elevation (ft) 4,037.00		KB-Ground Distance (ft) 18.00		Spud Date 2/15/2008		

Vertical - Original Hole, 5/13/2015 10:17:53 AM**Jobs**

Type	Start Date	Summary
DRILLING ORIGINAL & INITIAL COMPLETION	2/15/2008	D&C Atoka/Morrow producer.
Open Additional Pay - OAP	1/20/2009	Shoot hole sin tbg, pl tbg & pkr, Set CIBP, dump cmt, perf Atoka, RDMO.
Upgrade Rods/Tubing	3/3/2009	
Production Test	6/15/2009	
Swab	6/18/2009	
Swab	7/20/2009	
Temporarily Abandon Well	5/4/2015	MIRU, kill well, POOH, flowing condensate, kill well, POOH, att. RIH GR to PBTD, tagged high 12,624', recieved approval from OCD to abandon adding cement over Morrow, set CIBP over Atoka, dump bail cement, RDMO, top off hole w/ pkr fluid, perform MIT, passed. FR wellbore TA'd.

Wellbore Sections

Section Des	Wellbore Name	Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date
SURFAC	Original Hole	17 1/2	18.0	425.0	2/15/2008
INTRM1	Original Hole	12 1/4	425.0	4,735.0	2/22/2008
PROD1	Original Hole	8.785	4,735.0	13,200.0	3/27/2008

Surface 421.0 ftKB 2/15/2008

Comment

Csg on hand: 12 (506.97') Csg Left out: 2 (84.87)

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
13 3/8	48.00	H-40	18.1	377.6	359.5	Casing Joints
13 3/8			377.6	377.6	0	INSERT FLOAT
13 3/8	48.00	H-40	377.6	419.8	42.2	Casing Joints
13 3/8			419.8	421.0	1.3	Shoe

Intermediate 4,735.0 ftKB 2/22/2008

Comment

Csg on hand: 113 (4908.23') Csg Left Out: 4 (172.99) CUT OFF: 20.5'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
9 5/8	36.00	J-55	18.0	3,135.7	3117.7	Casing Joints
9 5/8	40.00	J-55	3,135.7	4,137.5	1001.8	Casing Joints
9 5/8	40.00	HC-J55	4,137.5	4,687.0	549.5	Casing Joints
9 5/8	40.00	HC-J55	4,687.0	4,688.2	1.2	FLOAT COLLAR
9 5/8	40.00	HC-J55	4,688.2	4,734.0	45.8	Casing Joints
9 5/8	36.00	H-40	4,734.0	4,735.0	1	Casing Joints


Production 13,195.0 ftKB 3/27/2008

Comment

Csg on hand 300 jts 13,378.62' (4 joints left out 181.14') cut off 25.'

OD (in)	Wt (lb/ft)	Grade	Top (ftKB)	Btm (ftKB)	Len (ft)	Item Des
5 1/2	17.00	P-110	17.9	9,934.4	9916.5	Casing Joints
5 1/2	17.00	P-110	9,934.4	9,936.9	2.5	D.V. TOOL
5 1/2	17.00	P-110	9,936.9	11,458.7	1521.8	Casing Joints
5 1/2	17.00	P-110	11,458.7	11,472.6	13.9	MARKER JOINT
5 1/2	17.00	P-110	11,472.6	12,316.0	843.4	Casing Joints
5 1/2	17.00	P-110	12,316.0	12,330.0	14	MARKER JOINT
5 1/2	17.00	P-110	12,330.0	13,146.0	816	Casing Joints
5 1/2	17.00	P-110	13,146.0	13,147.5	1.5	FLOAT COLLAR
5 1/2	17.00	P-110	13,147.5	13,193.5	46	Casing Joints
5 1/2	17.00	P-110	13,193.5	13,195.0	1.5	FLOAT SHOE

Schematic & History



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 42214

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 42214
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Final TA extension Expires 8/13/23	10/28/2021