

Well Name: LITTLE JACK 30	Well Location: T23S / R32E / SEC 30 / SWSE /	County or Parish/State: LEA / NM
Well Number: 03	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM86927	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532478	Well Status: Abandoned	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Subsequent Report

Sundry ID: 2630411

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 08/25/2021 Time Sundry Submitted: 08:23

Date Operation Actually Began: 08/12/2021

Actual Procedure: null

SR Attachments

Actual Procedure

Sundry_Report_Little_Jack_30_Federal_3_Sunset_20210825082328.pdf

Accepted for Record Only

SUBJECT TO LIKE APPROVAL BY BLM

K F

NMOCD 10/29/21

Well Name: LITTLE JACK 30	Well Location: T23S / R32E / SEC 30 / SWSE /	County or Parish/State: LEA / NM
Well Number: 03	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM86927	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002532478	Well Status: Abandoned	Operator: DEVON ENERGY PRODUCTION COMPANY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHERYL BOBBITT	Signed on: AUG 25, 2021 08:23 AM
Name: DEVON ENERGY PRODUCTION COMPANY LP	
Title: Production Technologist	
Street Address: 333 W. SHERIDAN AVE.	
City: OKLAHOMA CITY	State: OK
Phone: (405) 552-8155	
Email address: SHERYL.BOBBITT@DVN.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 08/26/2021
Signature: James A. Amos	

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.


SUBMIT IN TRIPLICATE - Other instructions on page 2		5. Lease Serial No. NMNM86927
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator Devon Energy Production Co., LP		7. If Unit of CA/Agreement, Name and/or No.
3a. Address 333 West Sheridan Avenue, Oklahoma City, OK 73102		8. Well Name and No. LITTLE JACK 30 FEDERAL 3
3b. Phone No. (include area code) 405-552-4615		9. API Well No. 30-025-32478
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T23S R32E; 660FSL 3210FEL 32.269989,-103.7126541		10. Field and Pool or Exploratory Area TRISTE DRAW DELAWARE; S. SAND DUNES B.S.
		11. Country or Parish, State LEA, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

- 08/12/21 MIRU, LD rods, NUBOP, LD tubing.
- 08/13/21 LD tubing, RIH w/gauge ring.
- 08/16/21 RIH w/gauge ring to 8580', POH/RIH w/CIBP, set @ 8560, spot 25 sx "H" cmt, POH.
- 08/17/21 LD tubing, RIH w/CIBP to 7202', circ 150 bbls of 10# salt gel. Spot 30 sx "C" cmt, WOC, tag TOC @ 6890', LD tubing to 4720', spot 25 sx "C" cmt, POH.
- 08/18/21 Tag TOC @ 4460', POH, perf @ 4455', perfs pressured up. RIH to 4460', spot 25 sx "C" cmt, WOC, tag TOC @ 4250', POH, perf @ 1430', RIH w/packer, sqz 30 sx "C" cmt.
- 08/19/21 Tag TOC @ 1282', LD tubing, perf @ 700', ND BOP, flange up well, circ 185 sx "C" cmt to surface, RDMO.
- 08/20/21 Dig out and cut off wellhead, anchors and back fill location. P&A complete.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	
Jimmy Bagley	Title Agent
Signature 	Date 08/23/21

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: LITTLE JACK ` 30` FEDERAL 3		Field: TODD CENTRAL	
Location: 660' FSL & 2310' FEL; SEC 30-T23S-R32E		County: LEA	State: NM
Elevation: 3597' GL		Spud Date: 4/15/94	Compl Date: 6/11/94
API#: 30-025-32478	Prepared by: Armon Radfar	Date: 8/30/21	Rev:

FINAL WELLBORE

17-1/2" hole
13-3/8", 48#, H40, STC @ 633'
 Cmt'd w/550 sx to surf.

1. Perf @ 700'.
2. Sqz 185 sx CI C in/out from 700' to surface.
3. Cut WH off 3' BGL, set dry hole marker.
(Shoe @ 633')

10# Mud

1. Perf @ 1430'.
2. Sqz 30 sx CI C in/out from 1430'-1282'. WOC & tag.
(T. Salt @ 1380')

10# Mud

12-1/4" Hole
8-5/8", 28#/32#, K55, BTC/LTC @ 4500'
 Cmt'd w/1700 sx to surf.

TOC @ 4500' (temp srvy, 1994)

1. Spot 25 sx CI C from 4720'-4460'.
2. Spot 25 sx CI C from 4460'-4250'. WOC & tag.
(T. Delaware @ 4670'; Shoe @ 4500'; B. Salt @ 4430')

10# Mud

DV Tool @ 6990'

1. Set CIBP @ 7202'. Circ 10# salt gel. Leak test.
2. Spot 30 sx CI C from 7202'-6890'. WOC & tag.
(Perfs @ 7252'; DV tool @ 6990')

DELAWARE (6/1/94)
 7252' - 7262'

BONE SPRING (3/1/98)
 8610' - 8657'

7-7/8" Hole
5-1/2", 17#, K55, LTC @ 8900'
 Cmt'd w/1090 sx. TOC @ 4500' (temp srvy)

1. Set CIBP @ 8560'.
2. Spot 25 sx CI H from 8560'-8360'.
(Perfs @ 8610'; T. Bone Spring @ 8520')

PBSD @ 8854' MD

TD @ 8900' MD

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM86927

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Devon Energy Production Co., LP

3a. Address

333 West Sheridan Avenue, Oklahoma City, OK 73102

3b. Phone No. (include area code)

405-552-4615

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 30 T23S R32E; 660FSL 3210FEL
32.269989,-103.7126541

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

LITTLE JACK 30 FEDERAL 3

9. API Well No.

30-025-32478

10. Field and Pool or Exploratory Area

TRISTE DRAW DELAWARE; S. SAND DUNES B.S.

11. Country or Parish, State

LEA, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

- 08/12/21 MIRU, LD rods, NUBOP, LD tubing.
- 08/13/21 LD tubing, RIH w/gauge ring.
- 08/16/21 RIH w/gauge ring to 8580', POH/RIH w/CIBP, set @ 8560, spot 25 sx "H" cmt, POH.
- 08/17/21 LD tubing, RIH w/CIBP to 7202', circ 150 bbls of 10# salt gel. Spot 30 sx "C" cmt, WOC, tag TOC @ 6890', LD tubing to 4720', spot 25 sx "C" cmt, POH.
- 08/18/21 Tag TOC @ 4460', POH, perf @ 4455', perfs pressured up. RIH to 4460', spot 25 sx "C" cmt, WOC, tag TOC @ 4250', POH, perf @ 1430', RIH w/packer, sqz 30 sx "C" cmt.
- 08/19/21 Tag TOC @ 1282', LD tubing, perf @ 700', ND BOP, flange up well, circ 185 sx "C" cmt to surface, RDMO.
- 08/20/21 Dig out and cut off wellhead, anchors and back fill location. P&A complete.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Jimmy Bagley

Title Agent

Signature

Date 08/23/21

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Office

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: LITTLE JACK ` 30` FEDERAL 3		Field: TODD CENTRAL	
Location: 660' FSL & 2310' FEL; SEC 30-T23S-R32E		County: LEA	State: NM
Elevation: 3597' GL		Spud Date: 4/15/94	Compl Date: 6/11/94
API#: 30-025-32478	Prepared by: Armon Radfar	Date: 8/30/21	Rev:

FINAL WELLBORE

17-1/2" hole
13-3/8", 48#, H40, STC @ 633'
 Cmt'd w/550 sx to surf.

1. Perf @ 700'.
2. Sqz 185 sx CI C in/out from 700' to surface.
3. Cut WH off 3' BGL, set dry hole marker.
(Shoe @ 633')

10# Mud

1. Perf @ 1430'.
2. Sqz 30 sx CI C in/out from 1430'-1282'. WOC & tag.
(T. Salt @ 1380')

10# Mud

12-1/4" Hole
8-5/8", 28#/32#, K55, BTC/LTC @ 4500'
 Cmt'd w/1700 sx to surf.

TOC @ 4500' (temp srvy, 1994)

1. Spot 25 sx CI C from 4720'-4460'.
2. Spot 25 sx CI C from 4460'-4250'. WOC & tag.
(T. Delaware @ 4670'; Shoe @ 4500'; B. Salt @ 4430')

10# Mud

DV Tool @ 6990'

1. Set CIBP @ 7202'. Circ 10# salt gel. Leak test.
2. Spot 30 sx CI C from 7202'-6890'. WOC & tag.
(Perfs @ 7252'; DV tool @ 6990')

DELAWARE (6/1/94)
 7252' - 7262'

BONE SPRING (3/1/98)
 8610' - 8657'

7-7/8" Hole
5-1/2", 17#, K55, LTC @ 8900'
 Cmt'd w/1090 sx. TOC @ 4500' (temp srvy)

1. Set CIBP @ 8560'.
2. Spot 25 sx CI H from 8560'-8360'.
(Perfs @ 8610'; T. Bone Spring @ 8520')

PBSD @ 8854' MD

TD @ 8900' MD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 51780

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 51780
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	10/29/2021