

Well Name: HURON	Well Location: T26N / R4W / SEC 2 / SWNW /	County or Parish/State: RIO ARRIBA / NM
Well Number: 1A	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC101	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003921511	Well Status: Abandoned	Operator: HILCORP ENERGY COMPANY

Subsequent Report

Sundry ID: 2632663

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 09/03/2021	Time Sundry Submitted: 02:34
Date Operation Actually Began: 08/03/2021	

Actual Procedure: See attached SR for the P&A operations.

SR Attachments

- Actual Procedure
- Huron\_1A\_Current\_Schematic\_20210903143356.pdf
  - Huron\_1A\_P\_A\_SR\_20210903143355.pdf

<b>Well Name:</b> HURON	<b>Well Location:</b> T26N / R4W / SEC 2 / SWNW /	<b>County or Parish/State:</b> RIO ARRIBA / NM
<b>Well Number:</b> 1A	<b>Type of Well:</b> CONVENTIONAL GAS WELL	<b>Allottee or Tribe Name:</b> JICARILLA APACHE
<b>Lease Number:</b> JIC101	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3003921511	<b>Well Status:</b> Abandoned	<b>Operator:</b> HILCORP ENERGY COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> KANDIS ROLAND	<b>Signed on:</b> SEP 03, 2021 02:34 PM
<b>Name:</b> HILCORP ENERGY COMPANY	
<b>Title:</b> Operation Regulatory Tech	
<b>Street Address:</b> 382 Road 3100	
<b>City:</b> Farmington	<b>State:</b> NM
<b>Phone:</b> (505) 599-3400	
<b>Email address:</b> kroland@hilcorp.com	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> KENNETH G RENNICK	<b>BLM POC Title:</b> Petroleum Engineer
<b>BLM POC Phone:</b> 5055647742	<b>BLM POC Email Address:</b> krennick@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 10/20/2021
<b>Signature:</b> Kenneth Rennick	

Huron 1A  
30-039-21511  
P&A SR

**8/3/2021** –MIRU. SIBHP – 50 PSI, SICP – 50 PSI, SITP – 50 PSI. ND WH, NU BOP. SDFN.

**8/4/2021** – TOOH inspecting tbg. M/U 3 7/8" string mill. TIH w/ tbg/mill to 5375'. TOOH w/ tbg, L/D string mill. P/U 4 1/2" cement retainer. Set retainer @ 5344'. Load tbg w/ 20 bbls and PT. Good test. Sting out of retainer. Load csg, circulate clean. PT csg to 560 psi. Good test witnessed by Clay Yazzie, BLM. SDFN.

**8/5/2021** – SIBHP – 50 PSI, SICP – 0 PSI. TOOH w/ tbg. R/U wireline. Run CBL from 5344' to surface. TOC @ 2616'. RD wireline. Verbal approval from Virgil Lucero, BLM and Moncia Kuehling, OCD. TIH w/ tbg to 5344'. **Plug 1 (MV/CH 4547'-5344') Mix and pump: 62 sxs Glass G, 12.5 bbl slurry, 15.8 PPG. Displace w/ 17 bbls FW.** L/D tbg to 3869'. **Plug 2 (Liner Top, Lewis/PC/Fruitland & Ojo Alamo 3087'-3869') Mix and pump: 144 sxs Glass G, 29.5 bbl slurry, 15.8 PPG. Displace w/ 11 bbls FW.** L/D tbg to 2056'. TOOH w/ tbg. SDFN.

**8/9/2021** - SIBHP – 50 PSI, SICP – 0 PSI. M/U 7" csg scraper. TIH w/ tbg/scraper to 2050'. TOOH w/ tbg. L/D scraper. R/U wireline. Perf Sqz holes @ 2058'. Unable to establish injection rate. Verbal approval to spot balance inside plug granted by Monica Kuehling, OCD and Clay Yazzie, BLM. TIH w/ tbg to 2122'. **Plug 3 (Nacimiento 1847'-2122') Mix and pump: 53 sxs Glass G, 11 bbl slurry, 15.8 PPG. Displace w/ 6.5 bbls FW.** LD 10 joints. SDFN.

**8/10/2021** - SIBHP – 50 PSI, SICP – 0 PSI. TIH w/ tbg. Tag plug 3 @ 1848'. LD all tbg. R/U wireline. Perf Sqz holes @ 336'. Est circ w/ 14 bbls. Circ clean w/ 25 bbls. N/D BOP, NU/WH. **Plug 4 (Surface Plug 0' – 336') Mix and pump: 156 sxs Glass G, 1.15 Yield, 15.8 PPG.** Pressure up on cement until lockup. SIW. WOC.

**8/11/2021** – Cut off WH. Install dry hole marker. Top off well and cellar w/ 556 sxs Class G cement. RR


**The subject well was plugged and abandoned on 8/11/2021**



## Current Schematic

Well Name: HURON #1A

API / UWI 3003921511	Surface Legal Location E-2-26N-4W	Field Name BLANCO	Route 1414	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,924.00	Original KB/RT Elevation (ft) 6,936.00	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 57172

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 57172
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	11/3/2021