

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: ALLISON UNIT Well Location: T32N / R7W / SEC 14 / County or Parish/State: SAN

Well Number: 28 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

LL

Lease Number: NMSF078459B Unit or CA Name: ALLISON UNIT--MV Unit or CA Number:

NMNM78372A

US Well Number: 3004520153 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2642402

Type of Submission: Notice of Intent

Type of Action: Casing

Date Sundry Submitted: 11/02/2021 Time Sundry Submitted: 05:58

Date proposed operation will begin: 11/08/2021

Procedure Description: Hilcorp Energy Company requests permission to perform a casing repair on the subject well

per the attached procedure.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Allison_28__API_3004520153__csg_repair_NOI_110121_20211102055702.pdf

Page 1 of 2

received by OCD: 11/2/2021 9:17:09 AM
Well Name: ALLISON UNIT
Well Location: T32N / R7W / SEC 14 / County or Paris

SWSW / 36.97577 / -107.54256

County or Parish/State: SAN

JUAN / NM

Well Number: 28 Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF078459B Unit or CA Name: ALLISON UNIT--MV Unit or CA Number:

NMNM78372A

US Well Number: 3004520153 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: AMANDA WALKER Signed on: NOV 02, 2021 05:58 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 11/02/2021

Signature: Kenneth Rennick

Page 2 of 2



HILCORP ENERGY COMPANY ALLISON UNIT 28 CASING REPAIR - NOTICE OF INTENT


API #: 3004520153

JOB PROCEDURES

- 1. Notify BLM / NMOCD at least 48 hours prior to commencing operation
- 2. MIRU workover rig. Remove wellhead and install BOPs and pressure test.
- 3. Scan the tubing and POOH. Replace bad joints
- 4. Set BP at 4550', pressure test BP and liner top to 500 psi via packer
- 5. IF casing does not test, locate leak with packer
- 6. Establish injection rate into leak and squeeze with cement via CICR
- 7. Drill out cement and pressure test. Contact BLM and OCD 24 hrs prior to conducting formal pressure test on the squeeze perfs
- 8. Drill out BP and cleanout to PBTD
- 9. Run tubing, hang off, remove BOPs and install wellhead
- 10. RDMO



HILCORP ENERGY COMPANY ALLISON UNIT 28 CASING REPAIR - NOTICE OF INTENT



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 59230

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	59230
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created	Condition	Condition
Ву		Date
mkuehling	Contact NMOCD with results of first casing test - if failed supply information on where hole is found contact NMOCD prior to perforating and cementing - watch bradenhead pressure - monitor	11/2/2021
	H2S on site - when notifying for final casing test supply information on H2S level.	