

Well Name: HOLLY A FEDERAL	Well Location: T26S / R29E / SEC 26 / NWNW /	County or Parish/State: EDDY / NM
Well Number: 4	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19609	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525069	Well Status: Abandoned	Operator: WPX ENERGY PERMIAN LLC

Accepted for record – NMOCD gc 11/16/2021

Subsequent Report

Sundry ID: 2641975

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 10/28/2021	Time Sundry Submitted: 07:51
Date Operation Actually Began: 10/12/2021	

Actual Procedure: Please see the attached procedure.

SR Attachments

Actual Procedure

Subsequent\_Procedure\_and\_Well\_Schematic\_20211028075112.pdf

<b>Well Name:</b> HOLLY A FEDERAL	<b>Well Location:</b> T26S / R29E / SEC 26 / NWNW /	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 4	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM19609	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001525069	<b>Well Status:</b> Abandoned	<b>Operator:</b> WPX ENERGY PERMIAN LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

<b>Operator Electronic Signature:</b> LAUREN WATSON	<b>Signed on:</b> OCT 28, 2021 07:51 AM
<b>Name:</b> WPX ENERGY PERMIAN LLC	
<b>Title:</b> Regulatory Compliance Professional	
<b>Street Address:</b> 333 W. SHERIDAN AVE.	
<b>City:</b> OKLAHOMA CITY	<b>State:</b> OK
<b>Phone:</b> (405) 552-3379	
<b>Email address:</b> LAUREN.WATSON@DVN.COM	

Field Representative

<b>Representative Name:</b>		
<b>Street Address:</b>		
<b>City:</b>	<b>State:</b>	<b>Zip:</b>
<b>Phone:</b>		
<b>Email address:</b>		

BLM Point of Contact

<b>BLM POC Name:</b> JAMES A AMOS	<b>BLM POC Title:</b> Acting Assistant Field Manager
<b>BLM POC Phone:</b> 5752345927	<b>BLM POC Email Address:</b> jamos@blm.gov
<b>Disposition:</b> Accepted	<b>Disposition Date:</b> 11/01/2021
<b>Signature:</b> James A. Amos	

Holly A Federal 4  
30-015-25069

10-12-2021. Notify BLM Start moving P&A Equipment & Rig. Spot some of Equipment.

10-13-2021. Open well with 100 psi, Blow well down. R/U P&A Equipment. N/U floor equipment tongs. TOOH L/D Rod String.

10-14-2021. Open well with 100 psi on tbg & csg. Blow well down. Circulate well down tbg 73 bbls of BW. N/D Well head & N/U BOP'S. Tested good.

Release TAC successfully. TOOH Laying down String pipe. R/U W-L. Run GR. Set CIBP @4896'. R/D W-L. Move production String & Loaded rack with work String.

10-15-2021. Open well with 0 psi tbg & csg. 7" 100 psi. Blow well down. TIH picking up tbg. Tagged top of CIBP @4896' With 148 jts. Circulate salt gel. (73 bbls). Tested CIBP & casing @500 psi & Held for 30 min. Pump plug @ 4896'-4528'. (25 sxs). TOOH laying down 57 jts. Pump plug @3000'-2632'. TOOH laying down 12 jts, Standing back 10 stands. Reverse circulate.

10-18-2021. Open well with 0 psi tbg & csg. 7" 50 psi. Blow well down. TIH try tag Cement it wasn't there. Psi test csg @500 psi Held for 10 min. Informed BLM. Company Rep Pump plug same spot. Pump plug @ 3000' -2632'. TOOH Laying down 12 jts & standing back 10 stands. Reverse out. WOC & tagged @2633'. TOOH Laying down 48 jts & standing back 16 stands. TIH with 4-1/2 Packer @530' set. R/U W-L. Run & Perf @1250' Squeeze plug @1250'-1085'. (25 sxs).

10-19-2021. Open well with 0 psi tbg & csg. 7" 200 psi. Blow well down. TIH & tagged @761'. TOOH laying down tbg. R/U W-L. Run & perf @550'. R/D W-L. Pump in good returns on 7" & 9-5/8 csg. N/D BOP'S. N/U flange. Circulate plug @550'-0' (170 sxs). R/D Rig.

10-20-2021. Dig out well head. Cut off well head & cap. Restore wellhead site.

## DEVON ENERGY PRODUCTION COMPANY LP

Well Name: <b>HOLLY `A` FEDERAL 4</b>	Field: <b>Stateline North FLD</b>
Location: <b>660 FNL 660 FWL SEC 26-T26S-R29E</b>	County: <b>Eddy</b> State: <b>New Mexico</b>
Elevation: <b>2878' GL</b>	Spud Date: <b>12/4/1984</b> Compl Date: <b>1/17/1985</b>
API#: <b>30-015-25069</b>	Prepared by: <b>Bryson Wolfe</b> Date: <b>10/28/21</b> Rev:

## FINAL WELLBORE

17-1/2" Hole  
12-3/4", @ 151'  
 Cmt'd w/250 sx to surface

12-1/4" Hole  
9-5/8", 36# @ 486'  
 Cmt'd w/500 sx to surface

8-3/4" Hole  
7", 23# @ 2918'  
 Cmt'd w/250 sx to

TOC @ 1310' (Est)

Perforations: (Delaware)  
4946-5028'

6-1/4" Hole  
4.5", 10.5#, J55, STC @ 5170'  
 Cmt'd w/300 sx cmt to 1310' (Est)

5,170' TVD

1. Perf @ 550'
2. Sqz 170 sx CI C in/out from 550' - surface.
3. Cut WH off 3' BGL, set dry hole marker

1. Perf @ 1250'
2. Sqz 25 sx CI C in/out from 1250' - 761'.

Spot 25 sx cmt from 3,000-2,633'. WOC & tag  
 (Shoe @ 2918'; T. Delaware @ 2920')

1. Set CIBP @ 4,896'. Tag. Circ 10# salt gel. Leak test.
2. Spot 25 sx CI C from 4,896'-4,528'.  
 (Perfs @ 4,946')

PBSD @ 5,131'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 59382

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 59382
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2021