Emergy Minerals and Natural Resources Revised July 18, 2013	Cestile de by Copy Po Appropriale District 4:2	State of New Me	exico	Form C-103
15. First St. Artesia, NM 88210	<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources		Revised July 18, 2013 LLL API NO.
1220 South St. Francis Dr. 1220 South St.	<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION		
Santa Fe, NM 8/305 Santa Fe, NM 8/305 Santa Fe, NM 8/305 Santa Fe, NM 8/305 Sinner Santa Fe, NM 8/305 Type of Well: Oil Well Gas Well Gas Well Other P&A 4 Sinner Santa Fe, NM 8/305 Type of Well: Oil Well Gas Well Gas Well Other P&A 4 Sinner Santa Fe, NM 8/305 Type of Well: Oil Well Gas Well Location Unit Letter A: 6600 feet from the North line and 660 feet from the East line Section 2 Township 208 Range 24E NMPM Eddy County Well Location Unit Letter A: 6600 feet from the North line and 660 feet from the East line Section 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: SUBSEQUENT REPORT OF: SEFORM REMEDIAL WORK GAS	<u>District III</u> – (505) 334-6178	1220 South St. Fra	ncis Dr.	
SUNDRY NOTICES AND REPORTS ON WELLS O NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEFERN OR PLUG BACK TO A PTERENT RISENOM. USE: "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCI I SUPPLIES THE FORM FOR PROPOSALS TO DRILL OR TO DEFERN OR PLUG BACK TO A PTERENT RISENOM. USE: "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCI I SUPPLIES TO SUCH III OF THE PROPERTY OF TH	<u>District IV</u> – (505) 476-3460	Santa Fe, NM 8	0	State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS ON OT USE THIS ROSM FOR PROPOSAL 3 TO DRELLO ON TO DEFEN ON PLACE BACK TO A FIRENENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH OFFICIAL RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH AS "A SU	1220 S. St. Francis Dr., Santa Fe, NM 87505			385
SONDALS South Number Type of Well: Oil Well Gas Well Other P&A 4	SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			
Name of Operator OCRESOURCES, INC. 10. Pool name or Wildcat Dagger Draw; Upper Penn, North Well Location Unit Letter A : 660 feet from the North line and 660 feet from the East line Section 2 Township 208 Range 24E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3633' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLUS AND ABANDON CASING ALTER CASING ALTER CASING MULTIPLE COMPL COMMINGLE LOSED-LOOP SYSTEM TOTHER 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 02021 - MIRU and NU BOP. Set a CIBP at 7634', tagged. Spotted 35 sx Class "It" cement on top of CIBP to 7444' calc TOC. 021211 - Tagged TOC 7634', no cement found on top of CIBP to 7644' calc TOC. 021212 - Tagged TOC 7634', no cement found on top of CIBP to 7744' calc TOC. 021212 - Tagged TOC 7634', no cement found on top of CIBP to 7744' calc TOC. 021212 - Tagged TOC 7634', no cement found on top of CIBP to 7744' calc TOC. 021212 - Tagged TOC 7634', no cement found on top of CIBP to 7744' calc TOC. 021212 - Tagged TOC 7634', no cement found on top of CIBP to 7744' calc TOC. 021213 - Tagged TOC 7634' no cement flow from 6886'-691' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 6363'-538' calc TOC. TOC. to tag required. Spotted a 55 sx Class "C" cement plug from 6363'-538' calc TOC. 02021 - Spotted a 35 sx Class "C" cement plug from 636'-610' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 636'-610' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 636' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 636' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 636' calc TOC, no tag	DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			Well Number
Address of Operator ASouth Fourth Street, Artesia, NM 88210 Do. Pool name or Wildcut Dagger Draw; Upper Penn, North Dagger Draw; Upper Penn, North Unit Letter A : 660 feet from the North Dagger Draw; Upper Penn, North Dagger Draw; Upper Penn Penn Dagger Draw; Upper Draw; Upper Penn Penn Penn Penn Penn Penn Penn Pe	2. Name of Operator			OGRID Number
Well Location Well Locatio	EOG Resources, Inc.			
Well Location Unit Letter A: 660 feet from the North line and 660 feet from the East line Section 2 Township 20S Range 24E NMPM Eddy County 11. Elevation (Show whether DR. RKB, RT, GR, etc.)	3. Address of Operator			
Unit Letter A : 660 feet from the North line and 660 feet from the East line Section 2 Township 20S Range 24E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3633°GR			Dag	gger Draw, Opper Feini, North
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: REMEDIAL WORK		660 feet from the Nort	h line and 660_	feet from the <u>East</u> line
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPINS: P AND A ALTERING CASING COMMENCE DRILLING OPINS: P AND A CASING/CEMENT JOB DATE: ALTERING CASING COMMENCE DRILLING OPINS: P AND A CASING/CEMENT JOB DATE: AND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB DATE: ADDITIONAL STATES OF THE REMEDIAL WORK PAND A CASING/CEMENT JOB PAND A	Section 2	Township 20S Ra	inge 24E NM	PM Eddy County
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		11. Elevation (Show whether DR	R, RKB, RT, GR, etc.)	
NOTICE OF INTENTION TO: ERFORM REMEDIAL WORK		3633	'GR	
REFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A DILL OR ALTER CASING MULTIPLE COMPL COMMENCE DRILLING OPNS. P AND A DILL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DWHOLE COMMINGLE CASING/CEMENT JOB DWHOLE COMMINGLE CASING/CEMENT JOB DWHOLE COMMINGLE CASING/CEMENT JOB DWHOLE COMMINGLE CASING/CEMENT JOB DWHOLE JOB DWHOLE CASING/CEMENT JOB D	12. Check	Appropriate Box to Indicate N	Vature of Notice, Repo	ort or Other Data
EMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A DILL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DUBLIC OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DUBLIC COMMINGLE COMMINGLE				
DILL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING	=			
OWNHOLE COMMINGLE LOSED-LOOP SYSTEM OTHER:				
OTHER:		MOETIFEE COMFE	CASING/CEMENT JOE	У
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 10.20/21 – MIRU and NU BOP. Set a CIBP at 7634', tagged. Spotted 35 sx Class "H" cement on top of CIBP to 7444' calc TOC. 10.21/21 – Tagged TOC 7634', no cement found on top of CIBP. 10.25/21 – Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 10.26/21 – Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "H" cement on top of CIBP to 7427'. 10.26/21 – Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6863'-5338' calc TOC. Spotted a 30 sx Class "C" cement plug from 6663'-5338' calc TOC, no tag required. Spotted a 35 sx Class "C" cement plug from 2091'-1907' calc TOC, no tag required. Perforated at 1125'. Attempted to establish rate through perfs. Tested to 500 psi, good. potted a 35 sx Class "C" cement plug from 1190'-955' calc TOC. 10.28/21 – Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 11/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. 11/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. 22/21/21/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. 23/21/21/21/21/21/21/21/21/21/21/21/21/21/				
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 0/20/21 – MIRU and NU BOP. Set a CIBP at 7634', tagged. Spotted 35 sx Class "H" cement on top of CIBP to 7444' calc TOC. 0/21/21 – Tagged TOC 7634', no cement found on top of CIBP. 0/25/21 – Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/25/21 – Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/26/21 – Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "H" cement on top of CIBP to 7427'. 0/27/21 – Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 55 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 35 sx Class "C" cement plug from 2091'-1907' calc TOC, no tag required. Perforated at 1125'. Attempted to establish rate through perfs. Tested to 500 psi, good. potted a 35 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Approved for plugging of well bore only, Liability und bond is retained pending Location cleanug & receipt 1030 (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting www.emmd.state.mn.us Proposed for plugging of well bore only, Liability und bond is retained pending Location cleanug & receipt 1030 (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting www.emmd.state.mn.us Proposed for plugging of well bore only, Liability und bond is retained pending Location cleanug & receipt 1030 (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permit	OTHER:			
proposed completion or recompletion. 0/20/21 – MIRU and NU BOP. Set a CIBP at 7634', tagged. Spotted 35 sx Class "H" cement on top of CIBP to 7444' calc TOC. 0/21/21 – Tagged TOC 7634', no cement found on top of CIBP. 0/25/21 – Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/26/21 – Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "H" cement on top of CIBP to 7427'. 0/27/21 – Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 55 sx Class "C" cement lug from 5663'-5338' calc TOC. Spotted a 30 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 2091'-1907' calc TOC, no tag required. Perforated at 1125'. Attempted to establish rate through perfs. Tested to 500 psi, good. potted a 35 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted a 50 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Rig Release Date: Approved for plugging of well bore only, Liability und bond is retained pending Location cleanup & receipt C-103a (globsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of www.emord.state.nm.us Page Found at OCD Web Page, OCD Permitting of Well Page Found at OCD We				
0/21/21 - Tagged TOC 7634', no cement found on top of CIBP. 0/25/21 - Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/26/21 - Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "H" cement on top of CIBP to 7427'. 0/27/21 - Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 35 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 6886'-363'-3538' calc TOC. Spotted a 30 sx Class "C" cement plug from 346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 685'-482' calc TOC, no tag required. Spotted to 500 psi, good. spotted a 35 sx Class "C" cement plug from 1190'-955' calc TOC. 0/28/21 - Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Rig Release Date: PHONE: 575-748-4168 PHONE: 575-748-4168			C. For Multiple Complet	ions: Attach wellbore diagram of
0/21/21 - Tagged TOC 7634', no cement found on top of CIBP. 0/25/21 - Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/26/21 - Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "H" cement on top of CIBP to 7427'. 0/27/21 - Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 35 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 6886'-363'-3538' calc TOC. Spotted a 30 sx Class "C" cement plug from 346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 685'-482' calc TOC, no tag required. Spotted to 500 psi, good. spotted a 35 sx Class "C" cement plug from 1190'-955' calc TOC. 0/28/21 - Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Rig Release Date: PHONE: 575-748-4168 PHONE: 575-748-4168	10/20/21 MIDII I NII DOD C-4	CIDD -4 7/242 4 C 25	Cl "II" f	CIDD 4- 7444'I- TOC
0/25/21 - Approval given by Gilbert Cordero with NMOCD-Artesia to set CIBP #2 100' above Canyon perfs at 7584'. 0/26/21 - Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "C" cement on top of CIBP to 7427'. 0/26/21 - Set a CIBP at 7590'. Tested casing to 500 psi, good. Spotted 30 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 35 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 2091'-1907' calc TOC, no tag required. Perforated at 1125'. Attempted to establish rate through perfs. Tested to 500 psi, good. potted a 35 sx Class "C" cement plug from 190'-955' calc TOC. 0/28/21 - Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. Well is Plugging of well bore only. Liability und band is retained pending Location cleanup & receipt cass and cleaned location. Rig Release Date: Physical Huerta TILE Regulatory Specialist DATE November 16, 2021 DATE November 16, 2021 DATE November 16, 2021	10/20/21 – MIRU and NU BOP. Set 1 10/21/21 – Tagged TOC 7634', no ce	ment found on top of CIBP.	Class "H" cement on top of	CIBP to /444 calc IOC.
0/27/21 - Tagged TOC 7425'. Spotted a 35 sx Class "C" cement plug from 6886'-6671' calc TOC, no tag required. Spotted a 35 sx Class "C" cement lug from 5863'-5338' calc TOC. Spotted a 30 sx Class "C" cement plug from 3346'-3162' calc TOC, no tag required. Spotted a 30 sx Class "C" ement plug from 2091'-1907' calc TOC, no tag required. Spotted a 30 sx Class "C" ement plug from 2091'-1907' calc TOC, no tag required. Spotted a 30 sx Class "C" cement plug from 1190'-955' calc TOC. 1/28/21 - Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Rig Release Date: Rig Release Date: Rig Release Date: Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103 (Rubsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting www.memord.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103 (Rubsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting www.memord.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103 (Rubsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting www.memord.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103 (Rubsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting www.memord.state.nm.us Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103 (Rubsequent Report of Well Plugging) which may be found at COD Web Page, OCD Permitting www.memord.state.nm.us Approved for plugging of well bore only. Liability und bond is r	10/25/21 – Approval given by Gilber	t Cordero with NMOCD-Artesia to set		
and Date: Rig Release Date: Ri				
Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.mu.us Pereby certify that the information above is true and complete to the best of my knowledge and belief. TITLE Regulatory Specialist DATE November 16, 2021 DATE November 16, 2021 Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: _575-748-4168_ TState Use Only				
O/28/21 - Tagged TOC 965'. Spotted a 25 sx Class "C" cement plug from 635'-482' calc TOC, no tag required. Spotted 10 sx Class "C" cement from 4' and circulated up to surface. 1/1/21 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. WELL IS PLUGGED AND ABANDONED. Approved for plugging of well bore only. Liability und bond is retained pending location cleanup & receipt c-103g (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emr/d.state.nm.us Pereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168 tina_huerta@eogresources.com PHONE: 575-748-4168			5'. Attempted to establish rat	e through perfs. Tested to 500 psi, good.
Approved for plugging of well bore only. Liability und bond is retained pending Location depends and cleaned location. Rig Release Date: Rig Rel			635'-482' calc TOC, no tag r	equired. Spotted 10 sx Class "C" cement from
Approved for plugging of well bore only. Liability und bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emrd.state.nm.us ereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE Tina Huerta	64' and circulated up to surface.		-	
Approved for plugging of well bore only. Liability and bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us ereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE Tina Huerta Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 er State Use Only		alled above ground dry hole marker. (Cut off anchors and cleaned	l location. WELL IS PLUGGED AND
Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) wh	ADMINDUMED.			
Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) wh				
Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Rig Release Date: Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us Bond is retained pending Location cleanup & receipt C-103Q (Subsequent Report of Well Plugging) wh				Approved for plugging of well bore only. Liability under
may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us ereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE Tina Huerta Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 er State Use Only	nud Date:	Rig Release D	ate:	bond is retained pending Location cleanup & receipt of
ereby certify that the information above is true and complete to the best of my knowledge and belief. GNATURE Tina Huerta Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 or State Use Only	pud Date.		utc.	
GNATURE Tina Huerta TITLE Regulatory Specialist DATE November 16, 2021 De or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 Try State Use Only				
pe or print name Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168 r State Use Only	nereby certify that the information	above is true and complete to the b	est of my knowledge and	belief.
r State Use Only	IGNATURE Tina Huerta	TITLER	egulatory Specialist [DATE <u>November 16, 2021</u>
PROVED BY: APPLICATION STATE STATE MANAGEMENT DATE 11/17/2021	Tina Hu Or State Use Only	erta E-mail address: ti	na_huerta@eogresources	.com PHONE: <u>575-748-4168</u>
	PPROVED BY:	TITI F	StallMarcas	DATE 11/17/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 61997

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	61997
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/17/2021