

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-015-40521

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Everest Estate 15 P Fee

8. Well Number #1

9. OGRID Number

330211

10. Pool name or Wildcat

Atoka, Glorieta-Yeso (3250)**SUNDRY NOTICES AND REPORTS ON WELLS**

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

Redwood Operating, LLC

3. Address of Operator

PO Box 960, Artesia, NM 88210

4. Well Location

Unit Letter **P** : **990** feet from the **S** line and **580** feet from the **E** line
Section **15** Township **18S** Range **26E** NMPM County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3329' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐**SUBSEQUENT REPORT OF:**REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/28/21 MIRU plugging equipment. POH w/ rods & pump. Dug out cellar. 10/29/21 ND well head, NU BOP. POH w/ tbg & anchor. Pump'd 20 bbls Fresh H2O. Spotted 30 sx class C cmt @ 4100-3797'. WOC. 11/01/21 Tagged plug @ 3584'. Set 5 1/2" CIBP @ 2494'. Circ'd hole w/ 58 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 2494-2241'. Spotted 40 sx class C cmt @ 1000-595'. Perf'd @ 483'. 11/02/21 Sqz'd 50 sx class C cmt @ 483-300'. WOC. ND well head. Tagged plug @ 296'. Perf'd @ 293'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt @ 294' & circulated to surface. Rigged down & moved off. 11/05/21 Moved in backhoe and welder. Cut off well head. Stopped job, needs more cement between 5 1/2 & 8 5/8" at surface. 11/08/21 Pumped 15 sx class C cmt between the 5 1/2 & 8 5/8" to surface. Dug out anchors. Gilbert Cordero w/ OCD verified cmt @ surface via picture text message. Installed Above Ground Dry Hole Marker. Backfilled cellar, cleaned location, & moved off.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Delilah FloresTITLE Regulatory Technician IDATE 11/10/2021Type or print name Delilah FloresE-mail address: delilah@mec.comPHONE: 575-748-1288**For State Use Only**APPROVED BY: [Signature]TITLE Staff ManagerDATE 11/16/2021

Conditions of Approval (if any):

Redwood		PLUGGED	
Author:	Abby @ BCM	Well No.	#1
Well Name	Everest Estate	API #:	30-015-40521
Field/Pool	15 P Fee	Location:	Sec 15, T18S, R26E
County	Atoka; Glorieta-Yeso		990 FSL & 580 FEL
State	Eddy	GL:	3329
Spud Date	New Mexico		
	8/9/2012		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8	J55	24#	433	12 1/4	325	0
Prod Csg	5 1/2	J55	17#	4,310	7 7/8	1,025	446

Formation	Top
Queen	241
GRBG	657
San Andres	923
Glorieta	2408
Yeso	2568
Tubb	4009



5. Perf'd @ 293'. Pressured up to 500 PSI. Spotted 30 sx class C cmt @ 294' & circ'd to surface. Pumped 15 sx class C cmt between the 5 1/2 & 8 5/8" to surface.

8 5/8 24# CSG @ 433
Hole Size: 12 1/4

4. Perf'd @ 483'. Sqz'd 50 sx class C cmt @ 483-300'. WOC. Tagged plug @ 296'.

3. Spotted 40 sx class C cmt @ 1000-595'.

2. Set 5 1/2" CIBP @ 2494'. Circ'd hole w/ 58 bbls MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 2494-2241'.
Perfs @ 2548-3954

1. Pump'd 20 bbls Fresh H2O. Spotted 30 sx class C cmt @ 4100-3797'. WOC & Tagged plug @ 3584'.

5 1/2 17# CSG @ 4,310
Hole Size: 7 7/8

TDPB @ 4263
TD @ 4318

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 61123

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88211370	OGRID: 330211
	Action Number: 61123
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/16/2021