

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-045-38212	⁵ Pool Name Alamito N; Mancos (Oil)		⁶ Pool Code 98174
⁷ Property Code 325267	⁸ Property Name North Alamito Unit		⁹ Well Number 405H

II. ¹⁰ Surface Location

Ul or lot no. I	Section 1	Township 22N	Range 8W	Lot Idn	Feet from the 2047'	North/South Line South	Feet from the 517'	East/West line East	County San Juan
--------------------	--------------	-----------------	-------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 36	Township 23N	Range 8W	Lot Idn	Feet from the 880'	North/South line South	Feet from the 360'	East/West line West	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date TBD		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP	O
	6500 Townbridge Drive, El Paso, TX 79905	
151618	Enterprise Field Services, LLC	G
	Post Office Box 4503, Houston, TX 77001	
	~Gas will be flared during flowback & until N2 & O2 is cleaned from the wellbore~	

IV. Well Completion Data

²¹ Spud Date 06/04/21	²² Ready Date 11/25/21	²³ TD 10,540' MD 4,964' TVD	²⁴ PBTD 10,521 MD 4,964' TVD	²⁵ Perforations 5,494'-10,471' MD 4,958'- 4,965' TVD Frac Sleeve @ 10,494'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		355'		109
8.75		7" 26# J55		5,269'		604
6.125		4.5" 11.6# P110		TOL: 5,002' BOL: 10,535'		468

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION		
Printed name: Shaw-Marie Ford			Approved by: John Garcia		
Title: Regulatory Specialist			Title: Petroleum Engineer		
E-mail Address: sford@djrlle.com			Approval Date: 11/24/2021		
Date: 11/03/21		Phone: 505-716-3297	RT Expires on Feb 22 2022		

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ ASDRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38212	² Pool Code 98174	³ Pool Name NORTH ALAMITO UNIT MANCOS OIL POOL
⁴ Property Code 325267	⁵ Property Name NORTH ALAMITO UNIT	⁶ Well Number #405H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6917'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	1	22N	8W		2047'	SOUTH	517'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	36	23N	8W		880'	SOUTH	360'	WEST	SAN JUAN

¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC 1: NE/SE, SE/NE, SW/NE, NW/NE, SE/NW,
NE/NW, NW/NW (282.25 AC.); SEC 36: SE/SW,
SW/SW (80 AC.) = 362.25 ACRES


¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-14081 R-14081A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16

● FND 2 1/2" BC
GLO 1947
● FND 4" BC
GLO 1947



SURFACE LOCATION (SHL)
LAT. 36.167068° N (NAD83)
LONG. 107.626231° W (NAD83)

FIRST TAKE POINT (FTP)
LAT. 36.169150° N (NAD83)
LONG. 107.627703° W (NAD83)

LAST TAKE POINT (LTP)
LAT. 36.178451° N (NAD83)
LONG. 107.640751° W (NAD83)

BOTTOM HOLE LOCATION (BHL)
LAT. 36.178528° N (NAD83)
LONG. 107.640876° W (NAD83)

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 11/02/21
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 25, 2021

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393



DJR Operating

North Alamito Unit

I01 2208

405H - Slot 3

Original Drilling

Design: Original Drilling

Standard Survey Report

22 October, 2021



www.scientificdrilling.com



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 405H - Slot 3
Project:	North Alamito Unit	TVD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Site:	I01 2208	MD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Well:	# 405H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	North Alamito Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		I01 2208			
Site Position:		Northing:	1,880,173.96 usft	Latitude:	36.16706600
From:	Lat/Long	Easting:	2,784,180.65 usft	Longitude:	-107.62636600
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.12 °

Well		# 405H - Slot 3				
Well Position	+N/-S	0 ft	Northing:	1,880,174.78 usft	Latitude:	36.16706800
	+E/-W	0 ft	Easting:	2,784,220.50 usft	Longitude:	-107.62623100
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6917 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021_FILE	10/2/2021	8.55	62.68	49,108.40000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0	314.14	

Survey Program	Date	10/22/2021			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
448	4264	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4359	5231	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5364	10,540	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
448	0.55	216.95	448	-2	-1	0	0.12	0.12	0.00	
509	0.51	249.89	509	-2	-2	0	0.50	-0.07	54.00	
600	1.38	17.36	600	-1	-2	0	1.91	0.96	140.08	
782	2.70	9.08	782	5	0	4	0.74	0.73	-4.55	
873	4.70	12.92	873	11	1	7	2.21	2.20	4.22	
963	4.34	3.68	962	18	2	11	0.90	-0.40	-10.27	
1054	5.48	15.91	1053	26	3	16	1.69	1.25	13.44	
1144	4.46	10.82	1143	33	5	19	1.23	-1.13	-5.66	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 405H - Slot 3
Project:	North Alamito Unit	TVD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Site:	I01 2208	MD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Well:	# 405H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1236	4.20	12.49	1234	40	6	23	0.31	-0.28	1.82	
1327	3.38	13.67	1325	46	8	26	0.91	-0.90	1.30	
1418	2.94	17.69	1416	51	9	29	0.54	-0.48	4.42	
1509	3.92	9.45	1507	56	10	32	1.20	1.08	-9.05	
1599	2.28	346.26	1597	61	10	35	2.26	-1.82	-25.77	
1690	3.37	6.64	1688	65	10	38	1.61	1.20	22.40	
1781	5.33	18.73	1778	72	12	41	2.37	2.15	13.29	
1876	4.47	23.35	1873	79	15	45	1.00	-0.91	4.86	
1970	4.23	21.72	1967	86	18	47	0.29	-0.26	-1.73	
2065	3.11	9.06	2062	92	19	50	1.45	-1.18	-13.33	
2160	3.32	15.15	2156	97	20	53	0.42	0.22	6.41	
2255	3.31	9.00	2251	102	22	56	0.37	-0.01	-6.47	
2350	3.67	20.02	2346	108	23	59	0.80	0.38	11.60	
2444	3.37	22.88	2440	113	25	61	0.37	-0.32	3.04	
2539	4.44	20.61	2535	119	28	63	1.14	1.13	-2.39	
2634	4.65	19.83	2629	126	30	66	0.23	0.22	-0.82	
2729	4.49	20.16	2724	133	33	69	0.17	-0.17	0.35	
2824	5.39	18.30	2819	141	35	73	0.96	0.95	-1.96	
2918	4.50	22.03	2912	149	38	76	1.01	-0.95	3.97	
3013	5.89	18.19	3007	157	41	80	1.51	1.46	-4.04	
3108	5.14	16.03	3102	166	44	84	0.82	-0.79	-2.27	
3203	6.79	15.38	3196	175	46	89	1.74	1.74	-0.68	
3298	6.86	16.83	3290	186	50	94	0.20	0.07	1.53	
3393	6.22	18.55	3385	196	53	99	0.70	-0.67	1.81	
3487	5.33	12.09	3478	205	55	103	1.17	-0.95	-6.87	
3582	4.93	10.90	3573	214	57	108	0.44	-0.42	-1.25	
3677	6.26	5.32	3667	223	58	113	1.51	1.40	-5.87	
3771	6.18	7.14	3761	233	59	120	0.23	-0.09	1.94	
3866	5.89	10.34	3855	243	61	125	0.47	-0.31	3.37	
3961	4.58	2.12	3950	251	62	131	1.59	-1.38	-8.65	
4055	5.20	355.79	4044	259	62	136	0.87	0.66	-6.73	
4150	3.35	347.99	4138	266	61	142	2.04	-1.95	-8.21	
4169	3.37	352.04	4157	267	61	143	1.25	0.11	21.32	
4264	2.67	337.61	4252	272	59	147	1.08	-0.74	-15.19	
4359	5.62	324.20	4347	278	56	154	3.25	3.11	-14.12	
4453	14.16	310.93	4440	289	44	170	9.34	9.09	-14.12	
4548	23.93	313.78	4529	310	22	201	10.33	10.28	3.00	
4643	31.47	313.40	4613	341	-10	245	7.94	7.94	-0.40	
4738	37.44	315.87	4692	379	-48	298	6.45	6.28	2.60	
4833	43.15	320.76	4764	425	-89	360	6.87	6.01	5.15	
4928	51.99	317.74	4828	478	-135	429	9.59	9.31	-3.18	
5023	62.68	312.89	4879	534	-191	509	12.04	11.25	-5.11	
5118	74.75	312.83	4914	594	-256	597	12.71	12.71	-0.06	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 405H - Slot 3
Project:	North Alamito Unit	TVD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Site:	I01 2208	MD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Well:	# 405H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5213	79.81	312.04	4935	657	-324	690	5.39	5.33	-0.83
5231	81.45	311.76	4938	669	-338	708	9.24	9.11	-1.56
5364	85.67	312.43	4952	757	-436	840	3.21	3.17	0.50
5458	89.26	311.35	4957	820	-505	934	3.99	3.82	-1.15
5552	89.26	311.45	4958	882	-576	1028	0.11	0.00	0.11
5646	89.50	310.54	4959	944	-647	1121	1.00	0.26	-0.97
5740	89.56	310.24	4960	1005	-719	1215	0.33	0.06	-0.32
5834	89.46	312.94	4960	1067	-789	1309	2.87	-0.11	2.87
5929	89.33	312.63	4961	1131	-859	1404	0.35	-0.14	-0.33
6020	89.13	312.03	4963	1193	-926	1495	0.69	-0.22	-0.66
6112	90.37	311.61	4963	1254	-994	1587	1.42	1.35	-0.46
6202	90.64	311.33	4962	1314	-1062	1677	0.43	0.30	-0.31
6293	88.05	309.61	4963	1373	-1131	1768	3.42	-2.85	-1.89
6384	89.63	311.07	4965	1432	-1200	1858	2.36	1.74	1.60
6474	90.57	312.33	4965	1492	-1268	1948	1.75	1.04	1.40
6565	90.44	311.38	4964	1552	-1335	2039	1.05	-0.14	-1.04
6656	90.00	311.53	4964	1612	-1404	2130	0.51	-0.48	0.16
6747	89.93	312.47	4964	1673	-1471	2221	1.04	-0.08	1.03
6838	89.80	311.99	4964	1735	-1539	2312	0.55	-0.14	-0.53
6928	91.34	311.04	4963	1794	-1606	2402	2.01	1.71	-1.06
7019	91.27	311.52	4961	1854	-1674	2493	0.53	-0.08	0.53
7109	91.85	311.05	4959	1914	-1742	2583	0.83	0.64	-0.52
7200	89.33	311.80	4958	1974	-1810	2674	2.89	-2.77	0.82
7292	88.26	310.57	4960	2034	-1879	2765	1.77	-1.16	-1.34
7382	89.70	312.33	4961	2094	-1947	2855	2.53	1.60	1.96
7474	89.53	311.24	4962	2155	-2015	2947	1.20	-0.18	-1.18
7565	89.56	311.24	4963	2215	-2084	3038	0.03	0.03	0.00
7655	89.46	313.52	4963	2276	-2150	3128	2.54	-0.11	2.53
7745	89.46	312.59	4964	2337	-2216	3218	1.03	0.00	-1.03
7836	89.93	315.22	4965	2400	-2282	3309	2.94	0.52	2.89
7926	89.50	314.42	4965	2464	-2345	3399	1.01	-0.48	-0.89
8016	91.75	313.39	4964	2526	-2410	3489	2.75	2.50	-1.14
8106	92.04	312.99	4961	2588	-2476	3579	0.55	0.32	-0.44
8197	89.97	311.53	4960	2649	-2543	3670	2.78	-2.27	-1.60
8288	90.70	312.58	4959	2710	-2611	3761	1.41	0.80	1.15
8379	89.53	311.46	4959	2771	-2678	3852	1.78	-1.29	-1.23
8471	89.87	311.68	4959	2832	-2747	3944	0.44	0.37	0.24
8563	90.10	311.60	4959	2893	-2816	4036	0.26	0.25	-0.09
8653	89.97	311.41	4959	2953	-2883	4125	0.26	-0.14	-0.21
8744	89.60	311.15	4960	3013	-2952	4216	0.50	-0.41	-0.29
8835	90.37	311.77	4960	3073	-3020	4307	1.09	0.85	0.68
8926	89.80	311.32	4960	3133	-3088	4398	0.80	-0.63	-0.49
9017	89.80	311.03	4960	3193	-3157	4489	0.32	0.00	-0.32



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 405H - Slot 3
Project:	North Alamito Unit	TVD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Site:	I01 2208	MD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Well:	# 405H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
9107	90.10	310.89	4960	3252	-3224	4579	0.37	0.33	-0.16	
9199	89.43	310.18	4960	3312	-3294	4671	1.06	-0.73	-0.77	
9290	89.70	310.48	4961	3371	-3364	4761	0.44	0.30	0.33	
9380	90.03	310.48	4961	3429	-3432	4851	0.37	0.37	0.00	
9471	89.70	310.01	4961	3488	-3502	4942	0.63	-0.36	-0.52	
9562	89.87	310.12	4962	3547	-3571	5033	0.22	0.19	0.12	
9654	90.00	309.82	4962	3606	-3642	5125	0.36	0.14	-0.33	
9746	89.56	309.59	4962	3665	-3713	5216	0.54	-0.48	-0.25	
9836	90.03	309.77	4963	3722	-3782	5306	0.56	0.52	0.20	
9927	89.53	309.08	4963	3780	-3852	5397	0.94	-0.55	-0.76	
10,019	90.07	309.64	4963	3838	-3923	5488	0.85	0.59	0.61	
10,109	89.80	309.22	4963	3895	-3993	5578	0.55	-0.30	-0.47	
10,200	90.17	308.88	4963	3953	-4063	5669	0.55	0.41	-0.37	
10,292	89.56	308.34	4964	4010	-4135	5760	0.89	-0.66	-0.59	
10,382	90.27	308.48	4964	4066	-4206	5850	0.80	0.79	0.16	
10,474	89.30	307.39	4964	4123	-4278	5941	1.59	-1.05	-1.18	
10,494	89.36	307.33	4964	4135	-4294	5961	0.42	0.30	-0.30	
10,540	89.36	307.33	4965	4163	-4331	6007	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
405H 85° Casing	0.00	0.00	4947	697	-362	1,880,870.87	2,783,856.80	36.16898237	-107.62745819	
- hit/miss target										
- Shape										
- actual wellpath misses target center by 6ft at 5269ft MD (4943 TVD, 694 N, -366 E)										
- Point										
405H Heel	0.00	0.00	4962	862	-544	1,881,035.14	2,783,674.63	36.16943470	-107.62807420	
- actual wellpath misses target center by 7ft at 5515ft MD (4957 TVD, 857 N, -548 E)										
- Circle (radius 50)										
405H Toe	0.00	0.00	4980	4198	-4326	1,884,363.81	2,779,885.24	36.17860020	-107.64089050	
- actual wellpath misses target center by 39ft at 10540ft MD (4965 TVD, 4163 N, -4331 E)										
- Circle (radius 100)										

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
448	448	-2	-1	First Surface MWD Survey	
4264	4252	272	59	Last Surface MWD Survey	
4359	4347	278	56	First Curve MWD Survey	
5231	4938	669	-338	Last Curve MWD Survey	
5364	4952	757	-436	First Lateral MWD Survey	
10,494	4964	4135	-4294	Last Lateral MWD Survey	
10,540	4965	4163	-4331	Projection to TD	

**Scientific Drilling**
Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well # 405H - Slot 3
Project:	North Alamito Unit	TVD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Site:	I01 2208	MD Reference:	GL 6917' & RKB 25' @ 6942ft (Aztec 1000)
Well:	# 405H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Checked By: _____ Approved By: _____ Date: _____

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	North Alamito Unit I01 2208 405H
County & State	San Juan, NM
SDI Job No.	OP.030892
Rig	Aztec 1000

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 448 feet to a measured depth of 10,540 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

22-Oct-21

Date

Janie Collins
Contract Well Planner
Scientific Drilling International

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 63533

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 63533
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 63533

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 63533
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	RT expires Feb 22, 2022	11/24/2021