

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: OZZY FEDERAL COM 18C Well Location: T17S / R28E / SEC 13 / County or Parish/State: EDDY /

NESE / 32.8328818 / -104.1235921

Well Number: 003H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM14847 Unit or CA Name: Unit or CA Number:

US Well Number: 3001548330 Well Status: Drilling Well Operator: LONGFELLOW

ENERGY LP

Subsequent Report

Sundry ID: 2637695

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/06/2021 Time Sundry Submitted: 01:32

Date Operation Actually Began: 08/14/2021

Actual Procedure: Spud Well @ 1 AM 8-14-2021. Drill 17 ½" hole to 372'. Ran 9 jts of 13 3/8" 54.5# J-55 to 372'. Pumped 30 bbl FW spacer followed by 360 sks (86 bbls) of 14.8 ppg class C cement. No cement to surface. Temp survey estimated TOC at 37'. Run 2 jts of 1" pipe down back side and pumped 13 bbls of cement, 5 bbls back to surface. WOC for 4 hours. Install well head and BOP, pressure test BOP to 250 low for 10 mins and 3000 high for 10 mins, test annular to 2500 for 10 mins. Good tests. Test casing to 1500 psi for 10 min, good test. Drill 12 ¼" hole to 1261'. Run 29 jts 9 5/8" 36# J-55 to 1256'. Pump 30 bbls fw spacer. Pump 340 sks (105 bbl) 13.5 ppg 1.74 yield lead cement. Pump 159 sks (38 bbls) 17.8ppg 1.34 yield class C tail cement. Cement to surface 6 sks (2bbls). WOC for 4 hours, test casing to 1500 psi, good test. Drill 8 ¾" hole to 9170'. Run 126 jts 5 ½" 20# HCL-80 casing with 5 ½" to 7" crossover and 79 jts of 7" 32# HCL-80 casing to 9257'. Crossover at 3,361'. Pump 50 bbls fw spacer. Pump 260 sks (100 bbls) 12.2 ppg 2.16 yield 25/75 Poz lead cement. Pump 1610 sks (381 bbls) 14.8 ppg 1.33 yield class c cement. Did not bump plug. No cement to surface.

ceived by OCD: 12/3/2021 10:38:36 AM Well Location: T17S / R28E / SEC 13 / County or Parish/State: EDDY /

NESE / 32.8328818 / -104.1235921

Well Number: 003H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM14847 Unit or CA Name: Unit or CA Number:

US Well Number: 3001548330 Well Status: Drilling Well Operator: LONGFELLOW

ENERGY LP

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DAVID CAIN Signed on: OCT 06, 2021 01:31 PM

Name: LONGFELLOW ENERGY LP

Title: Engineering Technologist & Regulatory Specialist

Street Address: 16803 DALLAS PARKWAY

City: ADDISON State: TX

Phone: (214) 265-4715

Email address: DAVID.CAIN@LONGFELLOWENERGY.COM

Field Representative

Representative Name:

City: State: Zip:

Phone:

Email address:

Street Address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 11/10/2021

Signature: Jonathon Shepard

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 64914

CONDITIONS

Operator:	OGRID:	
LONGFELLOW ENERGY, LP	372210	
8115 Preston Road	Action Number:	
Dallas, TX 75225	64914	
	Action Type:	
	[C-103] Sub. Drilling (C-103N)	

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/3/2021