

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-Page 1 of 6
Revised July 18, 2013

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28550
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name State 15
8. Well Number #1
9. OGRID Number 372233
10. Pool name or Wildcat Eumont, Yates- SR-Queen

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other2. Name of Operator
Mammoth Exploration, LLC3. Address of Operator
200 North Loraine Street, Suite 1100, Midland, TX 797014. Well Location
Unit Letter **O** : **1650** feet from the **E** line and **330** feet from the **S** line
Section **15** Township **19S** Range **36E** NMPM County **Lea**11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3750' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐ PNR ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/09/21 Moved rig to location. **04/12/21** POH w/ rods & pump. Dug out cellar, ND wellhead, NU BOP. POH w/ tbg. **04/13/21** RIH & set 5 1/2" CIBP @ 4170'. Circ'd hole w/ 100 bbls H2O & salt gel. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 4170-3923'. Spotted 35 sx class C cmt @ 3300-2954'. Spotted 25 sx class C cmt @ 2815-2568'. WOC. **04/14/21** Tagged plug @ 2500'. Perf'd csg @ 1690'. Pressured up on 1500 PSI. Spotted 25 sx class C cmt @ 1740-1493'. WOC. Tagged plug @ 1430'. Perf'd csg @ 200'. Pressured up to 1500 PSI. Spotted 30 sx class C cmt @ 250' to surface. Rigged down & moved off. **04/15/21** Moved in backhoe and welder, Cut off well head and Kerry Fortner verified cmt to surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use OnlyAPPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/8/21
Conditions of Approval (if any):


Mammoth - Plugged

Author: **Abby-BCM & Associates, Inc**
 Well Name: **State 15**
 Field/Pool: **Eumont; Y-SR-Qn**
 County: **Lea**
 State: **New Mexico**
 Spud Date: **12/28/1983**

Well No.: **#1**
 API #: **30-025-28550**
 Location: **Sec 15, T19S, R36E**
1650 FEL, 330' FSL
 GL: **3749.9**

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,553	12 1/4	800	0
Prod Csg	5 1/2		15.5#	4,360	7 7/8	1,000	0

Formations	
T/Salt	1640
B/Salt	2762
Yates	3012
7 Rvs	3338
Queen	3990



5. Spotted 30 sx class C cmt @ 250' to surface.

8 5/8 24# CSG @ 1,553
 Hole Size: 12 1/4

4. Spotted 25 sx class C cmt @ 1740-1493'. WOC. Tagged plug @ 1430'.

3. Spotted 25 sx class C cmt @ 2815-2568'. WOC. Tagged plug @ 2500'.

2. Spotted 35 sx class C cmt @ 3300-2954'.


1. Set 5 1/2" CIBP @ 4170'. Circ'd hole w/ 100 bbls H2O & salt gel. Pressure tested csg, held 500 PSI.
 Spotted 25 sx class C cmt @ 4170-3923'.
 Perfs @ 4218-4230

5 1/2 15.5# CSG @ 4,360
 Hole Size: 7 7/8

TD @ 4360
 TDPB @ 4255

Mammoth			
Author:	Abby-BCM & Associates, Inc		
Well Name	State 15	Well No.	#1
Field/Pool	Eumont; Y-SR-Qn	API #:	30-025-28550
County	Lea	Location:	Sec 15, T19S, R36E
State	New Mexico		1650 FEL, 330' FSL
Spud Date	12/28/1983	GL:	3749.9

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,553	12 1/4	800	0
Prod Csg	5 1/2		15.5#	4,360	7 7/8	1,000	0



8 5/8 24# CSG @ 1,553
Hole Size: 12 1/4

Perfs @ 4218-4230

5 1/2 15.5# CSG @ 4,360
Hole Size: 7 7/8

TD @ 4360
TDPB @ 4255


Mammoth - Plugged

Author: **Abby-BCM & Associates, Inc**
 Well Name: **State 15**
 Field/Pool: **Eumont; Y-SR-Qn**
 County: **Lea**
 State: **New Mexico**
 Spud Date: **12/28/1983**

Well No.: **#1**
 API #: **30-025-28550**
 Location: **Sec 15, T19S, R36E**
1650 FEL, 330' FSL
 GL: **3749.9**

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,553	12 1/4	800	0
Prod Csg	5 1/2		15.5#	4,360	7 7/8	1,000	0

Formations	
T/Salt	1640
B/Salt	2762
Yates	3012
7 Rvs	3338
Queen	3990



5. Spotted 30 sx class C cmt @ 250' to surface.

8 5/8 24# CSG @ 1,553
 Hole Size: 12 1/4

4. Spotted 25 sx class C cmt @ 1740-1493'. WOC. Tagged plug @ 1430'.

3. Spotted 25 sx class C cmt @ 2815-2568'. WOC. Tagged plug @ 2500'.

2. Spotted 35 sx class C cmt @ 3300-2954'.


1. Set 5 1/2" CIBP @ 4170'. Circ'd hole w/ 100 bbls H2O & salt gel. Pressure tested csg, held 500 PSI.
 Spotted 25 sx class C cmt @ 4170-3923'.
 Perfs @ 4218-4230

5 1/2 15.5# CSG @ 4,360
 Hole Size: 7 7/8

TD @ 4360
 TDPB @ 4255

Mammoth			
Author:	Abby-BCM & Associates, Inc		
Well Name	State 15	Well No.	#1
Field/Pool	Eumont; Y-SR-Qn	API #:	30-025-28550
County	Lea	Location:	Sec 15, T19S, R36E
State	New Mexico		1650 FEL, 330' FSL
Spud Date	12/28/1983	GL:	3749.9

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		24#	1,553	12 1/4	800	0
Prod Csg	5 1/2		15.5#	4,360	7 7/8	1,000	0



8 5/8 24# CSG @ 1,553
Hole Size: 12 1/4

Perfs @ 4218-4230

5 1/2 15.5# CSG @ 4,360
Hole Size: 7 7/8

TD @ 4360
TDPB @ 4255

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 25915

CONDITIONS

Operator: MAMMOTH EXPLORATION, LLC 200 North Loraine Street Midland, TX 79701	OGRID: 372233
	Action Number: 25915
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	12/8/2021