

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-33395
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E-7259
7. Lease Name or Unit Agreement Name State BG Com
8. Well Number 1
9. OGRID Number 229137
10. Pool name or Wildcat N Vacuum Atoka- Morrow Gas

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
COG Operating, LLC

3. Address of Operator
2208 W. Main Artesia, NM 88210

4. Well Location Unit Letter B : 990 feet from the N line and 2310 feet from the E line Section 19 Township 17S Range 35E NMPM County Lea	11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3984' GR
--	---

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data



NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

08/24/20 MI RU plugging equipment. Bled well down. ND WR, NU BOP. Unset packer POH w/ 188 stands. **08/25/20** RU Rotary Wireline. Set 7" CIBP@ 11880'. Pumped 200 bbls brine and 120 bbls MLF. Spot 25 sx Class H @11880-11738. WOC. **08/26/20** Tag plug@ 11719'. POH to 9560'. Pressure up to 600 psi. Held. Spot 25 sx Class H @9560-9418. WOC. Tag plug@ 9428'. Spot 25 sx Class C @ 7500-7346. POH w/ 30 stands. **08/27/20** Perf@ 5047'. Pressure up 800 psi on perms. Spot 90 sx Class Cw/ 2% CACL @5097-4544. WOC. Tag @4549'. Spot 80 sx Class C @ 4394-3903. **08/31/20** Tag plug@3896'. Spot 70 sx class Cw/ 2% CACL@ 3394-2964. WOC. Tag@2955. Perf@ 1808'. Pressure up 800 psi. Spot 50 sx Class Cw/ 2% CACL@ 1858-1550. WOC. Tag@ 1542. Perf & Sqz 70 sx Class C @200 -surface. (inside 7" and outside 9 5/8). **RDMO. 09/01/20** MI welder and backhoe. Dug out wellhead and anchors. Cut off wellhead. Welded on "Above Ground Dry Hole Marker". Back fill cellar and clean location. Move off

Spud Date:		Rig Release Date:	
------------	-------------	-------------------	-------------

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE 	TITLE: Regulatory Technician	DATE: 5/3/2021
Type or print name: Delilah Flores	E-mail address: delilah.flores@conocophillips.com	PHONE: 575-748-6946
APPROVED BY: 	TITLE: Compliance Officer A	DATE: 12/8/21
Conditions of Approval (if any):		

Lease & Well #: State BG Com #1
API: 30-025-33395


COG Operating LLC

Lea County, NM
19- 175-35E 990 FNL 2310 FEL

Plugged

Spud Date 5/31/1996

Vates - 3048'
7 Rvs - 3344'
Queen - 3970'
Grbg - 4352'
SA - 4635'
GI - 6114'
Paddock - 6208'
Blinbry - 6507'
Tubb - 7518'
Drinkard - 7754'
Abo - 8204'
Wlfc - 9599'
Penn - 10,721'



TD @ 12,500'
PBTD @ 12,408'

8. Perf & Sqz 70 sx Class C @ 200 - surface.
7. Perf @ 1808'. Pressure up 800 psi. Spot 50 sx Class C w/ 2% CACL @ 1858-1550. WOC. Tag @ 1542.
O-1,758' 13-3/8" 48# H-40 ST&C
1,500 sx cmt
6. Spot 70 sx class C w/ 2% CACL @ 3394-2964. WOC. Tag @ 2955.
calc TOC @ 2,700'
5. Spot 80 sx Class C @ 4394-3903. 08/31/20 Tag plug @ 3896'.
O-4,997' 9-5/8" 36# K-55
1,325 sx cmt
4. Spot 90 sx Class C w/ 2% CACL @ 5097-4544. WOC. Tag @ 4549'.
3. Spot 25 sx Class C @ 7500-7346.
2. Spot 25 sx Class H @ 9560-9418. WOC. Tag plug @ 9428'.
BY Tag @ 9,508.63'
1. Set 7" CIBP @ 11880'. Pumped 200 bbls brine and 120 bbls MLF. Spot 25 sx Class H @ 11880-11738. WOC. 08/26/20 Tag plug @ 11719'.

Morrow Perfs
11,928' - 11,938' 4 spf

O-12,490.3' 7" 26# & 29# N-80 LT&C
1,895 sx cmt

32.8252068
-103.4960861

7/15/2020

State BG Com #1 WSD (2)


SH

COG Operating LLC

Lease & Well #: State BG Com #1
API: 30-025-33395

Lea County, NM
19- 17S-35E 990 FNL 2310 FEL

Spud Date 5/31/1996



0-1,758' 13-3/8" 48# H-40 ST&C
1,500 sx cmt

calc TOC @ 2,700'

0-4,997' 9-5/8" 36# K-55
1,325 sx cmt

DV Top @ 9,502.63'

Morrow Perfs
11,928' - 11,938' 4 spf

0-12,490.3' 7" 26# & 29# N-80 LT&C
1,895 sx cmt

TD @ 12,500'
PBTD @ 12,408'

Vates - 3048'
72vs - 3344'
Queen - 3970'
Grbg - 4352'
SA - 4635'
GI - 6114'
Paddock - 6208'
Blinbry - 6507'
Tubb - 7518'
Drinkard - 7754'
Abo - 8204'
Wilcox - 9599'
Penn - 10,721'

32.8252068
-103.4960861

7/15/2020

State BG Com #1 WBD (2)

SH

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-33395
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. E-7259
7. Lease Name or Unit Agreement Name State BG Com
8. Well Number 1
9. OGRID Number 229137
10. Pool name or Wildcat N Vacuum Atoka- Morrow Gas

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator COG Operating, LLC	
3. Address of Operator 2208 W. Main Artesia, NM 88210	
4. Well Location Unit Letter B : 990 feet from the N line and 2310 feet from the E line Section 19 Township 17S Range 35E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3984' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


08/24/20 MI RU plugging equipment. Bled well down. ND WR, NU BOP. Unset packer POH w/ 188 stands. 08/25/20 RU Rotary Wireline. Set 7" CIBP@ 11880'. Pumped 200 bbls brine and 120 bbls MLF. Spot 25 sx Class H @11880-11738. WOC. 08/26/20 Tag plug@ 11719'. POH to 9560'. Pressure up to 600 psi. Held. Spot25 sx Class H@9560-9418. WOC. Tag plug@ 9428'. Spot 25 sx Class C@ 7500-7346. POH w/ 30 stands. 08/27/20 Perf@ 5047'. Pressure up 800 psi on perms. Spot 90 sx Class Cw/ 2% CACL @5097-4544. WOC. Tag @4549'. Spot 80 sx Class C@ 4394-3903. 08/31/20 Tag plug@3896'. Spot 70 sx class Cw/ 2% CACL@ 3394-2964. WOC. Tag@2955. Perf@ 1808'. Pressure up 800 psi. Spot 50 sx Class Cw/ 2% CACL@ 1858-1550. WOC. Tag@ 1542. Perf & Sqz 70 sx Class C @200 -surface. (inside 7" and outside 9 5/8). RDMO. 09/01/20 MI welder and backhoe. Dug out wellhead and anchors. Cut off wellhead. Welded on "Above Ground Dry Hole Marker". Back fill cellar and clean location. Move off

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE: Regulatory Technician

DATE: 5/3/2021

Type or print name: Delilah Flores

E-mail address: delilah.flores@conocophillips.com

PHONE: 575-748-6946

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

COG Operating LLC

Plugged

Lease & Well #: State BG Com #1
API: 30-025-33395

Lea County, NM
19- 175-35E 990 FNL 2310 FEL

Spud Date 5/31/1996

Vates - 3048'
7 Rvs - 3344'
Queen - 3970'
Grbg - 4352'
SA - 4635'
GI - 6114'
Paddock - 6208'
Blinbry - 6507'
Tubb - 7518'
Drinkard - 7754'
Abo - 8204'
Wlfcp - 9599'
Penn - 10,721'



TD @ 12,500'
PBTD @ 12,408'

8. Perf & Sqz 70 sx Class C @ 200 - surface.
7. Perf @ 1808'. Pressure up 800 psi. Spot 50 sx Class C w/ 2% CACL @ 1858-1550. WOC. Tag @ 1542.
O-1,758' 13-3/8" 48# H-40 ST&C
1,500 sx cmt
6. Spot 70 sx class C w/ 2% CACL @ 3394-2964. WOC. Tag @ 2955.
calc TOC @ 2,700'
5. Spot 80 sx Class C @ 4394-3903. 08/31/20 Tag plug @ 3896'.
O-4,997' 9-5/8" 36# K-55
1,325 sx cmt
4. Spot 90 sx Class C w/ 2% CACL @ 5097-4544. WOC. Tag @ 4549'.
3. Spot 25 sx Class C @ 7500-7346.
2. Spot 25 sx Class H @ 9560-9418. WOC. Tag plug @ 9428'.
BY Tag @ 9,508.63'
1. Set 7" CIBP @ 11880'. Pumped 200 bbls brine and 120 bbls MLF. Spot 25 sx Class H @ 11880-11738. WOC. 08/26/20 Tag plug @ 11719'.

Morrow Perfs
11,928' - 11,938' 4 spf

O-12,490.3' 7" 26# & 29# N-80 LT&C
1,895 sx cmt

32.8252068
-103.4960861

7/15/2020

State BG Com #1 WBD (2)


SH

COG Operating LLC

Lease & Well #: State BG Com #1
API: 30-025-33395

Lea County, NM
19- 17S-35E 990 FNL 2310 FEL

Spud Date 5/31/1996



0-1,758' 13-3/8" 48# H-40 ST&C
1,500 sx cmt

calc TOC @ 2,700'

0-4,997' 9-5/8" 36# K-55
1,325 sx cmt

DV Top @ 9,502.63'

Morrow Perfs
11,928' - 11,938' 4 spf

0-12,490.3' 7" 26# & 29# N-80 LT&C
1,895 sx cmt

TD @ 12,500'
PBTD @ 12,408'

Vates - 3048'
72vs - 3344'
Queen - 3970'
Grbg - 4352'
SA - 4635'
GI - 6114'
Paddock - 6208'
Blinbry - 6507'
Tubb - 7518'
Drinkard - 7754'
Abo - 8204'
Wilcep - 9599'
Penn - 10,721'

32.8252068
-103.4960861

7/15/2020

State BG Com #1 WBD (2)

SH

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 26794

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 26794
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	12/8/2021