Office -	54 AM State of New Mexico	Form C ^P 103
Office <u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural F	Resources Revised July 18, 2013 WELL API NO.
<u>District II</u> - (575) 748-1283	OIL CONSERVATION DIV	/ISION 30-005-10463
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	1220 South St. Francis	5 Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 87505	
1220 S. St. Francis Dr., Santa Fe, NM 87505		VA-613
	TICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	OSALS TO DRILL OR TO DEEPEN OR PLUG BA ICATION FOR PERMIT" (FORM C-101) FOR SU	CH
PROPOSALS.)	_	8. Well Number
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other P&A	9. OGRID Number
EOG Resources, Inc.		7377
3. Address of Operator		10. Pool name or Wildcat
104 South Fourth Street, Artesia,	NM 88210	Acme; San Andres
4. Well Location Unit Letter F :	1980 feet from the North 1	ine and 1650 feet from the West line
Section 4	Township 8S Range	27E NMPM Chaves County
	11. Elevation (Show whether DR, RKI	
	3952'GR	
TEMPORARILY ABANDON] MULTIPLE COMPL CA	MMENCE DRILLING OPNS. P AND A SING/CEMENT JOB
 13. Describe proposed or com of starting any proposed v proposed completion or re 12/9/21 – MIRU and NU BOP. 7 1194' calc TOC. No tag. Spotted injection rate. Squeezed with 60 cement to surface. 	pleted operations. (Clearly state all pertir york). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882' sx Class "C" cement from 224' and circul	nex. ent details, and give pertinent dates, including estimated date or Multiple Completions: Attach wellbore diagram of ood. Spotted a 25 sx Class "C" cement plug from 1452'- -629' calc TOC. No tag. Perforated at 224'. Established ated up to surface. Topped off wellbore with cement. Visual cleaned location. <u>WELL IS PLUGGED AND</u>
 13. Describe proposed or com of starting any proposed v proposed completion or re 12/9/21 – MIRU and NU BOP. 7 1194' calc TOC. No tag. Spotted injection rate. Squeezed with 60 cement to surface. 12/17/21 - Cut off wellhead and in 	pleted operations. (Clearly state all pertir york). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882' sx Class "C" cement from 224' and circul	ent details, and give pertinent dates, including estimated date or Multiple Completions: Attach wellbore diagram of ood. Spotted a 25 sx Class "C" cement plug from 1452'- -629' calc TOC. No tag. Perforated at 224'. Established ated up to surface. Topped off wellbore with cement. Visual
 13. Describe proposed or com of starting any proposed v proposed completion or re 12/9/21 – MIRU and NU BOP. 7 1194' calc TOC. No tag. Spotted injection rate. Squeezed with 60 cement to surface. 12/17/21 - Cut off wellhead and in 	pleted operations. (Clearly state all pertir york). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882' sx Class "C" cement from 224' and circul	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @
 13. Describe proposed or com of starting any proposed v proposed completion or reference 12/9/21 – MIRU and NU BOP. 7 1194' calc TOC. No tag. Spotted injection rate. Squeezed with 60 cement to surface. 12/17/21 - Cut off wellhead and in ABANDONED. 	pleted operations. (Clearly state all pertir york). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882 sx Class "C" cement from 224' and circul stalled dry hole marker. Cut off anchors and	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
 13. Describe proposed or com of starting any proposed v proposed completion or reference 12/9/21 – MIRU and NU BOP. 7 1194' calc TOC. No tag. Spotted injection rate. Squeezed with 60 cement to surface. 12/17/21 - Cut off wellhead and in ABANDONED. 	Pleted operations. (Clearly state all pertir york). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882 sx Class "C" cement from 224' and circul stalled dry hole marker. Cut off anchors and Rig Release Date:	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us
 13. Describe proposed or comof starting any proposed v proposed completion or restarting any proposed v proposed v proposed completion or restarting any proposed v propo	pleted operations. (Clearly state all pertir/ork). SEE RULE 19.15.7.14 NMAC. For completion. Cested casing to 500 psi for 15 min, held g a 25 sx Class "C" cement plug from 882" sx Class "C" cement from 224' and circul stalled dry hole marker. Cut off anchors and stalled dry hole marker. Cut off anchors and Rig Release Date: n above is true and complete to the best of TITLE Regulat	Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

•

Released to Imaging: 1/4/2022 9:43:58 AM



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:		OGRID:	
EOG RESOURCES II	NC	7377	
P.O. Box 2267		Action Number:	
Midland, TX 79702		68589	
		Action Type: [C-103] Sub. Plugging (C-103P)	
CONDITIONS			
Created By Condition			Condition Date

Created By Condition None gcordero

CONDITIONS

Action 68589

12/27/2021