

Well Name: RJ UNIT

Well Location: T17S / R29E / SEC 27 / TR 2 / SENW /

County or Parish/State: EDDY / NM

Well Number: 107

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028775B

Unit or CA Name: ROBINSON JACKSON UNIT

Unit or CA Number: NMNM71024X

US Well Number: 3001503177

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

Subsequent Report

Sundry ID: 2628046

Type of Submission: Subsequent Report

Type of Action: Reclamation

Date Sundry Submitted: 08/10/2021

Time Sundry Submitted: 08:15

Date Operation Actually Began: 08/04/2021

Actual Procedure: Please find the final reclamation report attached.

SR Attachments

Actual Procedure

RJ_Unit_107_Final_Reclamation_Report_20210810081543.pdf

Well Name: RJ UNIT

Well Location: T17S / R29E / SEC 27 / TR 2 / SENW /

County or Parish/State: EDDY / NM

Well Number: 107

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028775B

Unit or CA Name: ROBINSON JACKSON UNIT

Unit or CA Number: NMNM71024X

US Well Number: 3001503177

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SARAH CHAPMAN

Signed on: AUG 10, 2021 08:15 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 11/19/2021

Signature: James A. Amos



**RECLAMATION CLOSURE REPORT
RJ UNIT #107
API NO. 30-015-03177
SECTION 27, TOWNSHIP 17S, RANGE 29E
EDDY COUNTY, NEW MEXICO**

**REPORT PREPARED BY ESS
August 4, 2021**



**#7 Compress Rd
Artesia, NM 88210**

August 4, 2021

Bureau of Land Management
620 E. Green Street
Carlsbad, NM 88220

Spur Energy Partners
2407 Pecos Avenue
Artesia, NM 88210

RE: RJ Unit #107
API No. 30-015-03177
Reclamation and Seeding Closure Report

To Whom it May Concern:

Spur Energy Partners has retained Energy Staffing Services (ESS) to perform final reclamation for the above said location per NMOCD and BLM Reclamation Objectives and Procedures.

Plugging and Reclamation Procedures

On April 30, 2019 COG Operating submitted form 3160-5 (Sundry Notices and Reports on Wells). The report indicated that the final tag was set at 60' to surface with 35 sacks of cement and the wellhead was cut off and the dry-hole marker was welded in place.

On July 18 of 2021, ESS conducted a full regulatory background and field inspection on behalf of Spur Energy, operator of record. No open spills or releases were found and no evidence of hydrocarbon or chloride impacted soils were observed. Once the pipe and rods were moved off of the location, reclamation began.

ESS reclaimed the site utilizing the rip and flip procedure. The site had plenty of topsoil under the production pad to obtain 4' of vadose zone coverage for proper vegetation of the site. The pad measured approximately 4658 sq. ft of production pad surface. The lease road was left in place as it is used for access of other production sites in the area. The pad parallel to the lease road. After the reclamation was completed, a 3' berm was placed around both sides of the road to prevent future access to the reclaimed site. Due to the current forecast in the upcoming days, seeding of the site commenced. BLM #3 seed was broadcasted over the entire reclaimed pad.

Conclusion

On behalf of Spur Energy Partners, ESS would like to request final reclamation closure of this site for the RJ Unit #107. If you have any questions or concerns, please contact the undersigned.

Natalie Gladden

Director of Environmental and Regulatory Services

Energy Staffing Services, LLC.

#7 Compress Rd

Artesia, NM 88210

Cell: 575-390-6397

Email: natalie@energystaffingllc.com

Attachments:

Form 3160

Site Map

Site Photos

Well Name: RJ UNIT	Well Location: T17S / R29E / SEC 27 / TR 2 / SENW /	County or Parish/State: EDDY / NM
Well Number: 107	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028775B	Unit or CA Name: ROBINSON JACKSON UNIT	Unit or CA Number: NMNM71024X
US Well Number: 3001503177	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/17/2021

Time Sundry Submitted: 08:01

Date Operation Actually Began: 04/30/2021

Actual Procedure: See attached final documentation. Will reclaim within 6 months of moving off location per BLM standards.

SR Attachments

Actual Procedure

Marker_Pictures_20210517080105.pdf

RJ_Unit_PA_WBD_20210517080105.pdf

RJ_Unit_107_PA_EOWR_20210517080104.pdf

Well Name: RJ UNIT

Well Location: T17S / R29E / SEC 27 / TR 2 / SENW /

County or Parish/State: EDDY / NM

Well Number: 107

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028775B

Unit or CA Name: ROBINSON JACKSON UNIT

Unit or CA Number: NMNM71024X

US Well Number: 3001503177

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SARAH CHAPMAN

Signed on: MAY 17, 2021 08:01 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 05/19/2021

Signature: James A. Amos

Wellbore Diagram

RJ Unit #107
API #: 30-015-03177
Eddy County, New Mexico

Plug 4

60 feet - Surface
60 feet plug
30 sacks of Class C Cement

Plug 3

414 feet - 145 feet
269 feet plug
38 sacks of Class C Cement

Plug 2

745 feet - 565 feet
180 feet plug
25 sacks of Class C Cement

Plug 1


2675 feet - 2140 feet
535 feet plug
105 sacks of Class C Cement
73 sacks re-pumped

Surface Casing

8.25" @ 312 ft

Production Casing

7" 23# @ 2625 ft



BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Permanent Abandonment of Federal Wells
Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within ninety (90) days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.

3. Blowout Preventers: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. Mud Requirement: Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.

5. Cement Requirement: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Dry Hole Marker: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

7. Subsequent Plugging Reporting: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. Show date well was plugged.

8. Trash: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

SPUR ENERGY PARTNERS

RJ UNIT #107 RECLAIM MAP

Legend

-  RJ UNIT #107
-  RJ UNIT #107- 4658 SQ. FT



RJ UNIT #107



**RJ UNIT #107
INITIAL SITE PHOTOS**





FINAL PHOTOS







Curtis & Curtis Seed

4500 N. Prince
Clovis NM 88101
Phone: (575) 762-4759
www.curtisseed.com

BLM #3 Seed Mix

Lot #: 2071
Net Wt: 42.40 lb

Pure Seed: 87.38%
Inert Matter: 10.17%
Other Crop: 1.89%
Weed Seed: 0.56%

Origin:

Purity: 87.38%
Germ: 85.93%
Dormant: 0.09%
Total Viable: 75.08%
Test Date: 2/21

Noxious Weeds: None

Texas Permit: 2772

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 64404

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 64404
	Action Type: [C-103] Sub. General Sundry (C-103Z)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	1/4/2022