Received by OCP: Apply 1222 Hsi58:35	AM State of New Mexico)	Form C-103 ¹ of 3
Office District I – (575) 393-6161	Energy, Minerals and Natural I	Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL API N	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DI	VISION 30-021-2010 5. Indicate T	
<u>District III</u> – (505) 334-6178	1220 South St. Francis	Dr. STAT	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505		& Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505			
SUNDRY NOTION	CES AND REPORTS ON WELLS		ne or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			CARBON DIOXIDE GAS UNIT
PROPOSALS.)		8. Well Num	her 224
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ✔			=
2. Name of Operator OXY USA INC. (16696)		9. OGRID N 16696	umber
3. Address of Operator		10. Pool nan	
PO BOX 4294, HOUSTON, TX 77210-4294		(96010) BRAVO	DOME CARBON DIOXIDE GAS 640
4. Well Location			
	feet from the NORTH		t from the WEST line
Section 32E	Township 20N Range		County HARDING
	11. Elevation (Show whether DR, RK)	B, RT, GR, etc.)	
	4690' GL		
12 Check A	Appropriate Box to Indicate Natur	e of Notice Report or Ot	her Data
12. CHECK A	Appropriate Box to indicate Natur	e of Notice, Report of O	Her Data
NOTICE OF IN	TENTION TO:	SUBSEQUENT	REPORT OF:
PERFORM REMEDIAL WORK		MEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON		MMENCE DRILLING OPNS.[□ PANDA 🗹
PULL OR ALTER CASING	MULTIPLE COMPL	SING/CEMENT JOB [
DOWNHOLE COMMINGLE			
CLOSED-LOOP SYSTEM OTHER:	п ∣от	HER:	П
	leted operations. (Clearly state all pertin		dates, including estimated date
	rk). SEE RULE 19.15.7.14 NMAC. Fo	or Multiple Completions: Atta	nch wellbore diagram of
proposed completion or reco	ompletion.		
This well is plugged. See the	below daily job details and att	ached plugged wellbor	e diagram for
reference.	,,	1 33	3
11/19/2021 - RIH and set CIE	3P @ 2200'. Dump bailed 6sx	CI C cmt on top.	
	tagged TOC @ 2147'. Pulled		ped 50sx CI C Cmt.
WOC.		1 '	•
11/21/2021 - RIH and tagged	TOC @ 1420'. Pulled up, EO	T @ 777'. Pumped 25s	ex CI C Cmt. WOC.
00	. Pulled up, EOT @ 218'. Pum	•	
well. Verified RDMO.			
Spud Date:	Rig Release Date:		
I hereby certify that the information a	above is true and complete to the best of	f my knowledge and belief.	_
0000	7 00		
SIGNATURE Leslie J	. Reeves TITLE REGULAT	ORY ADVISOR	DATE 1/6/2022
SIGNATURE	THEE_NEGGEN	OITT ABVICOR	_DATE_ H0/2022
Type or print name LESLIE REEV	ES E-mail address: L	ESLIE_REEVES@OXY.COM	PHONE: 713-497-2492
For State Use Only			
APPROVED BY: Monica K	whling TITLE Deputy (Oil and Gas Inspector	DATE 2/1/2022
Conditions of Approval (if any):	IIILE Doputy	on and Gao mopolion	DAIE LINEVEL

OXY USA Inc. - Plugged Bravo Dome Carbon Dioxide Gas Unit # 321 API No. 30-021-20101

EOT @ 218'. Pumped 25sx Cl C to Surface. Topped off. Verified.

| Spud 01/26/1981 | 12-1/4" hole @ 707' 8-5/8"24# csg @ 707 w/ 500sx-TOC-Surf-Circ.
| EOT @ 777'. Pumped 25sx CL C. Tagged TOC @ 557'.

| For a continuous c

TD - 2421'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 70857

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	70857
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Follow rule 19.15.25.10 B. The operator shall mark the exact location of plugged and abandoned wells with a steel marker not less than four inches in diameter set in cement and extending at least four feet above mean ground level. Note: Marker must be set in cement of which none of the wells plugged in the fall of 2021 by OXY had their marker set in cement. Operators are required to submit - a C-103Q on state or fee wells	2/1/2022