	Po Appropriate District	18:29 AM	State of New M	Iexico		Form C-103 ¹
Office District I – (57:	5) 393-6161	Energy,	Minerals and Nat	tural Resources		Revised July 18, 2013
	Dr., Hobbs, NM 88240				WELL API NO. 30-021-20425	
<u>District II</u> – (57 811 S. First St.,	, Artesia, NM 88210		ONSERVATIO		5. Indicate Type of	of Lease
District III – (5	05) 334-6178 os Rd., Aztec, NM 87410	12	220 South St. Fra	ancis Dr.	STATE	
District IV – (5		,	Santa Fe, NM 8	37505	6. State Oil & Ga	
1220 S. St. Fran 87505	ncis Dr., Santa Fe, NM				LG-5861	
07303	SUNDRY NO	OTICES AND RE	PORTS ON WELL	S	7. Lease Name or	Unit Agreement Name
	E THIS FORM FOR PRO RESERVOIR. USE "AP					IE CO2 GAS UNIT
	Well: Oil Well 🔲	Gas Well	Other 🗸		8. Well Number	#021
2. Name of			·		9. OGRID Numb	er
OXY USA INC					16696	
3. Address	-	N. TV ==040	1001		10. Pool name or	
	4294, HOUSTO)N, TX //210-	-4294		BRAVO DOI	ME CO2 GAS 640
4. Well Loc		1700 c	.c. a NODTL	J 1 1 1 1 1 1 7	'00 c . c	1 EAST 1:
	it Letter <u>G</u>		t from the NORTH			n the EAST line
Sec	etion 2		1	Range 31E R, RKB, RT, GR, etc	NMPM	County HARDING
		4443'GR	1 (Show whether Di	л, ла <i>d</i> , к <i>i</i> , цк, еи)	
		11.10 0.11				
	12. Chec	k Appropriate I	Box to Indicate 1	Nature of Notice	, Report or Other	Data
		11 1		ı		
		INTENTION 7			BSEQUENT <u>R</u> EI	
	REMEDIAL WORK			REMEDIAL WO		ALTERING CASING
	RILY ABANDON	CHANGE PL			RILLING OPNS.	P AND A
	LTER CASING	☐ MULTIPLE C	COMPL	CASING/CEMEN	AT JOB	
OTHER:	OOP SYSTEM			OTHER:		
	ribe proposed or co	mnleted operation	 ıs_(Clearly state all		nd give pertinent date	s, including estimated date
					ompletions: Attach w	
	osed completion or				<u> </u>	
ا المسالة	مطمل لممسينات	4		44/0/0004 C	4b44b :-	والمقولة بالموجودية
			•	e: 11/8/2021. S	ee the attache jo	b summary details
and plugged	d wellbore diag	ram for refere	nce.			
			-			
Cand Data			Rig Release D	Datas		
Spud Date:			Rig Release L	Jale:		
			•			<u> </u>
I haraby carti	fy that the informati	ion abovo is truo a	nd complete to the	best of my knowled	go and baliaf	
Thereby certif	ry that the imormati	.on above is true at	nd complete to the	best of my knowled	ge and benef.	
	000	T 00				
SIGNATURE	_{E_} Lestie -	7. Reeve.	TITLE REG	ULATORY ADVIS	OR DA	TE 12/15/2021
_	. = 0. := 5 =	EVE0	_	LEOUE SEE	E0.000/.00::	740 407 0400
* 1	name LESLIE RE	EVES	E-mail addre	ss: LESLIE_REEV	ES@OXY.COM PH	ONE: 713-497-2492
For State Use	<u>e Only</u>					
$\Delta DDD \cup U \subseteq D$	BY: Monica	Kushling	TITLE	Deputy Oil and G	Sas Inspector _{DA}	re 2/3/2022

BRAVO DOME CARBON DIOXIDE GAS UNIT #021 30-021-20425 – PA JOB SUMMARY

11/4/2021

RIH AND TESTED EXISTING CIBP TO 500PSI, HELD. DUMP BAILED 5SX CL C CMT ON TOP.

11/6/2021

MIRU. NU BOP. RIH AND TAGGED @ 2028'.

11/7/2021

PULLED UP, EOT @ 1688'. PUMPED 30SX CL C CMT. WOC.

11/8/2021


RIH AND TAGGED TOC @ 1415'. PULLED UP, EOT @ 1277'. PUMPED 85SX CL C CMT. WOC. TAGGED TOC @ 518'. PULLED UP, EOT @ 306'. PUMPED 29SX CL C CMT TO SURFACE. WOC. TOPPED OFF CMT AT SURFACE. VERIFIED. RDMO.

Plugged Wellbore

BRAVO DOME CO2 GAS UNIT #021

30-021-20425-0000 Harding

12-1/4" hole @ 715' 8-5/8"24# csg @ 705' w/ 400sx-TOC-Surf-Circ.



EOT @ 306'. PUMPED 29SX CL C CMT TO SURFACE. VERIFIED.

EOT @ 1277'. PUMPED 85SX CL C CMT. TAGGED TOC @ 518'.

EOT @ 1688' PUMPED 30SX CL C CMT. TAGGED TOC @ 1415'.

TAGGED CIBP @ 2048'. DUMP BAILED 5SX CL C CMT.

7-7/8" hole @ 2240' 5-1/2" 15.5# csg @ 2234' w/ 450sx - TOC-Surf-Circ.

CIBP @ 2048' Perfs 2065' - 2122'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 69123

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	69123
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Follow rule 19.15.25.10 B. The operator shall mark the exact location of plugged and abandoned wells with a steel marker not less than four inches in diameter set in cement and extending at least four feet above mean ground level. Note: Marker must be set in cement of which none of the wells plugged in the fall of 2021 by OXY had their marker set in cement. Operators are required to submit - a C-103Q on state or fee wells	2/3/2022