

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO.
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator		6. State Oil & Gas Lease No.
3. Address of Operator		7. Lease Name or Unit Agreement Name
4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____		8. Well Number
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sorina L Flores TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____


For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 2/15/22

Conditions of Approval (see rule 19.15.7.14 NMAC)


Current WBD

Apache		Downhole Well Profile w Cement																																																																																							
Well Name: NEDU 151																																																																																									
API/Surface Loc 3002538894		Surface Legal Location 330° FNL, 330° FEL, Unit A, Sec 2, T-21S, R-37E		Field Name Eunice (North) Bld																																																																																					
Spud Date 8/12/2008		Original KB Elevation (ft) 3,547.0		Ground Elevation (ft) 3,536.0																																																																																					
PSTD (All) (ft/B) Original Hole - 7,195		Total Depth (ft/B) 7,240.0		KB-Ground Distance (ft) 11.0																																																																																					
Production, NORTHEAST DRINKARD UNIT 151 - Original Hole, 11/22/2021 3:27:22 PM																																																																																									
Vertical schematic (actual)																																																																																									
<table border="1"> <thead> <tr> <th>Csg Des</th> <th>OD (in)</th> <th>ID (in)</th> <th>Wt/Len (lb/ft)</th> <th>Grade</th> <th>Set Depth (ft/B)</th> </tr> </thead> <tbody> <tr> <td>Surface</td> <td>8 5/8</td> <td>8.10</td> <td>24.00</td> <td>K-55</td> <td>1,437.00</td> </tr> <tr> <td>Prod 1</td> <td>5 1/2</td> <td>4.89</td> <td>17.00</td> <td>K-55</td> <td>7,240.00</td> </tr> </tbody> </table>						Csg Des	OD (in)	ID (in)	Wt/Len (lb/ft)	Grade	Set Depth (ft/B)	Surface	8 5/8	8.10	24.00	K-55	1,437.00	Prod 1	5 1/2	4.89	17.00	K-55	7,240.00																																																																		
Csg Des	OD (in)	ID (in)	Wt/Len (lb/ft)	Grade	Set Depth (ft/B)																																																																																				
Surface	8 5/8	8.10	24.00	K-55	1,437.00																																																																																				
Prod 1	5 1/2	4.89	17.00	K-55	7,240.00																																																																																				
<table border="1"> <thead> <tr> <th>String</th> <th>Description</th> <th>Top Depth (ft/B)</th> <th>Bottom Depth (ft/B)</th> <th>Top Meas Meth</th> <th>Start Date</th> </tr> </thead> <tbody> <tr> <td>Surface</td> <td>Surface</td> <td>11.00</td> <td>1,437.00</td> <td>Returns at Surface</td> <td>8/14/2008</td> </tr> <tr> <td>Prod 1</td> <td>Cement Plug</td> <td>7,195.00</td> <td>7,240.00</td> <td>Tag</td> <td>8/23/2008</td> </tr> <tr> <td>Prod 1</td> <td>Production</td> <td>120.00</td> <td>7,240.00</td> <td>Log</td> <td>8/23/2008</td> </tr> </tbody> </table>						String	Description	Top Depth (ft/B)	Bottom Depth (ft/B)	Top Meas Meth	Start Date	Surface	Surface	11.00	1,437.00	Returns at Surface	8/14/2008	Prod 1	Cement Plug	7,195.00	7,240.00	Tag	8/23/2008	Prod 1	Production	120.00	7,240.00	Log	8/23/2008																																																												
String	Description	Top Depth (ft/B)	Bottom Depth (ft/B)	Top Meas Meth	Start Date																																																																																				
Surface	Surface	11.00	1,437.00	Returns at Surface	8/14/2008																																																																																				
Prod 1	Cement Plug	7,195.00	7,240.00	Tag	8/23/2008																																																																																				
Prod 1	Production	120.00	7,240.00	Log	8/23/2008																																																																																				
<table border="1"> <thead> <tr> <th>Date</th> <th>Type</th> <th>Top (ft/B)</th> <th>Botm (ft/B)</th> <th>Shot Dens (shots/ft)</th> <th>Entered Shot Total</th> </tr> </thead> <tbody> <tr> <td>9/5/2008</td> <td>Blindbry</td> <td>5,935</td> <td>5,938</td> <td>2.0</td> <td>8</td> </tr> <tr> <td>9/5/2008</td> <td>Blindbry</td> <td>5,970</td> <td>5,973</td> <td>2.0</td> <td>8</td> </tr> <tr> <td>9/5/2008</td> <td>Blindbry</td> <td>6,028</td> <td>6,034</td> <td>2.0</td> <td>14</td> </tr> <tr> <td>9/5/2008</td> <td>Blindbry</td> <td>6,086</td> <td>6,090</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>9/5/2008</td> <td>Blindbry</td> <td>6,130</td> <td>6,134</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>9/3/2008</td> <td>Tubb</td> <td>6,516</td> <td>6,520</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>9/3/2008</td> <td>Tubb</td> <td>6,546</td> <td>6,552</td> <td>2.0</td> <td>14</td> </tr> <tr> <td>9/3/2008</td> <td>Tubb</td> <td>6,598</td> <td>6,602</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>9/3/2008</td> <td>Tubb</td> <td>6,649</td> <td>6,653</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>8/28/2008</td> <td>Drinkard</td> <td>6,894</td> <td>6,898</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>8/28/2008</td> <td>Drinkard</td> <td>6,908</td> <td>6,912</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>8/28/2008</td> <td>Drinkard</td> <td>6,922</td> <td>6,926</td> <td>2.0</td> <td>10</td> </tr> <tr> <td>8/28/2008</td> <td>Drinkard</td> <td>6,947</td> <td>6,951</td> <td>2.0</td> <td>10</td> </tr> </tbody> </table>						Date	Type	Top (ft/B)	Botm (ft/B)	Shot Dens (shots/ft)	Entered Shot Total	9/5/2008	Blindbry	5,935	5,938	2.0	8	9/5/2008	Blindbry	5,970	5,973	2.0	8	9/5/2008	Blindbry	6,028	6,034	2.0	14	9/5/2008	Blindbry	6,086	6,090	2.0	10	9/5/2008	Blindbry	6,130	6,134	2.0	10	9/3/2008	Tubb	6,516	6,520	2.0	10	9/3/2008	Tubb	6,546	6,552	2.0	14	9/3/2008	Tubb	6,598	6,602	2.0	10	9/3/2008	Tubb	6,649	6,653	2.0	10	8/28/2008	Drinkard	6,894	6,898	2.0	10	8/28/2008	Drinkard	6,908	6,912	2.0	10	8/28/2008	Drinkard	6,922	6,926	2.0	10	8/28/2008	Drinkard	6,947	6,951	2.0	10
Date	Type	Top (ft/B)	Botm (ft/B)	Shot Dens (shots/ft)	Entered Shot Total																																																																																				
9/5/2008	Blindbry	5,935	5,938	2.0	8																																																																																				
9/5/2008	Blindbry	5,970	5,973	2.0	8																																																																																				
9/5/2008	Blindbry	6,028	6,034	2.0	14																																																																																				
9/5/2008	Blindbry	6,086	6,090	2.0	10																																																																																				
9/5/2008	Blindbry	6,130	6,134	2.0	10																																																																																				
9/3/2008	Tubb	6,516	6,520	2.0	10																																																																																				
9/3/2008	Tubb	6,546	6,552	2.0	14																																																																																				
9/3/2008	Tubb	6,598	6,602	2.0	10																																																																																				
9/3/2008	Tubb	6,649	6,653	2.0	10																																																																																				
8/28/2008	Drinkard	6,894	6,898	2.0	10																																																																																				
8/28/2008	Drinkard	6,908	6,912	2.0	10																																																																																				
8/28/2008	Drinkard	6,922	6,926	2.0	10																																																																																				
8/28/2008	Drinkard	6,947	6,951	2.0	10																																																																																				
<table border="1"> <thead> <tr> <th>Date</th> <th>Type</th> <th>Depth (ft/B)</th> <th>Depth (TVD) (ft/B)</th> </tr> </thead> <tbody> <tr> <td>8/27/2008</td> <td>Cement Plug</td> <td>7,195</td> <td>7,195</td> </tr> </tbody> </table>						Date	Type	Depth (ft/B)	Depth (TVD) (ft/B)	8/27/2008	Cement Plug	7,195	7,195																																																																												
Date	Type	Depth (ft/B)	Depth (TVD) (ft/B)																																																																																						
8/27/2008	Cement Plug	7,195	7,195																																																																																						
<table border="1"> <thead> <tr> <th>Category</th> <th>Primary/Secondary</th> <th>Failure Depth (ft/B)</th> <th>Comp Des</th> <th>Failure Date</th> </tr> </thead> <tbody> <tr> <td>Tubing</td> <td>Primary</td> <td>6,528.0</td> <td>Tubing</td> <td>8/26/2016</td> </tr> </tbody> </table>						Category	Primary/Secondary	Failure Depth (ft/B)	Comp Des	Failure Date	Tubing	Primary	6,528.0	Tubing	8/26/2016																																																																										
Category	Primary/Secondary	Failure Depth (ft/B)	Comp Des	Failure Date																																																																																					
Tubing	Primary	6,528.0	Tubing	8/26/2016																																																																																					
<table border="1"> <thead> <tr> <th>Start Date</th> <th>Operations Summary</th> </tr> </thead> <tbody> <tr> <td>7/30/2008</td> <td>Operations Summary</td> </tr> <tr> <td>8/8/2008</td> <td>Operations Summary</td> </tr> <tr> <td>7/22/2019</td> <td>Operations Summary</td> </tr> </tbody> </table>						Start Date	Operations Summary	7/30/2008	Operations Summary	8/8/2008	Operations Summary	7/22/2019	Operations Summary																																																																												
Start Date	Operations Summary																																																																																								
7/30/2008	Operations Summary																																																																																								
8/8/2008	Operations Summary																																																																																								
7/22/2019	Operations Summary																																																																																								
<table border="1"> <thead> <tr> <th>Start Date</th> <th>Operations Summary</th> </tr> </thead> <tbody> <tr> <td>7/22/2019</td> <td>TA'D WELL</td> </tr> </tbody> </table>						Start Date	Operations Summary	7/22/2019	TA'D WELL																																																																																
Start Date	Operations Summary																																																																																								
7/22/2019	TA'D WELL																																																																																								

Proposed WBD

Current WBD

Apache		Downhole Well Profile w Cement				
Well Name: NEDU 151		Surface Legal Location		Field Name	State/Province	
API/Surface Loc 3002538894		330° FNL, 330° FEL, Unit A, Sec 2, T-21S, R-37E		Eunice (North) Bld	New Mexico	
Spud Date 8/12/2008	Original KB Elevation (ft) 3,547.0	Ground Elevation (ft) 3,536.0		KB-Ground Distance (ft) 11.0		
PSTD (All) (ft/B) Original Hole - 7,195	Total Depth (ft/B) 7,240.0	Comment				
Production, NORTHEAST DRINKARD UNIT 151 - Original Hole, 11/22/2021 3:27:22 PM						
Vertical schematic (actual)		Casing Strings				
		Csg Des	OD (in)	ID (in)	Wt/Len (lb/ft)	Grade
		Surface	8 5/8	8.10	24.00	K-55
		Prod 1	5 1/2	4.89	17.00	K-55
		Cement				
		String	Description	Top Depth (ft/B)	Bottom Depth (ft/B)	Top Meas Meth
		Surface	Surface	11.00	1,437.00	Returns at Surface
		String	Description	Top Depth (ft/B)	Bottom Depth (ft/B)	Top Meas Meth
		Prod 1	Cement Plug	7,195.00	7,240.00	Tag
		String	Description	Top Depth (ft/B)	Bottom Depth (ft/B)	Top Meas Meth
		Prod 1	Production	120.00	7,240.00	Log
		Perforations				
		Date	Type	Top (ft/B)	Botm (ft/B)	Shot Dens (shots/ft)
		9/5/2008	Blindbry	5,935	5,938	2.0
		9/5/2008	Blindbry	5,970	5,973	2.0
		9/5/2008	Blindbry	6,028	6,034	2.0
		9/5/2008	Blindbry	6,086	6,090	2.0
		9/5/2008	Blindbry	6,130	6,134	2.0
		9/3/2008	Tubb	6,516	6,520	2.0
		9/3/2008	Tubb	6,546	6,552	2.0
		9/3/2008	Tubb	6,598	6,602	2.0
		9/3/2008	Tubb	6,649	6,653	2.0
		8/28/2008	Drinkard	6,894	6,898	2.0
		8/28/2008	Drinkard	6,908	6,912	2.0
		8/28/2008	Drinkard	6,922	6,926	2.0
		8/28/2008	Drinkard	6,947	6,951	2.0
		Plug Back Total Depths				
		Date	Type	Depth (ft/B)	Depth (TVD) (ft/B)	
		8/27/2008	Cement Plug	7,195	7,195	
		Failed Component Links & Details				
		Category	Primary/Secondary	Failure Depth (ft/B)	Comp Des	Failure Date
		Tubing	Primary	6,528.0	Tubing	8/26/2016
		Jobs				
		Start Date	Operations Summary			
		7/30/2008				
		Start Date	Operations Summary			
		8/8/2008				
		Start Date	Operations Summary			
		7/22/2019	TA'D WELL			

Proposed WBD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 62367

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 62367
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Notify OCD 24 hrs prior to running MIT test	2/15/2022