

Well Name: GALLEGOS CANYON UNIT	Well Location: T29N / R13W / SEC 36 / NWSE / 36.72107 / -107.96381	County or Parish/State: SAN JUAN / NM
Well Number: 197	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: STATE	Unit or CA Name: GCU DK 892000844F	Unit or CA Number: NMNM78391C
US Well Number: 3004507667	Well Status: Producing Gas Well	Operator: SIMCOE LLC

Notice of Intent

Sundry ID: 2653220

Type of Submission: Notice of Intent

Type of Action: Casing

Date Sundry Submitted: 01/19/2022

Time Sundry Submitted: 09:41

Date proposed operation will begin: 04/18/2022

Procedure Description: Simcoe would like to repair the casing. Please see the attached casing repair procedure and a well bore diagram.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

- GCU_197_WBD_Reg_20220119093919.pdf
- GCU_197_Casing_Repair_20220119093834.pdf

Well Name: GALLEGOS CANYON UNIT	Well Location: T29N / R13W / SEC 36 / NWSE / 36.72107 / -107.96381	County or Parish/State: SAN JUAN / NM
Well Number: 197	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: STATE	Unit or CA Name: GCU DK 892000844F	Unit or CA Number: NMNM78391C
US Well Number: 3004507667	Well Status: Producing Gas Well	Operator: SIMCOE LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: GINA DOERNER	Signed on: JAN 19, 2022 09:40 AM
Name: SIMCOE LLC	
Title: Regulatory Analyst	
Street Address: 1199 MAIN AVENUE SUITE 101	
City: DURANGO	State: CO
Phone: (970) 852-0082	
Email address: GINA.DOERNER@IKAVENERGY.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Approved	Disposition Date: 01/27/2022
Signature: Kenneth Rennick	

SIMCOE LLC

CASING REPAIR PROCEDURE

GALLEGOS CANYON UNIT #197 – 3004507667

2210' FSL & 1820' FEL – J SEC 36 T29N R13W

1. Hold pre-job safety meeting. Comply with all NMOCD, BLM safety, and environmental regulations. Test rig anchors prior to moving in rig if not rigged to base beam.
2. Check casing, tubing, and bradenhead pressures.
3. Remove existing piping on casing valve. RU blow lines from casing valves and begin blowing down casing pressure. Kill well as necessary. Ensure well is dead or on a vacuum.
4. ND wellhead and NU BOP. Function test BOP.
5. TOOH w/ production tubing.
6. Test wellhead for communication between casing strings. If good, set RBP 50' above perfs and pressure test casing.
7. If pressure test fails, pick up tools and identify leak depth.
8. Once identified, rig up cement package and squeeze Class G cement as necessary.
9. Pick up bit and drill out cement.
10. Conduct MIT with NMOCD.
11. Unload well, retrieve RBP. TIH with 2 3/8" production tubing. RDMO.

13' KB
GL: 5490'

GCU 197

DK

API # 30-045-07667

Unit J - Sec. 36 - T29N - R13W

San Juan, NM

Formation Tops

Pictured Cliffs	1320
Lewis	1504
Mesa Verde	3085
Mancos	4063
Gallup	5000
Base Gallup	5386
Greenhorn	5780
Graneros Shale	5830
Graneros Dakota	5865
Dakota	5948


Deviation Survey

Depth	Inclination
150	0.75
355	0.75
766	0.50
1187	0.50
1578	0.75
1978	1.00
2057	1.00
2525	0.75
3016	1.25
4185	1.00
4306	0.75
4718	1.00
5075	0.50
5746	1.00

Dakota Perforations

5871' - 5889' 4 spf
Frac'd w/ 30k gal wtr, 20k# 20/40, & 10k# 10/20

5954' - 5970' 2 spf
5988' - 6002' 2 spf
Frac'd w/ 51k gal wtr, 40k# 20/40, & 10k# 10/20



13' KB
GL: 5490'

GCU 197

DK

API # 30-045-07667

Unit J - Sec. 36 - T29N - R13W

San Juan, NM

Formation Tops

Pictured Cliffs	1320
Lewis	1504
Mesa Verde	3085
Mancos	4063
Gallup	5000
Base Gallup	5386
Greenhorn	5780
Graneros Shale	5830
Graneros Dakota	5865
Dakota	5948


Deviation Survey

Depth	Inclination
150	0.75
355	0.75
766	0.50
1187	0.50
1578	0.75
1978	1.00
2057	1.00
2525	0.75
3016	1.25
4185	1.00
4306	0.75
4718	1.00
5075	0.50
5746	1.00

Dakota Perforations

5871' - 5889' 4 spf
Frac'd w/ 30k gal wtr, 20k# 20/40, & 10k# 10/20

5954' - 5970' 2 spf
5988' - 6002' 2 spf
Frac'd w/ 51k gal wtr, 40k# 20/40, & 10k# 10/20



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 73429

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 73429
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Notify the Division at least 24 hours prior to cementing.	2/16/2022