

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48634	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 328891	⁸ Property Name APOLLO STATE COM	⁹ Well Number 211H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	21	24-S	33-E	-	863'	SOUTH	465'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	24-S	33-E	-	34'	NORTH	1100'	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/18/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 6/3/2021	²² Ready Date 10/18/2021	²³ TD 23323'	²⁴ PBTB 23257'	²⁵ Perforations 13084'-23172'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1231'	1010 SKS		
9.875"	7.625"	12278'	1437 SKS		
6.75"	5.5"	23303'	859 SKS		

V. Well Test Data

³¹ Date New Oil 10/26/2021	³² Gas Delivery Date 10/26/2021	³³ Test Date 11/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2400
³⁷ Choke Size 40/64	³⁸ Oil 986	³⁹ Water 7012	⁴⁰ Gas 7066		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: JEFF TRLICA			Approved by: PATRICIA MARTINEZ		
Title: REGULATORY ANALYST			Title: PETROLEUM SPECIALIST		
E-mail Address: JTRLICA@GMAIL.COM			Approval Date: 2/22/2022		
Date: 11/5/2021		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48634	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP
⁴ Property Code 328891	⁵ Property Name APOLLO STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 211H ⁹ Elevation 3535'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	21	24-S	33-E	-	863'	SOUTH	465'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	24-S	33-E	-	34'	NORTH	1100'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Bill Ramsey

9/29/2021

Signature

Date

Bill Ramsey

Printed Name


bramsey@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

02/26/2021

Date of Survey
Signature and Seal of Professional Surveyor

Certificate Number





Operator: Tap Rock Resources
Well Name: Apollo State Com 211H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48634

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 23,257' MD
Projection to Bit: 23,323' MD
Dates Performed: 06/03/2021 – 07/12/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
 Well Name: Apollo State Com 211H
 Job Number: ID2914
 Survey Company: Intrepid Directional Drilling Specialists
 Rig Name: H&P 376

Target KBTVD: 12948.00
 Target Inclination: 90.00°
 Declination Correction: 5.99°
 KB Elevation: 3560

Vertical Section Calculated Along Azimuth:

359.58°

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	Ft.	Ft.	Ft.	/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.48	249.18	176	176.00	-0.26	-0.26	-0.69	0.27
MWD	2	238	0.70	208.58	62	237.99	-0.68	-0.69	-1.11	0.74
MWD	3	330	0.44	228.00	92	329.99	-1.40	-1.42	-1.64	0.35
MWD	4	425	0.53	150.22	95	424.99	-2.03	-2.04	-1.70	0.65
MWD	5	614	0.79	248.57	189	613.98	-3.26	-3.28	-2.48	0.54
MWD	6	803	0.97	253.14	189	802.96	-4.18	-4.22	-5.22	0.10
MWD	7	898	1.19	258.68	95	897.94	-4.59	-4.64	-6.96	0.26
MWD	8	992	1.32	279.68	94	991.92	-4.59	-4.65	-8.98	0.51
MWD	9	1087	1.49	281.88	95	1086.89	-4.13	-4.22	-11.27	0.19
MWD	10	1177	1.49	277.48	90	1176.86	-3.72	-3.82	-13.57	0.13
MWD	11	1245	1.14	289.09	68	1244.84	-3.37	-3.49	-15.09	0.64
MWD	12	1341	0.92	174.21	96	1340.83	-3.82	-3.94	-15.91	1.81
MWD	13	1436	3.16	154.00	95	1435.77	-6.94	-7.05	-14.69	2.44
MWD	14	1530	4.75	157.43	94	1529.54	-12.89	-12.98	-12.06	1.71
MWD	15	1625	5.54	159.71	95	1624.16	-20.84	-20.91	-8.96	0.86
MWD	16	1720	5.67	161.47	95	1718.70	-29.62	-29.66	-5.88	0.23
MWD	17	1814	6.55	152.94	94	1812.17	-38.82	-38.84	-1.96	1.34
MWD	18	1908	6.86	153.12	94	1905.53	-48.64	-48.62	3.01	0.33
MWD	19	2003	8.09	147.67	95	1999.72	-59.39	-59.33	9.15	1.49
MWD	20	2097	9.14	147.85	94	2092.66	-71.36	-71.24	16.66	1.12
MWD	21	2192	9.54	141.34	95	2186.40	-83.96	-83.77	25.60	1.19
MWD	22	2286	10.11	136.42	94	2279.02	-96.10	-95.83	36.15	1.08
MWD	23	2380	10.02	136.42	94	2371.58	-108.08	-107.74	47.48	0.10
MWD	24	2475	9.76	135.37	95	2465.16	-119.88	-119.45	58.83	0.33
MWD	25	2570	9.80	134.66	95	2558.78	-131.38	-130.87	70.24	0.13
MWD	26	2664	9.80	137.30	94	2651.41	-142.96	-142.37	81.35	0.48
MWD	27	2759	9.93	140.73	95	2745.01	-155.32	-154.65	92.02	0.63
MWD	28	2853	10.15	143.54	94	2837.57	-168.33	-167.59	102.07	0.57
MWD	29	2948	10.24	142.66	95	2931.07	-181.85	-181.03	112.17	0.19
MWD	30	3042	10.07	140.73	94	3023.60	-194.93	-194.04	122.44	0.40
MWD	31	3136	10.20	141.17	94	3116.13	-207.85	-206.88	132.86	0.16
MWD	32	3231	10.37	143.01	95	3209.60	-221.31	-220.27	143.28	0.39
MWD	33	3326	10.64	143.36	95	3303.01	-235.25	-234.13	153.66	0.29
MWD	34	3420	10.20	138.79	94	3395.46	-248.56	-247.36	164.32	1.00
MWD	35	3514	9.32	136.42	94	3488.10	-260.41	-259.13	175.05	1.03
MWD	36	3609	9.23	136.16	95	3581.86	-271.56	-270.20	185.63	0.10
MWD	37	3704	8.13	134.31	95	3675.77	-281.82	-280.39	195.72	1.19
MWD	38	3799	7.69	134.22	95	3769.87	-291.01	-289.52	205.08	0.46
MWD	39	3893	7.16	135.10	94	3863.08	-299.61	-298.05	213.72	0.58
MWD	40	3987	7.96	131.67	94	3956.26	-308.15	-306.53	222.72	0.98
MWD	41	4082	8.18	131.15	95	4050.32	-317.05	-315.35	232.72	0.24
MWD	42	4178	7.25	130.97	96	4145.45	-325.58	-323.81	242.44	0.97
MWD	43	4272	6.86	133.70	94	4238.74	-333.41	-331.58	250.97	0.55
MWD	44	4366	8.00	136.95	94	4331.95	-342.13	-340.24	259.50	1.29
MWD	45	4461	8.88	134.75	95	4425.92	-352.20	-350.23	269.22	0.99
MWD	46	4556	8.53	135.80	95	4519.82	-362.48	-360.45	279.34	0.40
MWD	47	4650	8.26	133.17	94	4612.82	-372.17	-370.06	289.12	0.50
MWD	48	4745	8.84	135.54	95	4706.76	-382.13	-379.94	299.21	0.71
MWD	49	4839	9.93	132.73	94	4799.50	-392.86	-390.60	310.22	1.26
MWD	50	4933	10.15	131.32	94	4892.06	-403.92	-401.57	322.40	0.35
MWD	51	5027	9.01	128.33	94	4984.75	-414.04	-411.60	334.39	1.32
MWD	52	5122	7.78	128.25	95	5078.73	-422.72	-420.20	345.28	1.29
MWD	53	5214	7.38	130.62	92	5169.93	-430.49	-427.90	354.65	0.55
MWD	54	5309	8.97	138.00	95	5263.96	-440.03	-437.37	364.24	2.00
MWD	55	5404	10.29	138.53	95	5357.62	-451.97	-449.24	374.82	1.39
MWD	56	5499	10.24	138.79	95	5451.10	-464.76	-461.95	386.00	0.07
MWD	57	5593	10.07	139.67	94	5543.63	-477.39	-474.50	396.82	0.24
MWD	58	5688	9.89	141.61	95	5637.19	-490.20	-487.22	407.26	0.40
MWD	59	5783	9.41	139.23	95	5730.85	-502.55	-499.50	417.40	0.66
MWD	60	5878	9.89	138.62	95	5824.50	-514.63	-511.50	427.87	0.52
MWD	61	5973	9.76	140.64	95	5918.11	-527.05	-523.85	438.37	0.39
MWD	62	6068	9.98	139.94	95	6011.70	-539.65	-536.38	448.77	0.26
MWD	63	6163	9.01	137.56	95	6105.40	-551.52	-548.17	459.09	1.10
MWD	64	6257	8.75	138.79	94	6198.27	-562.40	-558.98	468.77	0.34
MWD	65	6352	8.66	138.27	95	6292.18	-573.24	-569.75	478.29	0.13
MWD	66	6447	8.13	142.40	95	6386.16	-583.97	-580.41	487.15	0.84
MWD	67	6542	7.91	147.49	95	6480.23	-594.86	-591.25	494.76	0.78
MWD	68	6635	7.52	149.16	93	6572.39	-605.53	-601.87	501.32	0.48
MWD	69	6729	7.38	151.27	94	6665.60	-616.15	-612.44	507.37	0.33
MWD	70	6824	6.77	150.31	95	6759.88	-626.40	-622.66	513.08	0.65

MWD	71	6919	7.38	147.41	95	6854.15	-636.45	-632.66	519.14	0.74
MWD	72	7014	8.31	140.46	95	6948.26	-646.94	-643.10	526.80	1.40
MWD	73	7108	7.87	137.65	94	7041.33	-657.00	-653.09	535.46	0.63
MWD	74	7202	8.97	139.32	94	7134.31	-667.38	-663.41	544.57	1.20
MWD	75	7295	9.49	139.06	93	7226.11	-678.74	-674.70	554.32	0.56
MWD	76	7389	9.63	138.53	94	7318.80	-690.56	-686.44	564.60	0.18
MWD	77	7484	9.10	137.30	95	7412.54	-702.11	-697.92	574.96	0.60
MWD	78	7577	8.84	137.47	93	7504.40	-712.86	-708.59	584.78	0.28
MWD	79	7671	9.10	140.55	94	7597.25	-723.99	-719.65	594.38	0.58
MWD	80	7765	8.62	142.48	94	7690.13	-735.38	-730.98	603.40	0.60
MWD	81	7860	7.25	141.78	95	7784.22	-745.80	-741.33	611.44	1.45
MWD	82	7955	7.03	145.65	95	7878.48	-755.36	-750.84	618.43	0.56
MWD	83	8050	6.42	144.33	95	7972.83	-764.52	-759.96	624.81	0.66
MWD	84	8145	6.33	145.47	95	8067.24	-773.19	-768.59	630.87	0.16
MWD	85	8240	5.89	149.16	95	8161.70	-781.73	-777.09	636.34	0.62
MWD	86	8335	5.41	148.20	95	8256.24	-789.76	-785.08	641.20	0.51
MWD	87	8430	5.19	153.47	95	8350.83	-797.44	-792.73	645.48	0.56
MWD	88	8524	4.04	156.46	94	8444.53	-804.30	-799.57	648.70	1.25
MWD	89	8619	1.76	160.15	95	8539.40	-808.76	-804.01	650.53	2.41
MWD	90	8714	1.14	176.32	95	8634.37	-811.08	-806.32	651.09	0.78
MWD	91	8808	1.58	193.37	94	8728.34	-813.27	-808.52	650.85	0.63
MWD	92	8902	1.54	197.68	94	8822.31	-815.73	-810.98	650.17	0.13
MWD	93	8997	1.36	193.11	95	8917.28	-818.04	-813.30	649.52	0.23
MWD	94	9091	1.36	224.13	94	9011.25	-819.92	-815.18	648.49	0.77
MWD	95	9186	2.11	232.48	95	9106.21	-821.77	-817.06	646.32	0.83
MWD	96	9281	1.80	244.09	95	9201.15	-823.47	-818.78	643.59	0.53
MWD	97	9376	2.11	238.99	95	9296.10	-825.00	-820.33	640.75	0.37
MWD	98	9460	1.41	249.01	84	9380.06	-826.15	-821.50	638.46	0.91
MWD	99	9555	1.45	280.38	95	9475.03	-826.34	-821.70	636.19	0.81
MWD	100	9647	1.23	275.20	92	9567.00	-826.02	-821.40	634.06	0.27
MWD	101	9742	0.84	264.74	95	9661.99	-825.98	-821.37	632.35	0.45
MWD	102	9836	0.75	281.18	94	9755.98	-825.92	-821.31	631.06	0.26
MWD	103	9930	0.70	293.48	94	9849.97	-825.56	-820.97	629.93	0.17
MWD	104	10025	1.23	262.02	95	9944.96	-825.46	-820.88	628.39	0.77
MWD	105	10120	1.71	246.20	95	10039.93	-826.16	-821.59	626.08	0.66
MWD	106	10214	1.10	256.13	94	10133.90	-826.92	-822.37	623.92	0.70
MWD	107	10309	0.66	84.39	95	10228.89	-827.09	-822.54	623.58	1.85
MWD	108	10404	0.26	88.61	95	10323.89	-827.03	-822.48	624.34	0.42
MWD	109	10499	0.04	169.91	95	10418.89	-827.06	-822.51	624.56	0.27
MWD	110	10592	0.57	262.45	93	10511.89	-827.15	-822.60	624.11	0.62
MWD	111	10686	0.75	292.34	94	10605.88	-826.97	-822.43	623.08	0.41
MWD	112	10780	0.53	267.73	94	10699.88	-826.75	-822.21	622.07	0.37
MWD	113	10874	0.48	159.27	94	10793.88	-827.13	-822.60	621.78	0.87
MWD	114	10966	0.84	126.58	92	10885.87	-827.90	-823.36	622.46	0.55
MWD	115	11061	0.18	148.02	95	10980.87	-828.44	-823.90	623.10	0.71
MWD	116	11156	0.35	243.82	95	11075.86	-828.70	-824.15	622.91	0.43
MWD	117	11251	0.53	254.90	95	11170.86	-828.93	-824.40	622.23	0.21
MWD	118	11346	0.26	251.03	95	11265.86	-829.11	-824.58	621.60	0.29
MWD	119	11440	0.35	273.53	94	11359.86	-829.16	-824.63	621.11	0.16
MWD	120	11535	0.35	284.78	95	11454.86	-829.07	-824.54	620.54	0.07
MWD	121	11629	0.44	259.03	94	11548.85	-829.06	-824.54	619.91	0.21
MWD	122	11723	0.88	254.02	94	11642.85	-829.32	-824.80	618.86	0.47
MWD	123	11818	1.19	143.63	95	11737.84	-830.31	-825.80	618.75	1.80
MWD	124	11913	1.23	186.34	95	11832.82	-832.12	-827.61	619.22	0.93
MWD	125	12007	1.49	167.27	94	11926.79	-834.32	-829.80	619.38	0.55
MWD	126	12102	1.67	196.98	95	12021.76	-836.85	-832.33	619.24	0.87
MWD	127	12197	1.67	181.68	95	12116.72	-839.55	-835.04	618.80	0.47
MWD	128	12288	1.54	177.73	91	12207.68	-842.10	-837.58	618.81	0.19
MWD	129	12414	1.05	194.52	126	12333.65	-844.91	-840.39	618.59	0.49
MWD	130	12507	6.33	1.16	93	12426.49	-840.60	-836.09	618.48	0.71
MWD	131	12602	17.10	0.63	95	12519.37	-821.34	-816.83	618.74	11.34
MWD	132	12697	23.03	2.91	95	12608.57	-788.80	-784.27	619.84	6.30
MWD	133	12790	24.92	1.68	93	12693.54	-751.05	-746.52	621.33	2.10
MWD	134	12885	32.04	359.05	95	12776.99	-705.79	-701.26	621.50	7.61
MWD	135	12979	43.25	0.80	94	12851.31	-648.48	-643.94	621.54	11.98
MWD	136	13074	62.33	6.17	95	12908.52	-573.42	-568.84	626.56	20.57
MWD	137	13165	80.79	5.55	91	12937.18	-487.98	-483.34	635.31	20.30
MWD	138	13260	87.74	2.30	95	12946.67	-393.80	-389.10	641.76	8.07
MWD	139	13355	89.27	359.05	95	12949.15	-298.86	-294.16	642.88	3.78
MWD	140	13449	90.37	358.78	94	12949.44	-204.87	-200.18	641.10	1.20
MWD	141	13543	91.16	358.70	94	12948.19	-110.89	-106.21	639.03	0.84
MWD	142	13639	91.65	358.61	96	12945.83	-14.93	-10.26	636.78	0.52
MWD	143	13732	92.18	358.52	93	12942.73	78.00	82.65	634.45	0.58
MWD	144	13827	92.70	358.70	95	12938.68	172.90	177.54	632.15	0.58
MWD	145	13922	93.76	359.22	95	12933.33	267.74	272.37	630.43	1.24
MWD	146	14017	93.27	0.10	95	12927.50	362.56	367.19	629.87	1.06
MWD	147	14111	92.26	1.16	94	12922.97	456.44	461.07	630.90	1.56
MWD	148	14206	90.99	1.60	95	12920.28	551.35	556.00	633.19	1.41
MWD	149	14300	89.49	2.74	94	12919.88	645.25	649.93	636.75	2.00
MWD	150	14395	88.97	1.77	95	12921.16	740.13	744.85	640.48	1.16
MWD	151	14490	87.69	0.54	95	12923.93	835.05	839.78	642.40	1.87
MWD	152	14584	87.65	0.19	94	12927.75	928.97	933.71	643.00	0.37
MWD	153	14676	88.40	0.19	92	12930.92	1020.91	1025.65	643.30	0.82
MWD	154	14768	89.01	0.45	92	12933.00	1112.87	1117.62	643.82	0.72

MWD	155	14862	89.45	359.93	94	12934.26	1206.86	1211.61	644.13	0.72
MWD	156	14954	89.54	359.93	92	12935.07	1298.85	1303.61	644.01	0.10
MWD	157	15049	89.67	359.84	95	12935.73	1393.85	1398.61	643.82	0.17
MWD	158	15145	89.76	0.10	96	12936.21	1489.85	1494.61	643.77	0.29
MWD	159	15239	90.15	0.37	94	12936.28	1583.84	1588.61	644.16	0.50
MWD	160	15333	90.07	0.45	94	12936.10	1677.83	1682.60	644.83	0.12
MWD	161	15429	90.29	0.19	96	12935.80	1773.82	1778.60	645.37	0.35
MWD	162	15523	90.33	0.19	94	12935.29	1867.82	1872.60	645.68	0.04
MWD	163	15618	89.27	359.75	95	12935.62	1962.81	1967.60	645.63	1.21
MWD	164	15710	87.69	358.87	92	12938.06	2054.77	2059.55	644.52	1.97
MWD	165	15803	87.52	358.96	93	12941.95	2147.69	2152.46	642.76	0.21
MWD	166	15897	87.56	359.05	94	12945.98	2241.60	2246.36	641.13	0.10
MWD	167	15992	88.18	358.61	95	12949.51	2336.52	2341.27	639.19	0.80
MWD	168	16086	89.89	358.17	94	12951.10	2430.48	2435.22	636.55	1.88
MWD	169	16181	90.73	357.82	95	12950.58	2525.44	2530.15	633.23	0.96
MWD	170	16275	90.68	357.29	94	12949.42	2619.38	2624.06	629.22	0.57
MWD	171	16369	90.42	357.46	94	12948.52	2713.30	2717.96	624.91	0.33
MWD	172	16463	91.16	357.90	94	12947.23	2807.24	2811.87	621.11	0.92
MWD	173	16557	91.34	357.73	94	12945.18	2901.18	2905.78	617.53	0.26
MWD	174	16652	91.34	357.38	95	12942.95	2996.09	3000.67	613.48	0.37
MWD	175	16746	91.78	357.38	94	12940.40	3089.99	3094.53	609.18	0.47
MWD	176	16841	91.21	357.64	95	12937.92	3184.89	3189.41	605.05	0.66
MWD	177	16934	92.18	357.64	93	12935.17	3277.80	3282.29	601.23	1.04
MWD	178	17028	91.60	358.17	94	12932.07	3371.70	3376.18	597.79	0.84
MWD	179	17123	90.73	358.78	95	12930.13	3466.67	3471.12	595.26	1.12
MWD	180	17218	88.70	359.57	95	12930.61	3561.66	3566.11	593.90	2.29
MWD	181	17312	88.40	359.13	94	12932.99	3655.63	3660.07	592.83	0.57
MWD	182	17406	88.35	358.78	94	12935.65	3749.58	3754.02	591.12	0.38
MWD	183	17499	88.84	358.96	93	12937.93	3842.55	3846.97	589.28	0.56
MWD	184	17593	87.87	358.70	94	12940.63	3936.50	3940.91	587.37	1.07
MWD	185	17688	88.26	358.43	95	12943.84	4031.43	4035.83	584.99	0.50
MWD	186	17782	88.75	358.26	94	12946.29	4125.37	4129.75	582.27	0.55
MWD	187	17877	89.19	357.90	95	12948.00	4220.33	4224.69	579.09	0.60
MWD	188	17972	89.36	357.90	95	12949.20	4315.28	4319.61	575.61	0.18
MWD	189	18067	90.77	358.78	95	12949.09	4410.25	4414.57	572.86	1.75
MWD	190	18162	92.00	0.45	95	12946.80	4505.22	4509.54	572.22	2.18
MWD	191	18257	92.97	1.51	95	12942.68	4600.10	4604.43	573.84	1.51
MWD	192	18352	92.48	2.03	95	12938.16	4694.92	4699.28	576.77	0.75
MWD	193	18446	91.78	2.21	94	12934.67	4788.76	4793.15	580.25	0.77
MWD	194	18541	90.46	3.35	95	12932.81	4883.59	4888.01	584.86	1.84
MWD	195	18634	91.34	3.62	93	12931.35	4976.37	4980.83	590.51	0.99
MWD	196	18728	90.86	3.27	94	12929.54	5070.13	5074.64	596.16	0.63
MWD	197	18821	88.88	1.51	93	12929.76	5163.01	5167.55	600.03	2.85
MWD	198	18917	90.73	1.51	96	12930.08	5258.95	5263.51	602.56	1.93
MWD	199	19012	89.67	0.37	95	12929.75	5353.92	5358.50	604.12	1.64
MWD	200	19105	88.84	359.57	93	12930.96	5446.91	5451.49	604.07	1.24
MWD	201	19200	89.63	359.84	95	12932.23	5541.90	5546.48	603.58	0.88
MWD	202	19295	88.84	359.84	95	12933.50	5636.89	5641.47	603.32	0.83
MWD	203	19390	88.22	359.75	95	12935.93	5731.86	5736.44	602.98	0.66
MWD	204	19485	87.47	358.78	95	12939.51	5826.79	5831.36	601.76	1.29
MWD	205	19579	86.86	358.43	94	12944.15	5920.66	5925.21	599.48	0.75
MWD	206	19674	86.64	358.08	95	12949.54	6015.48	6020.02	596.59	0.43
MWD	207	19768	87.52	357.64	94	12954.33	6109.32	6113.83	593.08	1.05
MWD	208	19862	87.91	357.73	94	12958.08	6203.19	6207.68	589.29	0.43
MWD	209	19957	87.78	357.73	95	12961.65	6298.07	6302.54	585.53	0.14
MWD	210	20052	87.56	357.29	95	12965.51	6392.93	6397.37	581.40	0.52
MWD	211	20147	90.42	357.29	95	12967.19	6487.83	6492.24	576.91	3.01
MWD	212	20242	89.10	356.85	95	12967.58	6582.74	6587.11	572.06	1.46
MWD	213	20337	91.34	358.70	95	12967.22	6677.68	6682.03	568.37	3.06
MWD	214	20430	91.74	358.52	93	12964.72	6770.63	6774.97	566.11	0.47
MWD	215	20525	91.30	357.82	95	12962.20	6865.57	6869.88	563.08	0.87
MWD	216	20618	91.30	357.99	93	12960.09	6958.51	6962.80	559.68	0.18
MWD	217	20712	91.65	359.05	94	12957.67	7052.46	7056.73	557.26	1.19
MWD	218	20806	92.26	359.49	94	12954.46	7146.40	7150.67	556.06	0.80
MWD	219	20900	91.65	359.49	94	12951.26	7240.35	7244.61	555.22	0.65
MWD	220	20996	91.03	0.80	96	12949.01	7336.31	7340.58	555.47	1.51
MWD	221	21114	91.21	2.91	118	12946.70	7454.19	7458.49	559.28	1.79
MWD	222	21208	88.84	2.39	94	12946.66	7548.05	7552.38	563.63	2.58
MWD	223	21303	88.62	2.91	95	12948.77	7642.89	7647.26	568.02	0.59
MWD	224	21397	87.96	3.09	94	12951.57	7736.68	7741.09	572.94	0.73
MWD	225	21492	88.26	1.95	95	12954.71	7831.50	7835.94	577.11	1.24
MWD	226	21586	87.74	2.30	94	12957.99	7925.35	7929.82	580.60	0.67
MWD	227	21681	89.71	1.24	95	12960.10	8020.25	8024.74	583.53	2.35
MWD	228	21773	90.77	1.42	92	12959.72	8112.21	8116.72	585.66	1.17
MWD	229	21867	90.42	1.86	94	12958.74	8206.14	8210.67	588.35	0.60
MWD	230	21962	90.90	2.03	95	12957.65	8301.05	8305.61	591.58	0.14
MWD	231	22056	91.08	2.03	94	12956.02	8394.95	8399.54	594.91	0.19
MWD	232	22152	89.67	359.57	96	12955.39	8490.92	8495.52	596.25	2.95
MWD	233	22246	89.45	359.84	94	12956.12	8584.92	8589.51	595.76	0.37
MWD	234	22340	88.75	359.57	94	12957.59	8678.90	8683.50	595.28	0.80
MWD	235	22434	88.22	0.28	94	12960.08	8772.87	8777.47	595.16	0.94
MWD	236	22529	88.40	358.78	95	12962.88	8867.82	8872.42	594.38	1.59
MWD	237	22624	89.49	357.64	95	12964.63	8962.78	8967.35	591.41	1.66
MWD	238	22718	91.52	357.38	94	12963.80	9056.71	9061.26	587.33	2.18

MWD	239	22812	91.78	357.73	94	12961.09	9150.61	9155.13	583.32	0.46
MWD	240	22906	92.79	357.99	94	12957.35	9244.49	9248.99	579.81	1.11
MWD	241	23001	93.10	357.99	95	12952.46	9339.33	9343.81	576.48	0.33
MWD	242	23096	92.31	357.73	95	12947.98	9434.18	9438.63	572.94	0.88
MWD	243	23190	92.22	357.90	94	12944.27	9528.06	9532.49	569.36	0.20
MWD	244	23257	92.18	357.82	67	12941.69	9594.98	9599.40	566.86	0.13
PTB	245	23323	92.18	357.82	66	12939.18	9660.90	9665.30	564.35	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								1. WELL API NO.		
								2. Type of Lease ☐ STATE ☐ FEE ☐ FED/INDIAN 3. State Oil & Gas Lease No.		
5. Lease Name or Unit Agreement Name								6. Well Number:		
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator TAP ROCK OPERATING, LLC						9. OGRID 372043				
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO						11. Pool name or Wildcat				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released			16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name		Title		Date			
E-mail Address										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 60564

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 60564
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 60564

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 60564
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	2/22/2022