

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.237681 / -107.78797	County or Parish/State: SAN JUAN / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM8005	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538230	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2642313

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/01/2021

Date Operation Actually Began: 10/25/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 12:04

Actual Procedure: 10/25/21: PT 7 inch 26# J55 LTC casing 1500 psi for 30 min. Test good & recorded on chart. Drill 6.125 inch hole from 4790 ftKB to 7150 ftKB. 10/26/21: Drill 6.125 inch hole from 7150 ftKB to 11103 ftKB. 10/27/21: Drill 6.125 inch hole from 11103 ftKB to 13742 ftKB. 10/28/21: Drill 6.125 inch hole from 13742 ftKB to 14455 ftKB TD (TVD 4528'). 10/29/21: Circulate. TOH. 10/30/21: RU casing crew. Run 234 jts of 4.5 inch 11.6# P110 BTC liner set from TOL: 4542' BOL: 14450'. Float collar at 14436'. Alpha Sleeve at 14411'. Marker jts at 4993', 5462', 8442', 11417', 14228'. RU cement crew. 5000 psi test on lines. Test good. Class G cement with 40% excess: 232 bbls (836 sx) 13.3 ppg, 1.56 yield, 7.70 gps. Bump plug 2600 psi, pressure up to 3600 psi & hold for 5 min. 50 bbls good cement back to surface. TOC: 4542' BOC: 14450'. RD cementers. Install pack off. PT to 5000 psi. Test good. ND BOP, install night cap. Rig H&P 443 released on 10/31/21

Well Name: NAGEEZI UNIT	Well Location: T23N / R9W / SEC 9 / SESE / 36.237681 / -107.78797	County or Parish/State: SAN JUAN / NM
Well Number: 602H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM8005	Unit or CA Name:	Unit or CA Number: NMNM132981A
US Well Number: 3004538230	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: NOV 01, 2021 12:04 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/02/2021
Signature: Kenneth Rennick	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 65028

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 65028
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	3/3/2022