

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-045-38229	⁵ Pool Name Nageezi Unit; Mancos (Oil)		⁶ Pool Code 98080
⁷ Property Code 325268	⁸ Property Name Nageezi Unit		⁹ Well Number 601H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 09	Township 23N	Range 09W	Lot Idn	Feet from the 1224'	North/South Line South	Feet from the 841'	East/West line East	County San Juan
--------------------	---------------	-----------------	--------------	---------	------------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. E	Section 09	Township 23N	Range 09W	Lot Idn	Feet from the 1572'	North/South line North	Feet from the 363'	East/West line West	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date TBD		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G
	~Gas will be flared during flowback & until N2 & O2 is cleaned from the wellbore~	

IV. Well Completion Data

²¹ Spud Date 09/23/21	²² Ready Date 03/08/22	²³ TD 9,492' MD 4,460' TVD	²⁴ PBTD 9,473' MD 4,460' TVD	²⁵ Perforations 5,252'-9,423' MD 4,416'- 4,460' TVD Frac Sleeve @ 9,447'	²⁶ DHC, MC	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
12.25		9.625" 36# J55		352'		109
8.75		7" 26# J55		5,065'		578
6.125		4.5" 11.6# P110		TOL: 4,686' BOL: 9,487'		427

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>			OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>		
Printed name: Shaw-Marie Ford			Title: <i>PETROLEUM SPECIALIST</i>		
Title: Regulatory Specialist			Approval Date: <i>3/4/2022</i>		
E-mail Address: sford@djrlle.com			<i>RT EXPIRES 6/4/2022</i>		
Date: 02/10/22		Phone: 505-716-3297			

DISTRICT I1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720**DISTRICT II**811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720**DISTRICT III**1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170**DISTRICT IV**1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462State of New Mexico
Energy, Minerals & Natural Resources DepartmentForm C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505Submit one copy to appropriate
District Office☒ AS-DRILLED
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38229	² Pool Code 98080	³ Pool Name NAGEEZI UNIT MANCOS OIL POOL
⁴ Property Code 325268	⁵ Property Name NAGEEZI UNIT	⁶ Well Number 601H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6805'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	9	23N	9W		1224'	SOUTH	841'	EAST	SAN JUAN


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	9	23N	9W		1572'	NORTH	363'	WEST	SAN JUAN

¹² Dedicated Acres PENETRATED SPACING UNIT; SEC 9: SW/SE, NW/SE, SE/SW, NE/SW, NW/SW, SE/NW & SW/NW = 280 ACRES	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-13856 R-13856A
---	-------------------------------	----------------------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 01/27/22
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 26, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☒ AS-DRILLED
☐ AMENDED REPORT

NAGEEZI UNIT #601H

PPP-1 (FIRST TAKE POINT) NM 8005
715' FSL, 1847' FEL
LOCATED IN THE SW/SE OF SECTION 9,
T23N, R9W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO
LATITUDE: 36.236158°N LONGITUDE: 107.791538°W

PPP-2 BIA NO-G-1402-1884
2639' FNL, 1495' FWL
LOCATED IN THE SE/NW OF SECTION 9,
T23N, R9W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO
LATITUDE: 36.241479°N LONGITUDE: 107.798189°W

PPP-3 (LAST TAKE POINT) BIA NO-G-1402-1884
1603' FNL, 399' FWL
LOCATED IN THE NW/NW OF SECTION 9,
T23N, R9W, N.M.P.M., SAN JUAN COUNTY, NEW MEXICO
LATITUDE: 36.244333°N LONGITUDE: 107.801909°W



DJR Operating

Nageezi Unit

P09 2309

601H - Slot 1

Original Drilling

Design: Original Drilling

Standard Survey Report

17 November, 2021



www.scientificdrilling.com





Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 601H - Slot 1
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 601H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Nageezi Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		P09 2309			
Site Position:		Northing:		1,905,783.38 usft	
From: Lat/Long		Easting:		2,736,419.66 usft	
Position Uncertainty:		0 ft		Slot Radius: 13.20 in	
				Latitude: 36.23758800	
				Longitude: -107.78813800	
				Grid Convergence: 0.03 °	

Well		# 601H - Slot 1				
Well Position	+N/-S	0 ft	Northing:	1,905,783.38 usft	Latitude:	36.23758800
	+E/-W	0 ft	Easting:	2,736,419.66 usft	Longitude:	-107.78813800
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6805 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021_FILE	11/10/2021	8.65	62.72	49,200.30000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0		301.30

Survey Program	Date	11/17/2021			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
420	3897	Survey #1 - Surface MWD Survey (Origin	MWD+HDGM	OWSG MWD + HDGM	
3992	5026	Survey #2 - Curve MWD Survey (Original	MWD+HDGM	OWSG MWD + HDGM	
5174	9492	Survey #3 - Lateral MWD Survey (Origina	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
420	0.46	337.35	420	2	-1	1	0.11	0.11	0.00	
511	1.86	195.15	511	0	-1	1	2.46	1.54	-156.26	
602	3.68	198.62	602	-4	-2	0	2.01	2.00	3.81	
694	5.15	204.06	694	-10	-5	-1	1.66	1.60	5.91	
785	6.73	192.65	784	-19	-8	-3	2.16	1.74	-12.54	
878	7.70	191.32	876	-31	-10	-7	1.06	1.04	-1.43	
970	9.34	192.51	967	-44	-13	-12	1.79	1.78	1.29	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 601H - Slot 1
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 601H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1064	11.47	186.20	1060	-61	-16	-18	2.57	2.27	-6.71
1154	12.82	191.16	1148	-79	-19	-25	1.89	1.50	5.51
1247	15.22	192.96	1238	-101	-23	-33	2.62	2.58	1.94
1337	16.71	192.73	1325	-126	-29	-40	1.66	1.66	-0.26
1429	17.65	192.25	1412	-152	-35	-49	1.03	1.02	-0.52
1522	18.96	192.04	1501	-181	-41	-59	1.41	1.41	-0.23
1611	19.27	192.33	1585	-209	-47	-68	0.36	0.35	0.33
1704	19.08	193.33	1673	-239	-54	-78	0.41	-0.20	1.08
1797	21.22	192.36	1760	-270	-61	-88	2.33	2.30	-1.04
1888	20.87	192.18	1845	-302	-68	-99	0.39	-0.38	-0.20
1981	21.11	192.03	1932	-335	-75	-110	0.26	0.26	-0.16
2076	21.41	191.89	2020	-368	-82	-121	0.32	0.32	-0.15
2171	22.57	191.40	2108	-403	-89	-133	1.24	1.22	-0.52
2265	21.00	192.38	2196	-437	-96	-145	1.71	-1.67	1.04
2361	22.04	192.76	2285	-472	-104	-156	1.09	1.08	0.40
2455	23.82	192.58	2372	-507	-112	-168	1.90	1.89	-0.19
2550	23.01	190.94	2459	-544	-120	-180	1.09	-0.85	-1.73
2645	19.02	190.58	2547	-578	-126	-192	4.20	-4.20	-0.38
2740	16.85	188.13	2638	-607	-131	-203	2.42	-2.28	-2.58
2835	18.33	189.04	2728	-635	-135	-214	1.58	1.56	0.96
2930	17.95	189.54	2819	-664	-140	-225	0.43	-0.40	0.53
3025	17.82	189.39	2909	-693	-145	-236	0.15	-0.14	-0.16
3120	19.17	190.37	2999	-723	-150	-247	1.46	1.42	1.03
3215	19.16	190.53	3089	-753	-156	-258	0.06	-0.01	0.17
3310	20.70	192.57	3178	-785	-162	-269	1.78	1.62	2.15
3405	22.71	192.67	3266	-819	-170	-281	2.12	2.12	0.11
3500	21.92	190.73	3354	-855	-177	-293	1.14	-0.83	-2.04
3595	20.38	190.15	3443	-888	-183	-305	1.64	-1.62	-0.61
3690	18.82	192.34	3532	-920	-190	-316	1.81	-1.64	2.31
3802	20.23	196.78	3638	-956	-199	-326	1.83	1.26	3.96
3897	19.08	221.75	3728	-983	-214	-328	8.86	-1.21	26.28
3992	20.24	259.59	3817	-998	-241	-313	13.24	1.22	39.83
4087	23.23	277.56	3906	-998	-276	-283	7.64	3.15	18.92
4182	30.77	286.63	3990	-989	-318	-242	9.02	7.94	9.55
4278	39.74	289.88	4069	-971	-370	-189	9.54	9.34	3.39
4373	47.48	294.29	4137	-947	-431	-124	8.75	8.15	4.64
4468	48.31	293.96	4201	-918	-495	-54	0.91	0.87	-0.35
4563	50.90	300.30	4263	-885	-559	18	5.77	2.73	6.67
4658	56.82	305.69	4319	-843	-623	95	7.73	6.23	5.67
4753	67.18	307.04	4363	-793	-691	178	10.98	10.91	1.42



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 601H - Slot 1
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 601H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4848	75.71	310.20	4393	-737	-761	267	9.52	8.98	3.33	
4937	83.01	311.96	4410	-680	-827	354	8.43	8.20	1.98	
5026	89.60	312.75	4416	-620	-893	441	7.46	7.40	0.89	
5174	90.10	311.49	4416	-521	-1002	586	0.92	0.34	-0.85	
5268	89.87	314.25	4416	-457	-1071	678	2.95	-0.24	2.94	
5363	89.36	313.30	4417	-391	-1140	771	1.13	-0.54	-1.00	
5455	89.66	312.40	4417	-328	-1207	861	1.03	0.33	-0.98	
5547	89.46	313.55	4418	-266	-1275	951	1.27	-0.22	1.25	
5639	89.66	312.44	4419	-203	-1342	1041	1.23	0.22	-1.21	
5731	89.76	314.79	4419	-139	-1408	1131	2.56	0.11	2.55	
5823	89.90	315.07	4420	-74	-1474	1220	0.34	0.15	0.30	
5914	90.13	312.98	4420	-11	-1539	1309	2.31	0.25	-2.30	
6006	88.09	314.92	4421	53	-1605	1399	3.06	-2.22	2.11	
6098	88.15	315.10	4424	118	-1670	1488	0.21	0.07	0.20	
6190	88.32	314.53	4427	182	-1735	1578	0.65	0.18	-0.62	
6281	88.35	313.52	4429	246	-1801	1666	1.11	0.03	-1.11	
6373	88.49	313.02	4432	309	-1868	1756	0.56	0.15	-0.54	
6465	89.83	313.86	4433	372	-1935	1846	1.72	1.46	0.91	
6557	90.50	312.97	4433	435	-2001	1936	1.21	0.73	-0.97	
6650	90.40	315.80	4432	500	-2068	2027	3.04	-0.11	3.04	
6741	89.83	314.14	4432	565	-2132	2115	1.93	-0.63	-1.82	
6833	90.27	313.68	4432	628	-2199	2205	0.69	0.48	-0.50	
6926	90.77	312.77	4431	692	-2266	2296	1.12	0.54	-0.98	
7018	89.93	316.37	4431	757	-2332	2386	4.02	-0.91	3.91	
7109	89.66	315.69	4431	822	-2395	2474	0.80	-0.30	-0.75	
7201	88.49	316.49	4433	888	-2459	2562	1.54	-1.27	0.87	
7293	89.23	316.58	4434	955	-2522	2651	0.81	0.80	0.10	
7386	89.40	317.68	4435	1023	-2585	2741	1.20	0.18	1.18	
7477	88.29	316.92	4437	1090	-2647	2828	1.48	-1.22	-0.84	
7569	88.79	317.40	4440	1158	-2710	2917	0.75	0.54	0.52	
7661	88.86	316.44	4442	1225	-2772	3005	1.05	0.08	-1.04	
7753	90.20	317.00	4442	1292	-2836	3094	1.58	1.46	0.61	
7846	88.92	315.03	4443	1359	-2900	3184	2.53	-1.38	-2.12	
7938	90.94	315.23	4443	1424	-2965	3273	2.21	2.20	0.22	
8030	89.60	315.85	4443	1489	-3029	3362	1.60	-1.46	0.67	
8122	89.36	315.12	4444	1555	-3094	3452	0.84	-0.26	-0.79	
8216	88.22	315.70	4445	1622	-3160	3543	1.36	-1.21	0.62	
8308	88.93	315.62	4448	1688	-3224	3632	0.78	0.77	-0.09	
8399	89.40	315.00	4449	1752	-3288	3720	0.85	0.52	-0.68	
8492	89.33	315.60	4450	1819	-3354	3810	0.65	-0.08	0.65	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 601H - Slot 1
Project:	Nageezi Unit	TVD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Site:	P09 2309	MD Reference:	GL 6805' & RKB 26' @ 6831ft (H&P 443)
Well:	# 601H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
8585	88.49	313.88	4452	1884	-3420	3901	2.06	-0.90	-1.85	
8677	87.51	313.04	4455	1947	-3486	3991	1.40	-1.07	-0.91	
8769	89.90	313.28	4457	2010	-3553	4081	2.61	2.60	0.26	
8860	89.40	311.84	4458	2072	-3620	4170	1.68	-0.55	-1.58	
8953	88.69	311.43	4459	2134	-3690	4261	0.88	-0.76	-0.44	
9045	89.06	311.15	4461	2194	-3759	4352	0.50	0.40	-0.30	
9138	88.99	311.08	4463	2255	-3829	4444	0.11	-0.08	-0.08	
9230	91.04	311.29	4463	2316	-3898	4534	2.24	2.23	0.23	
9322	90.77	309.97	4461	2376	-3968	4625	1.46	-0.29	-1.43	
9414	90.00	311.28	4461	2436	-4038	4716	1.65	-0.84	1.42	
9444	89.97	311.02	4461	2455	-4061	4745	0.87	-0.10	-0.87	
9492	89.97	311.02	4461	2487	-4097	4793	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
601H 85° Casing Rev 1	0.00	0.00	4419	-752	-774	1,905,031.36	2,735,645.85	36.23552310	-107.79076312	
- hit/miss target										
- Shape										
- actual wellpath misses target center by 32ft at 4853ft MD (4395 TVD, -734 N, -765 E)										
- Point										
601H Heel Rev 1	0.00	0.00	4434	-589	-962	1,905,194.41	2,735,457.58	36.23597124	-107.79140131	
- actual wellpath misses target center by 30ft at 5099ft MD (4416 TVD, -571 N, -946 E)										
- Circle (radius 50)										
601H Toe Rev 1	0.00	0.00	4464	2498	-4108	1,908,279.13	2,732,310.26	36.24444850	-107.80207030	
- actual wellpath misses target center by 16ft at 9492ft MD (4461 TVD, 2487 N, -4097 E)										
- Circle (radius 100)										

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
420	420	2	-1	First Surface MWD Survey	
3897	3728	-983	-214	Last Surface MWD Survey	
3992	3817	-998	-241	First Curve MWD Survey	
5026	4416	-620	-893	Last Curve MWD Survey	
5174	4416	-521	-1002	First Lateral MWD Survey	
9444	4461	2455	-4061	Last Lateral MWD Survey	
9492	4461	2487	-4097	Projection to TD	

Checked By: _____ Approved By: _____ Date: _____

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Energy
Well Name & No.	Nageezi P09 2309 601H
County & State	San Juan, NM
SDI Job No.	OP.031022
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 420 feet to a measured depth of 9,492 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

17-Nov-21

Date

Janie Collins

Contract Well Planner
Scientific Drilling International

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 80513

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 80513
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 80513

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 80513
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 6/4/2022	3/4/2022