

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: PACKERS FEDERAL Well Location: T15S / R29E / SEC 29 / County or Parish/State:

SENE / CHAVES / NM

Well Number: 1 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM101106 Unit or CA Name: Unit or CA Number:

US Well Number: 300056403200S1 Well Status: Abandoned Operator: MACK ENERGY

CORPORATION

Accepted for record – NMOCD gc 2/17/2022

Subsequent Report

Sundry ID: 2654044

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/25/2022 Time Sundry Submitted: 10:33

Date Operation Actually Began: 01/05/2022

Actual Procedure: 01/05/22 Moved rig to location. 01/06/22 POH w/ rods & pump. Dug out wellhead. 01/07/22 ND well head, NU BOP. POH w/ tbg. 01/10/22 POH w/ tbg. RIH & tagged @ 3161'. Set 5 1/2" CIBP @ 3161' per Orlando Sedilos w/ the BLM's request. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. 01/11/22 Isolated holes in casing @ 3161-2668'. Spotted 50 sx class C cmt @ 3161-2668'. WOC. 01/12/22 Tagged plug @ 3112'. Spotted 50 sx class C cmt w/ 2% CACL @ 3112-2619' per BLM's request. WOC. Tagged plug @ 2975'. 01/13/22 Tagged plug again @ 2955'. Pressure tested csg, held 500 PSI. Spotted 35 sx class C cmt w/ 2% CACL @ 1864-1510'. WOC. Tagged plug @ 1480'. Spotted 25 sx class C cmt @ 820-573'. WOC. 01/14/22 Tagged plug @ 529'. ND BOP. Spotted 25 sx class C cmt @ 227' & circulated to surface. Rigged down & moved off. 01/21/22 Moved in backhoe and welder. Cut off well head & anchors. Steven Bailey w/ BLM verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

SR Attachments

Actual Procedure

Packers_Federal_1___Plugged_WBD_20220125103200.pdf

Packers_Federal_1___Current_WBD_20220125103200.pdf

eived by OCD: 2/14/2022 2:35:27 PM Well Name: PACKERS FEDERAL

Well Location: T15S / R29E / SEC 29 /

SENE /

County or Parish/State:

CHAVES / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Page 2 o

Lease Number: NMNM101106

Unit or CA Name:

Unit or CA Number:

US Well Number: 300056403200S1

Well Status: Abandoned

Operator: MACK ENERGY

CORPORATION

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DELILAH FLORES Signed on: JAN 25, 2022 10:32 AM

Name: MACK ENERGY CORPORATION

Title: Regulatory Technician 1

Street Address: 11344 LOVINGTON HWY

City: ARTESIA State: NM

Phone: (575) 748-1288

Email address: DELILAH@MEC.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JENNIFER SANCHEZ

BLM POC Phone: 5756270237

Disposition: Accepted

Signature: Jennifer Sanchez

BLM POC Title: Petroleum Engineer


BLM POC Email Address: j1sanchez@blm.gov

Disposition Date: 01/25/2022

Page 2 of 2

1
1
-
05-64032
T15S, R29E
L & 330 FEL
3779
I

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	180	17 1/2	325	0
Inter Csg	8 5/8	J55	24#	1,814	12 1/4	1,130	0
Prod Csg	5 1/2	J55	17#	4,690	7 7/8	370	0



13 3/8 48# CSG @ 180
5. Spotted 25 sx class C cmt @ 227' & circulated to surface.

 Formation
 Top

 Yates
 770

 Queen
 1500

 Grayburg
 1900

 San Andres
 2200

 Glorieta
 3550

4. Spotted 25 sx class C cmt @ 820-573'. WOC. Tagged plug @ 529'.

8 5/8 24# CSG @ 1,814

3. Spotted 35 sx class C cmt w/ 2% CACL @ 1864-1510'. WOC. Tagged plug @ 1480'.

2. Isolated holes in casing @ 3161-2668'. Spotted 50 sx class C cmt @ 3161-2668'. WOC. Tagged plug @ 3112'. Spotted 50 sx class C cmt w/ 2% CACL @ 3112-2619' per BLM's request. WOC. Tagged plug @ 2975'. WOC. Tagged plug again @ 2955'.

1. Set 5 1/2" CIBP @ 3161' per Orlando Sedilos w/ the BLM's request. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI.

Perfs @ 3464-4896'

5 1/2 17# CSG @ 4,690

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 81399

CONDITIONS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	81399
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	2/17/2022