

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-32781
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron U.S.A. Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 6301 DEAUVILLE BLVD., MIDLAND, TX 79706		7. Lease Name or Unit Agreement Name Todd '2' State
4. Well Location Unit Letter <u>2</u> : <u>660</u> feet from the <u>North</u> line and <u>1845</u> feet from the <u>East</u> line Section <u>2</u> Township <u>24S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number: 14
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3495' GL, 3513' KB		9. OGRID Number 4323
10. Pool name or Wildcat Ingle Wells; Delaware		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple C proposed completion or recompletion.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

1/17/2022: MIRU.

1/18/2022: Pull rods, parted ~15' down, N/U and test BOPE. Attempt to release TAC – unsuccessful.

1/19/2022: Attempt to fish rods, stack out on paraffin, run paraffin knife, run overshot, latch on, and pull rods.

1/20/2022: L/D rods, worked TAC free, pull tubing.

1/21/2022: pull tubing, R/U wireline, gauge ring stacked out at 7560'.

1/24/2022: Round trip scraper.

1/25/2022: Set CIBP at 8000', attempt to test casing – failed, spot 100 sx Class H, 1.18 yield, 15.6 ppg cement: 8000'-7095'.

1/26/2022: Attempt to test casing – failed, tagged TOC at 7114', spot 85 sx Class C, 1.32 yield, 14.8 ppg cement: 7114'-6253', spot 85 sx Class C, 1.32 yield, 14.8 ppg cement: 6253'-5379', spot 80 sx Class C, 1.32 yield, 14.8 ppg cement: 5379'-4551', WOC, pressure test casing to 1000 psi for 15 minutes – successful. Tag TOC at 4517', perforate casing at 4510' - .8 BPM at 1000 psi, no circulation.

1/27/2022: Spot 170 sx Class C, 1.32 yield, 14.8 ppg w/ 2% CC cement: 4517'-2763', attempt to squeeze – locked up after .5 bbls squeezed. Tested casing to 1000 psi for 15 minutes – successful. Tag TOC at 2763', perforate casing at 1010' – circulation established out of intermediate casing.

1/28/2022: Cut casing at 1010', pulled and L/D, round trip scraper.


1/29/2022: Set CIBP at 1010', bubble test passed for 30 minutes, spot 260 sx Class C, 1.32 yield, 14.8 ppg cement: 1010'-0'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Well Abandonment Engineer, Attorney-in-Fact DATE 02/07/2022

Type or print name Howie Lucas PHONE: 832-588-4044

For State Use Only

APPROVED BY:  TITLE Staff Manager DATE 2/8/2022
Conditions of Approval (if any):

FINAL WELLBORE DIAGRAM

Lease: Todd 2 State	Well No.: 14	Field: Ingle Wells
Location: 660 FNL & 1845 FEL	Section: 10	Blk: Survey:
County: Eddy St: New Mex	Refno:	API: 30015327810001 Unique No.: HL2139
Current Status: Shut-in	Anchors Test Date:	2/4/2021

Directions to wellsite:

H2S Concentration
>100 PPM?

☐ No

NORM Present in
Area?

☐ No

SEC 2-24S-31E, 660 FNL & 1845 FEL

Surface Csg.

Size: 13-3/8"
Wt.: 48#, H-40
Set @: 905'
Sxs cmt: 600 sxs
Circ:
TOC: Surface
Hole Size: 17-1/2"

KB: 3,513'

DF: _____

GL: 3,495'

Spud Date: 7/9/2003

Compl. Date: 8/8/2003

RRC Lease No.: _____

Intermediate Csg.

Size: 8-5/8"
Wt.: 32#, J-55
Set @: 4,456'
Sxs cmt: 1700 sxs
Circ:
TOC: Surface
Hole Size: 11"

170 sx Class C: 4517'-2763', squeezed .5 bbl
(tagged at 2763')
Perforated at 4510'

Total of 250 sx Class C: 7114'-4551'
(tagged at 4517')


Production Csg.

Size: 5-1/2"
Wt.: 17#, N-80
Set @: 8,408'
Sxs Cmt: 800 sxs
Circ:
TOC: 4456'
Hole Size: 7-7/8"

100 sx Class H: 8000'-7095' (tagged at 7114')

CIBP set at 8000'

Perforations: 8092'-8112', 8203'-8218'



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 79099

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 79099
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	2/8/2022