

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103

Revised July 18, 2013

WELL API NO.  
 30-015-44818

5. Indicate Type of Lease  
 STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
 SWD-1756

7. Lease Name or Unit Agreement Name  
 Mile Marker 5 SWD

8. Well Number 1

9. OGRID Number  
 245872

10. Pool name or Wildcat  
 96101 SWD: Devonian

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD

2. Name of Operator

Judah Oil, LLC

3. Address of Operator

PO Box 568, Artesia, NM 88211-0568

4. Well Location

Unit Letter C : 660 feet from the North line and 2310 feet from the West line  
 Section 10 Township 26S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/4/2022

MIRU Kill It Services

Had pressure truck Pump dye down casing, had immediate returns out of tbg

Location of hole was determined to be 5 1/2" x 2" hanger nipple

Requesting permission to MIRU equipment to repair leak, Pump 200 bbls 10 # brine down tbg for pressure control, Lay down well head NU 5K hydraulic BOP, Pick up tbg and lay down 5 1/2" x 2" **NP** hanger sub, Pick up landing joint, pull out of packer, Replace with 5 1/2" x 2" **Inconail** hanger sub, circulate new packer fluid, stab back into packer, Test annulus to 600# psi, ND BOP, Hang tree back on and set up MIT with NM OCD.

Spud Date:

11/16/18 spud

Rig Release Date:

2/10/2019

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James B Campanella TITLE member/manager DATE 3/7/2022

Type or print name James B Campanella E-mail address: jace.judd@oil.com PHONE: 575-748-5488

For State Use Only

APPROVED BY: Phillip R. Setz TITLE UIC Manager DATE 03/15/2022

Conditions of Approval (if any)

Judah Oil, LLC

Mile Marker 5 State #1 SWD

API #30-015-44818    Permit SWD-1756

UL-C, Sec 10, T-26-S, R-28-E

660' FNL, 2310' FWL

Eddy County    New Mexico

After Remedial Work

All Depths KB  
KB 3021'  
GL 2993'


Top Rustler 495'  
Top Salt 2,060'  
Base of Salt 2,360'  
Top Bell Canyon 2,530'  
Top Bone Spring 6,320'  
Top Wolfcamp 9,420'  
Top Strawn 12,020'  
Top Atoka 12,278'  
Top Morrow 12,878''  
Top Barnett 13,590'  
Top Mississippian 14,340'  
Top Woodford 14,610'  
Top Devonian 14,770'  
Top of Montoya 15'740'

INJECTION STRING  
0-9200' 5 ½ HCP-110 20#  
W/8rd LT&C R-3 IPC-2000 Tbg

9200'-14,760' 5-1/2 HCP-110 20#  
ULTFS (True Flush Joint) IPC-2000

7-5/8 X 5-1/2" Inconail I  
Perma set Packer Set  
W/Wireline @14,760'

4-1/2"X10' Pup sub



Judah Oil, LLC

Mile Marker 5 State #1 SWD

API #30-015-44818   Permit SWD-1756

UL-C, Sec 10, T-26-S, R-28-E

660' FNL, 2310' FWL

Eddy County   New Mexico

Before Remedial Work


All Depths KB  
KB 3021'  
GL 2993'

Top Rustler 495'  
Top Salt 2,060'  
Base of Salt 2,360'  
Top Bell Canyon 2,530'  
Top Bone Spring 6,320'  
Top Wolfcamp 9,420'  
Top Strawn 12,020'  
Top Atoka 12,278'  
Top Morrow 12,878''  
Top Barnett 13,590'  
Top Mississippian 14,340'  
Top Woodford 14,610'  
Top Devonian 14,770'  
Top of Montoya 15'740'

INJECTION STRING  
0-9200' 5 1/2 HCP-110 20#  
W/8rd LT&C R-3 IPC-2000 Tbg

9200'-14,760' 5-1/2 HCP-110 20#  
ULTFS (True Flush Joint) IPC-2000

7-5/8 X 5-1/2" Inconell  
Perma set Packer Set  
W/Wireline @14,760'  
4-1/2"X10' Pup sub



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 87874

CONDITIONS

|   |   |
|---|---|
| Operator:<br><br>JUDAH OIL LLC<br>PO Box 568<br>Artesia, NM 88211 | OGRID:<br><br>245872                              |
|   | Action Number:<br><br>87874                       |
|   | Action Type:<br><br>[C-103] NOI Workover (C-103G) |

CONDITIONS

|            |   |                |
|------------|---|----------------|
| Created By | Condition   | Condition Date |
| pgoetze    | Operator shall contact OCD for the opportunity to witness at least 24 hours in advance of the MIT required for injection to resume. | 3/15/2022      |