#### District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

### **State of New Mexico**

Form C-101 Revised July 18, 2013

### **Energy Minerals and Natural Resources**

**Oil Conservation Division** 

☐AMENDED REPORT

1220 South St. Francis Dr.

Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, P	LUGBACK, OR ADD A ZONE
Operator Name and Address	<sup>2.</sup> OGRID Number

	Operator Name and Address V-F Petroleum Inc P.O. Box 1889	<sup>2</sup> OGRID Number 24010
	Midland, TX 79702 (432) 683-3344	<sup>3</sup> · API Number 30-025-30735
<sup>4.</sup> Property Code 21820	<sup>3.</sup> Property Name Mitchell 16 State	<sup>6.</sup> Well No.

#### 7. Surface Location

UL - Lot <b>H</b>	Section 16	Township 18S	Range 32E	Lot Idn	Feet from 1650	N/S Line	Feet From 990	E/W Line E	County Lea		
8 Proposed Bottom Hole Location											
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County		
Н	16	18S	32E		1650	N	990	Е	Lea		

### 9. Pool Information

Pool Name	Pool Code
Young; Wolfcamp	65580

#### **Additional Well Information**

Work Type	O 12. Well Type	O R S 12. Well Type I 3. Cable/Rotary R S		e Type	15. Ground Level Elevation 3791
<sup>16.</sup> Multiple	<sup>17.</sup> Proposed Depth 10889	<sup>18.</sup> Formation Wolfcamp	19. Contractor TBD		<sup>20.</sup> Spud Date <b>4/20/22</b>
Depth to Ground water 300'		n nearest fresh water well 483 is 1.2 Miles to the	SE		earest surface water SW of surface pond

### We will be using a closed-loop system in lieu of lined pits

### <sup>21.</sup> Proposed Casing and Cement Program

Туре	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surface	17 1/2"	13 3/8"	61	348'	370	GL (Circ. 75 sx)
Intermed.	12 1/4"	8 5/8"	24	2918'	1250	GL (Circ. 100 sx)
Production	7 7/8"	5 1/2"	15.5, 17	11,000'	1920	2500' DV @8012'

### **Casing/Cement Program: Additional Comments**

Re-enter well; Drill out plugs and attempt to re-establish production from existing Wolfcamp perfs

### 22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Double Ram	5000	3000	TBD

best of my knowledge and belief.	given above is true and complete to the	OIL CONSER	VATION DIVISION
19.15.14.9 (B) NMAC , if applicab	l with 19.15.14.9 (A) NMAC  and/or ale.	Approved By:	
Signature: from J. Lefo			
Printed name: Jason J. Lodge		Title:	
Title: Geologist		Approved Date:	Expiration Date:
E-mail Address: Jason@vfpetr	oleum.com		
Date: 3/16/22	Phone: 432-683-3344	Conditions of Approval Attached	

District I

District III

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

12 Dedicated Acres

40

<sup>13</sup> Joint or Infill

<sup>14</sup> Consolidation Code

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

✓ AMENDED REPORT Re-entry to Wolfcamp

### WELL LOCATION AND ACREAGE DEDICATION PLAT

	API Number 025-307			<sup>2</sup> Pool Code 65580		<sup>3</sup> Pool Name Young; Wolfcamp						
<sup>4</sup> Property Code Service Serv							6 7	Well Number				
<sup>7</sup> OGRID No. 24010  8 Operator Name V-F Petroleum Inc							<sup>9</sup> Elevation B791 GL					
					<sup>10</sup> Surface I	Location						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County		
Н	16	18S	32E		1650	N	990	Е	=	Lea		
	<sup>11</sup> Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County		

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<sup>15</sup> Order No.

16	1650'	17 OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	990'	Jason J. Lodge Printed Name Jason@vfpetroleum.com E-mail Address
		18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  11/15/89 Date of Survey
		Signature and Seal of Professional Surveyor:  Original Survey by V. Lynn Bezner #7920 is in OCD's well file.  Certificate Number

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

State of New Mexico Energy, Minerals and Natural Resources Department Form C-102 Revised 1-1-89

## OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

WELL LOCATION AND ACREAGE DEDICATION PLAT

	., Aziec, NM 874	AR DIS	tances must be					<del></del>	Well No.
rator	BIDIAN	OIL INC.		Lease	11VC.	11161			1
ME.	RIDIAN			Range	11 State	("IB"	Cour	4v	
t Letter	Section	Township	COLITU	Kange	32-EA	ST	į	LE/	4
Н	16	18	-SOUTH	1		NMPN	11		
ual Footage Loc	ation of Well:	NODELL			990	Coat from		EAST	line
1650	feet from the	NORTH	line and	Pool		feet from	1 URC		Dedicated Acreage:
und level Elev.	1	lucing Formation		North	Vouna				40 Acres
3791	WO	of feamp icated to the subject we	all by gologed no			nist helow.			Acto
2. If mor	re than one lease is	s dedicated to the well of different ownership	, outline each an	d identify the o	wnership there	of (both as to work			
unitiza	ation, force-poolin Yes	g_etc.? □ No If ∎	nswer is "yes" ty	me of consolida	ntion				
If answe	rıs "no" list the o	where and tract descrip	puons which hav	e actually been	consolidated.	(Use reverse side	xf		
	£							ed poolin	or otherwise)
No allow	vable will be assig	ned to the well until a	il interests have	seen consolidate	ea (by commu Division	muzacon, umuzac	Ju, IOIC	ar-poolin,	g, or outerwise)
or until a	a non-standard uni	t, eliminating such into	ereal, mas occur a	proved by the	acc				
						S			OR CERTIFICATION
	į					Ñ			certify that the informa in in true and complete to
	,		ļ						ledge and belief.
	1						,	,	
	i				'		Signan	ıre	
	!		1		1650		F	diente	[ Brasidan
	i					N	Printed	l Name	
	<u> </u>		SPREE		C. A. Z. J	LLILA	Rob	ert L	. Bradshaw
					$\mathbf{N}$		Positio	XQ.	
						990'	Sr.	Staf	f Env./Reg. Spec
	į						Comp	•	
	1		N			3	Me	<u>ridia</u>	n Oil Inc.
	ļ		3				Date		
					N	1	N	ovemb	er 21, 1989
	Į į				<b>N</b>	*		TIRVE	YOR CERTIFICATION
	<u> </u>		1		NAAA			ORVE	OR CLICILICATION
							on th	us plat i L survey	fy that the well location s was plotted from field not s made by me or unde
							corre belief	ct to th	nd that the same is true se best of my knowledge
	į				1	Ļ	Date	Surveyer	<u> </u>
	į į				į			NOVE	
					+		<b>,</b>	ature &	NEW MEN
	1							ession A	V. LYNN BEZNER NO. 7920
	1 4				ì		Cui		LEO THU

### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### Section 1 – Plan Description Effective May 25, 2021

Effective May 25, 2021												
I. Operator:V	perator:V-F Petroleum Inc		OGRID:	24010	Date:	3 / 16 / 22						
II. Type: ☑ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.												
If Other, please describe:												
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or propos	ed to					
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D	r					
Mitchell 16 State #1	30-025-30735	H 16 18S 32E	1650 FNL 990 F	L 5	15	5						
V. Anticipated Schedu proposed to be recompl	IV. Central Delivery Point Name: Mitchell 16 #1 [See 19.15.27.9(D)(1) NMAC]  V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.											
Well Name	API	Spud Date	TD Reached Date	Completion Commencement			tion					
Mitchell 16 State #1	30-025-30735	4/20/22	4/21/22	4/23/22	4/23/22	2 4/24/22						
Mitchell 16 State #1 30-025-30735 4/20/22 4/21/22 4/23/22 4/23/22 4/23/22 4/24/22  VI. Separation Equipment: ✓ Attach a complete description of how Operator will size separation equipment to optimize gas capture.  VII. Operational Practices: ✓ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.  VIII. Best Management Practices: ✓ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.												

### Section 2 Enhanced Plan

EFFECTIVE APRIL 1, 2022							
Beginning April 1, 20 reporting area must co			with its statewide natural g	as capture requirement for the applicable			
☐ Operator certifies capture requirement f		-	tion because Operator is in	compliance with its statewide natural gas			
IX. Anticipated Nati	ural Gas Producti	on:					
Wel	11	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF			
X. Natural Gas Gath	nering System (NC	GGS):					
Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in			
XI. Map.   Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.  XII. Line Capacity. The natural gas gathering system   will   will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.  XIII. Line Pressure. Operator   does   does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).  Attach Operator's plan to manage production in response to the increased line pressure.  XIV. Confidentiality:   Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.							

(i)

# Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: Departor will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	form f. Isla
Printed Name:	Jason J. Lodge
Title:	Geologist
E-mail Address	Jason@vfpetroleum.com
Date:	3/16/22
Phone:	432-683-3344
	OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of A	pproval:

### V-F Petroleum Inc Natural Gas Management Plan - Attachment

#### **VI: Separation Equipment**

V-F Petroleum Inc (V-F) has sized all separation equipment to be adequate to handle the maximum anticipated production facility rates for all three phases. Adequate separation relates to retention time for Liquid-Liquid separation and velocity for Gas-Liquid separation. Ancillary equipment and metering will be selected to be serviced without flow interruptions or the need to release gas from the well.

#### **VII: Operational Practices**

#### **Drilling Operations**

V-F will capture or combust natural gas using best industry practices and control technologies during drilling operations. A properly sized flare stack will be located at a minimum of 100 feet from the nearest surface hole location. Gas may be vented in an emergency to avoid a risk of an immediate and substantial adverse impact on safety, public health, or the environment.

#### **Completion/Recompletion Operations**

During initial flowback, V-F will route flowback fluids into a completion or storage tank, and if possible, flare instead of vent any natural gas with a properly sized flare stack until it is able to flow through a separator and down a line for sales. In the unlikely event that produced natural gas does not meet pipeline specifications, V-F will flare it for 60 days or until the natural gas meets pipeline specifications, whichever is sooner.

### **Production Operations**

Natural gas will not be flared with the exceptions and provisions listed in the 19.15.27.8 D (1) through (4). If there is no adequate takeaway for the separator gas, all effected wells will be shut in until takeaway issues are resolved. Exceptions would be emergency or major malfunction situations.

#### Performance Standards

All completion, production separation equipment, and storage tanks will be properly sized to handle the maximum anticipated volumes and pressures associated with each well. Any permanent storage tank associated with production operations that is routed to a flare or control device, will be equipped with an automatic gauging system that reduces the venting of natural gas. A properly sized flare stack will be securely anchored and installed at least 100 feet away from both the well(s) and storage tanks, and will be equipped with an automatic ignitor or continuous pilot. V-F will conduct AVO inspections on the frequency specified in 19.15.27.8 E (5) (b) and (c). V-F will do everything possible to minimize waste and will resolve emergencies as quickly and safely as possible.

#### Measurement and Estimation

Any vented or flared natural gas volumes will be estimated and reported appropriately. V-F will install equipment to measure the volume of natural gas flared from existing process piping or a flowline piped from equipment such as high-pressure separators, heater treaters, or vapor recovery units. All measuring equipment will adhere to industry standards set forth by the American Petroleum Institute Manual of Petroleum Measurement Standards Chapter 14.10. Measuring equipment will not be designed or equipped with a manifold that allows diversion of natural gas around a metering element, except for the sole purpose of inspecting and servicing the measurement equipment. Flared/vented

### V-F Petroleum Inc Natural Gas Management Plan - Attachment

natural gas will be estimated if metering is not practical due to low flow rate or low pressures. This estimation will include but will not be limited to an annual GOR test reported to the division.

### **VIII: Best Management Practices**

V-F will utilize best management practices to minimize venting during active and planned maintenance. Potential actions that will be considered include, but are not limited to:

- Venting limited to the depressurizing of the subject equipment to ensure a safe repair
- Identifying alternate capture methods
- Temporarily reduce production or shut-in wells during maintenance
- Flare if natural gas does not meet pipeline specifications
- Perform preventative maintenance to avoid potential equipment failure

Southeastern New Mexico

### **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestern New Mexico

. Anhy _			T. Canyon	T. Ojo Ala	amo		T. Penn	. "B"
T. Salt			T. Strawn	T. Kirtland-Fruitland		T. Penn	. "C"	
B. Salt			T. Atoka	T. Pictured Cliffs		T. Penn	. "D"	
. Yates <u>3</u>	3074'		T. Miss	T. Cliff H	ouse		T. Lead	ville
C. 7 River	75		T. Devonian	_ T. Menefe	æ	<del></del>	T. Mad:	ison
					_ T. Point Lookout			
. Graybu	rg		T. Montoya	_ T. Mancos	s		T. McC	racken
. San An	dres 44	38'	T. Simpson	T. Gallup			T. Ignad	cio Otzte
. Glorietz	a		T. McKee	Base Gree	nhom _		T. Gran	uite
. Paddoci	k		T. Ellenburger	_ T. Dakota			T	
. Blinebr	у		T. Gr. Wash					
Tubb _			T. Delaware Sand 5270'	T. Todilto				
'. Drinkar	rd		T. Bone Springs 6626'	T. Entrada				
. Abo			T. 1st B.S. Sand 8146'	_ T. Wingat	ie	·	T	
. Wolfca	<u>mp_10,</u>	252'	T. 2nd B.S. Sand 8912'					
Penn			T. 3rd B.S. Sand 9536'					
Cisco (	Bough (	C)	T. lower Leonard 9824'	T. Penn "A	A"	· · · · · · · · · · · · · · · · · · ·	T	
			OIL OR GAS S	No. 3,	from	•••••		
No. 1, fro	m		to					
No. 1, froi No. 2, froi	m m		LITHOLOGY RECORD			feet feet	• • • • • • • • • • • • • • • • • • • •	
No. 2, from	m m		toto			feet feet	• • • • • • • • • • • • • • • • • • • •	
No. 1, from No. 2, from No. 3, from	m m m	Thickness	LITHOLOGY RECORD	(Attach add	litiona	feet	• • • • • • • • • • • • • • • • • • • •	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 89768

### **CONDITIONS**

Operator:	OGRID:
V-F PETROLEUM INC	24010
	Action Number:
Midland, TX 79702	89768
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

#### CONDITIONS

Created By		Condition Date
pkautz	None	3/22/2022