Received by OCP: 3/10/2022 12:13:1	4 PM State of New Mexico	Form C-103 <sup>1</sup>
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-025-49159
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 C, IVIVI 07303	6. State Oil & Gas Lease No.
87505		331180
	CES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH	
PROPOSALS.)		Grace 16 State Com
71 —	Gas Well Other	8. Well Number 502H
2. Name of Operator		9. OGRID Number 7377
EOG Resources, Inc.		10. D. 1
3. Address of Operator P.O. Box 2267, Midland, Texas 79	702	<ul><li>10. Pool name or Wildcat</li><li>45793 Mescalero Escarpe; Bone Spring</li></ul>
4. Well Location	102	43773 Wescarero Escarpe, Bone Spring
	: 870 feet from the South line and 3	358 feet from the East line
Section 16	18S Township 33E Range	NMNM Lea County
	11. Elevation (Show whether DR, RKB, RT, GR, etc. 3868' GR	<i>:.)</i>
	3000 GR	
12. Check A	Appropriate Box to Indicate Nature of Notice	, Report or Other Data
NOTICE OF IN	TENTION TO:	SSEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WOR	<u> </u>
TEMPORARILY ABANDON		RILLING OPNS. P AND A
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMEN	
DOWNHOLE COMMINGLE	_	_
CLOSED-LOOP SYSTEM OTHER:	OTHER:	
	leted operations. (Clearly state all pertinent details, a	
	ork). SEE RULE 19.15.7.14 NMAC. For Multiple Co	ompletions: Attach wellbore diagram of
proposed completion or rec	ompletion.	
EOC respectfully requests an	amendment to our approved APD for this we	all to reflect
	amendment to our approved APD for this we	en to renect
the following changes:		
Update casing and cement pro	ogram to current design.	
Spud Date:	Rig Release Date:	
Spud Date:	Rig Release Date:	
I haraby cartify that the information	above is true and complete to the best of my knowled	ga and haliaf
Thereby certify that the information	above is true and complete to the best of my knowled	ge and benef.
CICNATUDE	TITLE Co.D. and A. or C. and I've	DATE 2/7/2022
SIGNATUKE	TITLE_Sr Regulatory Specialist	DATE_3///2022
Type or print name Star Harrell	E-mail address: star harrell@eogresources.com	n PHONE: 432-848-9161
For State Use Only		
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):		



# **Grace 16 State Com 502H**

870' FSL


KB: 3893' GL: 3868'

358' FEL Section 16

T-18-S, R-33-E

API: 30-025-49159

**Revised Wellbore** 





# **Grace 16 State Com 502H**

## **Permit Information:**

Well Name: Grace 16 State Com 502H

Location: SHL: 870' FSL & 358' FEL, Section 16, T-18-S, R-33-E, Lea Co., N.M.

BHL: 100' FNL & 1331' FEL, Section 16, T-18-S, R-33-E, Lea Co., N.M.

**Casing Program:** 

Hole		Csg				DFmin	DFmin	DFmin
Size	Interval	OD	Weight	Grade	Conn	Collapse	Burst	Tension
16"	0' - 1,770'	13.375"	54.5#	J-55	STC	1.125	1.25	1.6
12.25"	0' - 4,000'	9.625"	40#	J-55	LTC	1.125	1.25	1.6
12.25"	4,000' - 5,290'	9.625"	40#	HCK-55	LTC	1.125	1.25	1.6
6.75"	0' - 13,957'	5.5"	17#	HCP-110	LTC	1.125	1.25	1.6

**Cementing Program:** 

Centen	Cementing Program.						
		Wt.	Yld	Slurry Description			
Depth	No. Sacks	ppg	Ft3/sk				
4 770	540	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl2 + 0.25 lb/sk Cello-Flake (TOC @ Surface)			
1,770'	100	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate			
5,290'	770	12.7	2.22	Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)			
	330	14.8	1.32	Tail: Class C + 10% NaCL + 3% MagOx			
13,957'	170	11.0	3.21	Lead: Class C + 3% CaCl2 + 3% Microbond (TOC @ 4,790')			
	490	14.4	1.2	Tail: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond			

**Mud Program:** 

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,770'	Fresh - Gel	8.6-8.8	28-34	N/c
1,770' – 5,290'	Brine	8.6-8.8	28-34	N/c
5,290' – 13,957' Lateral	Oil Base	8.8-9.5	58-68	N/c - 6

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 89221

### **CONDITIONS**

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	89221
	Action Type:
	[C-103] NOI Change of Plans (C-103A)

#### CONDITIONS

Created By		Condition Date
pkaut	z All previous COA's apply	3/24/2022