

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Resubmitted

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31349
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Dry Hole		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Strata Production Co		6. State Oil & Gas Lease No. VB-0030
3. Address of Operator P. O. Box 1030, Roswell, NM 88202		7. Lease Name or Unit Agreement Name Paloma State
4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>South</u> line and <u>2,310</u> feet from the <u>West</u> line Section <u>36</u> Township <u>18S</u> Range <u>32E</u> NMPM <u>Lea</u> County		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 21712
		10. Pool name or Wildcat Buffalo Yates

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was drilled and abandoned in **September 1991**

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement
 Plug #2 - 2,785-2,685' with 35 sacks cement
 Plug #3 - 1,490-1,390' with 35 sacks cement
 Plug #4 - 15' to surface with 15 sacks cement
 All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.
 Install dry hole marker.

Spud Date:

09/08/1991

Rig Release Date:

09/14/1991

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jerry Elgin TITLE VP Operations DATE 02/14/2022

Type or print name Jerry Elgin E-mail address: jelgin@stratanm.com PHONE: (575)622-1127

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 3/29/22
 Conditions of Approval (if any):

Strata Production Company
Paloma State #3
#30-025-31349
Sec 36, T18S-R32E
Unit N 330' FSL, 2310' FWL
Lea County, NM

PLUGGING PLAN

Well was drilled and abandoned in September 1991

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement

Plug #2 - 2,785-2,685' with 35 sacks cement

Plug #3 - 1,490-1,390' with 35 sacks cement

Plug #4 - 15' to surface with 15 sacks cement

All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.

Install dry hole marker.

Strata Production Company
Paloma State #3
#30-025-31349
Sec 36, T18S-R32E
Unit N 330' FSL, 2310' FWL
Lea County, NM

PLUGGING PLAN

Well was drilled and abandoned in September 1991

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement

Plug #2 - 2,785-2,685' with 35 sacks cement

Plug #3 - 1,490-1,390' with 35 sacks cement

Plug #4 - 15' to surface with 15 sacks cement

All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.

Install dry hole marker.

Released to Imaging: 3/30/2022 2:27:49 PM

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 93959

CONDITIONS

Operator: STRATA PRODUCTION CO P.O. Box 1030 Roswell, NM 882021030	OGRID: 21712
	Action Number: 93959
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	3/29/2022