

Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

**Resubmitted**

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31349
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Dry Hole		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Strata Production Co		6. State Oil & Gas Lease No. VB-0030
3. Address of Operator P. O. Box 1030, Roswell, NM 88202		7. Lease Name or Unit Agreement Name Paloma State
4. Well Location Unit Letter <u>N</u> : <u>330</u> feet from the <u>South</u> line and <u>2,310</u> feet from the <u>West</u> line Section <u>36</u> Township <u>18S</u> Range <u>32E</u> NMPM <u>Lea</u> County		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 21712
		10. Pool name or Wildcat Buffalo Yates

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	PNR <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well was drilled and abandoned in **September 1991**

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement  
 Plug #2 - 2,785-2,685' with 35 sacks cement  
 Plug #3 - 1,490-1,390' with 35 sacks cement  
 Plug #4 - 15' to surface with 15 sacks cement  
 All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.  
 Install dry hole marker.

Spud Date:

09/08/1991

Rig Release Date:

09/14/1991

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jerry Elgin TITLE VP Operations DATE 02/14/2022

Type or print name Jerry Elgin E-mail address: jelgin@stratanm.com PHONE: (575)622-1127

**For State Use Only**

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 3/29/22  
 Conditions of Approval (if any):

Released to Imaging: 3/30/2022 3:36:50 PM

Strata Production Company  
**Paloma State #3**  
#30-025-31349  
Sec 36, T18S-R32E  
Unit N 330' FSL, 2310' FWL  
Lea County, NM

### PLUGGING PLAN

Well was drilled and abandoned in September 1991

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement

Plug #2 - 2,785-2,685' with 35 sacks cement

Plug #3 - 1,490-1,390' with 35 sacks cement

Plug #4 - 15' to surface with 15 sacks cement

All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.

Install dry hole marker.

Strata Production Company  
**Paloma State #3**  
#30-025-31349  
Sec 36, T18S-R32E  
Unit N 330' FSL, 2310' FWL  
Lea County, NM

### PLUGGING PLAN

Well was drilled and abandoned in September 1991

Drilled to 3,648.

Plug #1 - 3,350-3,250' with 35 sacks cement

Plug #2 - 2,785-2,685' with 35 sacks cement

Plug #3 - 1,490-1,390' with 35 sacks cement

Plug #4 - 15' to surface with 15 sacks cement

All cement Class C neat

Cut off casing 3' below ground level and weld metal plate on top.

Install dry hole marker.

Released to Imaging: 3/30/2022 3:36:50 PM

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 93974

CONDITIONS

Operator: STRATA PRODUCTION CO P.O. Box 1030 Roswell, NM 882021030	OGRID: 21712
	Action Number: 93974
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	3/29/2022