

Well Name: EP USA	Well Location: T26S / R29E / SEC 26 / NWSW / 32.00971 / -103.96046	County or Parish/State: EDDY / NM
Well Number: 9	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13997	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525024	Well Status: Abandoned	Operator: WPX ENERGY PERMIAN LLC

Accepted for record – NMOCD gc 3/21/2022

Subsequent Report

Sundry ID: 2662468

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 03/16/2022	Time Sundry Submitted: 02:03
Date Operation Actually Began: 02/24/2022	

Actual Procedure: Please see the attached P&A Procedure and Final Wellbore Diagram.

SR Attachments

Actual Procedure

P_A_Procedure_FinalWellboreDiagram_20220316140336.pdf

Well Name: EP USA	Well Location: T26S / R29E / SEC 26 / NWSW / 32.00971 / -103.96046	County or Parish/State: EDDY / NM
Well Number: 9	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM13997	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525024	Well Status: Abandoned	Operator: WPX ENERGY PERMIAN LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: LAUREN WATSON
Signed on: MAR 16, 2022 02:03 PM
Name: WPX ENERGY PERMIAN LLC
Title: Regulatory Compliance Professional
Street Address: 333 W. SHERIDAN AVE.
City: OKLAHOMA CITY **State:** OK
Phone: (405) 552-3379
Email address: LAUREN.WATSON@DVN.COM

Field Representative

Representative Name:
Street Address:
City: **State:** **Zip:**
Phone:
Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 03/18/2022
Signature: James A. Amos	

Well Name: EP USA 9**API #: 30-015-25024**

2/24/22: Bleed off pressure & let well flow back.

2/25/22: Let well flow back more, pump kill mud down tbq & csg, csg on vacuum & tbq has 100psi-let it set for 30 min, LD polish rod, POOH w/ rods, bars & pump, dig cellar to find csg valve- use backhoe to dig cellar, ND WH, NU Bop, RU floor & tbq, POOH & LD tbq.

2/28/22: RIH w/ tbq, tag CIBP @ 4880', circulate tbq-it's plugged, work to unplug tbq, LD 1jt & got tbq unplugged, plug #1-mix & plug 25sxs Class C cmt from eot @ 4849' to toc @ 4633, displ w/ 17.9bbls mud, woc, POOH w/ 30stds & SDFN.

3/01/22: Pump 80bbls kill mud down csg-csg on vacuum, RIH w/ 23stds, tag plug @ 4600', POOH w/ 90jts & LD 62jts, RU WL, RIH w/ CIBP & set @ 2878', RD WL, RIH w/ 90jts to eot @ 2878', pump 50bbls down tbq to equalize well & pressure test CIBP @ 600psi-held good, plug #2-mix & pump 40sxs Class C cmt from eot @ 2878' to toc @ 2747', displ, w/ 9.6bbls mud, woc, POOH w/ 30stds.

3/02/22: RIH w/ 23stds, tag plug #2 @ 2475', POOH & LD tbq, RIH w/ 15jts & pkr, dig cellar to find valve-find a stablilzer plate but no valve, have the well control company make a tap on 2" nipple-crew can't open 2" valve on csg, cover & level cellar, RU WL, shot csg @ 580', get injection rate-2bbls/min @ 200psi, close valve on 8 5/8, get inj rate on 13 3/8- 2bbls/min @ 250psi, unset pkr & LD tbq, SDFN.

3/03/22: plug #3-mix & pump 430sxs Class C cmt, well on vacuum, BLM authorizes to woc & if cmt is low, perforate again on top of cmt & squeeze to surface-SDFN.

3/04/22: RIH & tag plug @ 142', POOH & LD tbq, RU WL, RIH to perf @ 130', POOH & RD WL, get injection rate on 8 5/8- 2bbls/min @ 100psi (same on 13 3/8), plug #4-mix & pump 70sxs Class C cmt from perfs @ 130' to surface, RD tbq equip/floor, ND Bop, RDSU, dig cellar, cut WH & weld plate, cover cellar & level location.

WPX ENERGY PERMIAN, LLC

Well Name: EP-USA 9			Field: Stateline North FLD		
Location: 1650 FSL 990 FWL		SEC 26-T26S-R29E	County: Eddy		State: New Mexico
Elevation: 2877' GL			Spud Date: 3/14/1985		Compl Date: 4/16/1985
API#: 30-015-25024	Prepared by: Karsan Sprague		Date: 3/15/22	Rev:	

=to

FINAL WELLBORE

Perf @ 130'
Pump 70 sx Cl C Cement

13-3/8" @ 425'

Cmt'd w/450 sx to surface

Perf @ 580'
Pump 430 sx Cl C Cement

TOC @ 3000'

8-5/8" @ 2764'

Cmt'd w/150 sx to 1980' (Calculated)

10# MUD

Set CIBP @ 2878'
Pump 40 sx Cl C Cement

Perfs 2928'-3002'

Pump 25sx Cl C cement

CIBP @ 4880'

Perfs 4961'-5024'

CIBP @ 5120'

DELAWARE

7074-7077'

7122-7130'

7198'-7245'

5-1/2" @ 6220'

Cmt'd w/1300 sx Cl C cmt in 2 stages, TOC 1710' from CBL

8623' TD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 91501

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 91501
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/21/2022