

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-47427	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP		⁶ Pool Code 98135
⁷ Property Code 328891	⁸ Property Name APOLLO STATE COM		⁹ Well Number 201H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	21	24-S	33-E	-	888'	SOUTH	440'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	24-S	33-E	-	26'	NORTH	370'	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/13/2021	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters


¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 6/2/2021	²² Ready Date 10/13/2021	²³ TD 23000'	²⁴ PBTD 22935'	²⁵ Perforations 12800'-22850'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5"		13.375"	1221'		1010 SKS
8.75"		7.625"	12035'		1299 SKS
6.75"		5.5"	22983'		980 SKS

V. Well Test Data

³¹ Date New Oil 10/26/2021	³² Gas Delivery Date 10/26/2021	³³ Test Date 11/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2200
³⁷ Choke Size 40/64	³⁸ Oil 1930	³⁹ Water 4267	⁴⁰ Gas 6507		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name: JEFF TRLICA		Approved by: 	
Title: REGULATORY ANALYST		Title: Engineer	
E-mail Address: JTRLICA@GMAIL.COM		Approval Date: 03/31/22	
Date: 11/5/2021	Phone: 720-772-5910		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47427	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP
⁴ Property Code 328891	⁵ Property Name APOLLO STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 201H ⁹ Elevation 3535'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	21	24-S	33-E	-	888'	SOUTH	440'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	24-S	33-E	-	26'	NORTH	370'	WEST	LEA

¹² Dedicated Acres 320	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Bill Ramsey

9/29/2021

Signature

Date

Bill Ramsey

Printed Name

bramsey@taprk.com


E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

02/26/2021

Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number





Operator: Tap Rock Resources, LLC.
Well Name: Apollo State Com 201H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-47427

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 177' MD – 22,935' MD
Projection to Bit: 23,000' MD
Dates Performed: 06/01/2021 – 08/03/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
Well Name: Apollo State Com 201H
Job Number: ID2912
Survey Company: Intrepid Directional Drilling Specialists
Rig Name: H&P 376

Target KBTVD: 12705.00
Target Inclination: 90.00°
Declination Correction: 5.99°
KB Elevation: 3560

Vertical Section Calculated Along Azimuth: 359.58°

Survey Calculation Method: Minimum Curvature											
TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg	
TYPE	#	Depth	deg.	deg.	Length	Ft.	Ft.	Ft.	Ft.	%100'	
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00	
MWD	1	177	0.62	244.17	177	177.00	-0.41	-0.42	-0.86	0.35	
MWD	2	238	1.01	284.95	61	237.99	-0.41	-0.42	-1.68	1.11	
MWD	3	328	1.36	253.31	90	327.97	-0.50	-0.52	-3.47	0.81	
MWD	4	426	1.67	272.91	98	425.94	-0.74	-0.79	-6.01	0.61	
MWD	5	520	1.49	256.39	94	519.90	-0.94	-1.00	-8.56	0.52	
MWD	6	615	1.10	256.83	95	614.88	-1.42	-1.50	-10.65	0.41	
MWD	7	709	1.01	256.04	94	708.86	-1.82	-1.91	-12.33	0.10	
MWD	8	804	1.05	285.48	95	803.85	-1.77	-1.88	-13.99	0.55	
MWD	9	899	1.19	276.78	95	898.83	-1.41	-1.53	-15.80	0.23	
MWD	10	993	1.41	289.79	94	992.81	-0.89	-1.02	-17.86	0.39	
MWD	11	1088	1.54	284.52	95	1087.77	-0.16	-0.31	-20.20	0.20	
MWD	12	1169	1.49	309.56	81	1168.75	0.80	0.64	-22.06	0.81	
MWD	13	1241	1.45	312.20	72	1240.72	2.02	1.85	-23.46	0.11	
MWD	14	1336	1.36	316.95	95	1335.69	3.66	3.48	-25.12	0.15	
MWD	15	1431	0.84	294.97	95	1430.68	4.79	4.59	-26.52	0.70	
MWD	16	1526	2.29	208.84	95	1525.65	3.43	3.23	-28.07	2.51	
MWD	17	1621	3.78	199.96	95	1620.51	-1.16	-1.38	-30.05	1.64	
MWD	18	1715	4.75	187.40	94	1714.25	-7.92	-8.15	-31.61	1.43	
MWD	19	1809	5.01	182.74	94	1807.91	-15.87	-16.11	-32.31	0.50	
MWD	20	1904	5.05	188.54	95	1902.55	-24.15	-24.39	-33.13	0.54	
MWD	21	1999	5.10	186.08	95	1997.18	-32.47	-32.72	-34.20	0.24	
MWD	22	2093	4.88	185.81	94	2090.82	-40.60	-40.86	-35.04	0.24	
MWD	23	2187	5.23	181.24	94	2184.45	-48.86	-49.12	-35.54	0.57	
MWD	24	2281	6.24	174.56	94	2277.98	-58.23	-58.49	-35.15	1.29	
MWD	25	2375	6.90	178.17	94	2371.37	-68.96	-69.22	-34.48	0.83	
MWD	26	2470	8.18	178.87	95	2465.54	-81.42	-81.68	-34.17	1.35	
MWD	27	2565	8.09	178.08	95	2559.59	-94.86	-95.11	-33.81	0.15	
MWD	28	2660	8.44	174.30	95	2653.60	-108.49	-108.73	-32.90	0.68	
MWD	29	2754	8.79	173.42	94	2746.54	-122.50	-122.73	-31.39	0.40	
MWD	30	2849	8.97	172.45	95	2840.40	-137.06	-137.29	-29.58	0.25	
MWD	31	2943	9.76	173.95	94	2933.15	-152.27	-152.47	-27.78	0.88	
MWD	32	3037	10.11	173.69	94	3025.74	-168.40	-168.60	-26.03	0.38	
MWD	33	3131	10.02	172.10	94	3118.29	-184.72	-184.90	-24.00	0.31	
MWD	34	3227	9.58	172.89	96	3212.89	-200.93	-201.10	-21.87	0.48	
MWD	35	3321	8.35	179.22	94	3305.74	-215.53	-215.68	-20.80	1.68	
MWD	36	3415	9.05	180.80	94	3398.66	-229.74	-229.90	-20.82	0.79	
MWD	37	3509	8.79	179.49	94	3491.52	-244.32	-244.48	-20.85	0.35	
MWD	38	3604	8.70	185.73	95	3585.42	-258.72	-258.88	-21.51	1.00	
MWD	39	3699	7.34	193.02	95	3679.49	-271.76	-271.95	-23.59	1.78	
MWD	40	3794	6.95	201.55	95	3773.76	-283.00	-283.20	-27.07	1.19	
MWD	41	3888	9.27	210.42	94	3866.81	-294.77	-295.02	-32.99	2.80	
MWD	42	3983	9.41	209.98	95	3960.55	-308.04	-308.35	-40.75	0.17	
MWD	43	4078	8.00	210.51	95	4054.46	-320.41	-320.77	-47.99	1.49	
MWD	44	4173	5.98	211.92	95	4148.75	-330.27	-330.67	-53.96	2.13	
MWD	45	4268	5.05	209.81	95	4243.31	-338.06	-338.50	-58.65	1.00	
MWD	46	4362	4.84	184.67	94	4336.97	-345.58	-346.04	-61.03	2.30	
MWD	47	4551	7.12	158.48	189	4524.96	-364.46	-364.89	-57.39	1.85	
MWD	48	4646	7.78	153.21	95	4619.16	-375.71	-376.11	-52.33	1.00	
MWD	49	4741	10.42	160.15	95	4712.96	-389.58	-389.93	-46.51	3.00	
MWD	50	4835	12.70	165.42	94	4805.05	-407.62	-407.93	-41.02	2.67	
MWD	51	4928	12.13	170.87	93	4895.88	-427.19	-427.47	-36.90	1.40	
MWD	52	5023	10.29	185.37	95	4989.08	-445.50	-445.78	-36.11	3.53	
MWD	53	5117	9.01	194.08	94	5081.75	-460.98	-461.28	-38.69	2.06	
MWD	54	5210	7.74	191.88	93	5173.76	-474.15	-474.47	-41.75	1.41	
MWD	55	5304	8.48	193.11	94	5266.82	-487.08	-487.42	-44.62	0.81	
MWD	56	5400	9.71	193.37	96	5361.61	-501.82	-502.19	-48.10	1.28	
MWD	57	5494	8.92	193.72	94	5454.37	-516.59	-516.98	-51.66	0.84	
MWD	58	5589	8.92	192.85	95	5548.22	-530.90	-531.31	-55.05	0.14	
MWD	59	5683	8.62	187.48	94	5641.12	-544.97	-545.40	-57.58	0.93	
MWD	60	5779	9.05	192.14	96	5735.98	-559.46	-559.92	-60.11	0.87	
MWD	61	5873	9.80	192.23	94	5828.71	-574.48	-574.96	-63.36	0.80	
MWD	62	5968	8.75	190.47	95	5922.47	-589.47	-589.97	-66.38	1.14	
MWD	63	6063	8.84	188.01	95	6016.35	-603.79	-604.31	-68.71	0.41	
MWD	64	6158	9.14	191.00	95	6110.19	-618.40	-618.94	-71.17	0.58	
MWD	65	6253	8.66	190.82	95	6204.04	-632.81	-633.37	-73.95	0.51	
MWD	66	6347	8.84	195.31	94	6296.95	-646.71	-647.29	-77.19	0.75	
MWD	67	6442	9.80	205.68	95	6390.70	-661.00	-661.62	-82.62	2.03	
MWD	68	6537	10.90	208.58	95	6484.15	-676.11	-676.79	-90.42	1.28	
MWD	69	6630	10.59	207.35	93	6575.52	-691.36	-692.11	-98.55	0.41	
MWD	70	6724	10.02	205.94	94	6668.01	-706.33	-707.13	-106.10	0.66	

MWD	71	6819	9.49	204.62	95	6761.63	-720.84	-721.68	-112.98	0.61
MWD	72	6914	8.66	203.74	95	6855.44	-734.46	-735.35	-119.12	0.89
MWD	73	7009	8.26	196.98	95	6949.41	-747.49	-748.42	-123.99	1.13
MWD	74	7103	8.22	191.70	94	7042.44	-760.51	-761.46	-127.33	0.81
MWD	75	7197	7.56	192.58	94	7135.55	-773.10	-774.08	-130.04	0.71
MWD	76	7290	7.12	191.79	93	7227.79	-784.70	-785.69	-132.55	0.49
MWD	77	7385	6.51	191.70	95	7322.12	-795.72	-796.73	-134.84	0.64
MWD	78	7480	6.02	190.03	95	7416.55	-805.88	-806.91	-136.80	0.55
MWD	79	7573	4.13	189.59	93	7509.18	-813.98	-815.01	-138.21	2.03
MWD	80	7666	4.00	190.47	93	7601.95	-820.46	-821.50	-139.35	0.16
MWD	81	7761	2.77	203.48	95	7696.78	-825.81	-826.87	-140.87	1.52
MWD	82	7855	1.89	226.68	94	7790.71	-828.94	-830.01	-142.90	1.35
MWD	83	7950	1.41	235.82	95	7885.67	-830.66	-831.75	-145.01	0.57
MWD	84	8045	0.79	254.98	95	7980.65	-831.47	-832.57	-146.61	0.75
MWD	85	8140	0.92	318.27	95	8075.64	-831.07	-832.17	-147.75	0.95
MWD	86	8235	0.84	299.98	95	8170.63	-830.14	-831.25	-148.86	0.31
MWD	87	8330	0.88	286.36	95	8265.62	-829.58	-830.70	-150.17	0.22
MWD	88	8425	0.92	253.23	95	8360.61	-829.58	-830.72	-151.60	0.54
MWD	89	8520	1.10	239.60	95	8455.59	-830.25	-831.40	-153.11	0.31
MWD	90	8614	0.88	288.12	94	8549.58	-830.47	-831.63	-154.58	0.89
MWD	91	8710	0.88	276.52	96	8645.57	-830.15	-831.32	-156.01	0.19
MWD	92	8804	0.84	263.60	94	8739.56	-830.14	-831.31	-157.41	0.21
MWD	93	8898	1.01	259.20	94	8833.55	-830.36	-831.54	-158.91	0.20
MWD	94	8993	1.23	246.90	95	8928.53	-830.90	-832.10	-160.67	0.34
MWD	95	9087	1.19	233.45	94	9022.51	-831.86	-833.08	-162.38	0.30
MWD	96	9181	1.41	229.14	94	9116.48	-833.19	-834.42	-164.04	0.26
MWD	97	9275	0.26	297.00	94	9210.47	-833.84	-835.08	-165.11	1.42
MWD	98	9369	0.70	274.32	94	9304.47	-833.70	-834.94	-165.87	0.50
MWD	99	9462	1.10	272.39	93	9397.46	-833.61	-834.86	-167.33	0.43
MWD	100	9557	1.01	345.78	95	9492.45	-832.75	-834.01	-168.44	1.33
MWD	101	9649	0.92	328.99	92	9584.43	-831.33	-832.59	-169.02	0.32
MWD	102	9744	1.01	27.70	95	9679.42	-829.93	-831.19	-169.03	1.00
MWD	103	9838	0.70	41.23	94	9773.41	-828.77	-830.03	-168.26	0.39
MWD	104	9933	0.40	53.89	95	9868.41	-828.14	-829.39	-167.61	0.34
MWD	105	10027	0.18	124.03	94	9962.41	-828.04	-829.28	-167.23	0.40
MWD	106	10122	0.44	179.75	95	10057.40	-828.48	-829.73	-167.10	0.39
MWD	107	10216	0.40	176.85	94	10151.40	-829.17	-830.42	-167.08	0.05
MWD	108	10311	0.84	213.32	95	10246.40	-830.08	-831.33	-167.45	0.60
MWD	109	10406	1.19	197.33	95	10341.38	-831.60	-832.86	-168.12	0.47
MWD	110	10501	0.79	206.38	95	10436.37	-833.13	-834.39	-168.71	0.45
MWD	111	10594	1.23	224.13	93	10529.35	-834.41	-835.68	-169.69	0.58
MWD	112	10688	1.05	232.22	94	10623.33	-835.65	-836.93	-171.07	0.26
MWD	113	10782	1.01	209.81	94	10717.32	-836.89	-838.17	-172.16	0.43
MWD	114	10876	0.79	155.40	94	10811.31	-838.20	-839.48	-172.30	0.90
MWD	115	10968	1.14	158.74	92	10903.30	-839.63	-840.91	-171.71	0.39
MWD	116	11063	0.88	192.23	95	10998.28	-841.23	-842.51	-171.52	0.67
MWD	117	11158	0.70	241.62	95	11093.27	-842.21	-843.49	-172.19	0.72
MWD	118	11253	0.22	37.19	95	11188.27	-842.34	-843.63	-172.59	0.95
MWD	119	11348	1.14	69.01	95	11283.26	-841.86	-843.14	-171.59	1.01
MWD	120	11442	1.10	16.01	94	11377.25	-840.67	-841.94	-170.47	1.06
MWD	121	11537	0.62	11.26	95	11472.24	-839.29	-840.56	-170.12	0.51
MWD	122	11631	0.84	239.69	94	11566.23	-839.13	-840.41	-170.61	1.42
MWD	123	11726	1.93	257.62	95	11661.21	-839.81	-841.10	-172.78	1.22
MWD	124	11820	1.63	228.97	94	11755.16	-841.01	-842.32	-175.33	0.99
MWD	125	11915	2.33	219.56	95	11850.10	-843.37	-844.69	-177.58	0.81
MWD	126	12009	1.58	215.43	94	11944.05	-845.88	-847.22	-179.55	0.81
MWD	127	12071	1.19	188.71	62	12006.03	-847.21	-848.56	-180.14	1.20
MWD	128	12132	1.27	123.68	61	12067.02	-848.22	-849.56	-179.68	2.17
MWD	129	12227	7.74	27.61	95	12161.73	-843.15	-844.46	-175.83	8.39
MWD	130	12322	19.08	17.50	95	12254.00	-822.66	-823.92	-168.17	12.14
MWD	131	12415	20.66	11.53	93	12341.47	-792.14	-793.34	-160.32	2.76
MWD	132	12508	33.71	8.19	93	12424.02	-750.39	-751.54	-153.33	14.12
MWD	133	12603	46.55	1.77	95	12496.54	-689.59	-690.70	-148.49	14.19
MWD	134	12698	52.75	3.33	95	12558.02	-617.34	-618.42	-145.09	6.68
MWD	135	12790	59.25	7.13	92	12609.45	-541.52	-542.55	-137.92	7.77
MWD	136	12885	71.47	4.50	95	12648.98	-455.84	-456.80	-129.29	13.11
MWD	137	12979	78.33	2.21	94	12673.46	-365.34	-366.26	-124.01	7.67
MWD	138	13075	81.10	0.72	96	12690.60	-270.95	-271.85	-121.60	3.26
MWD	139	13170	85.71	358.26	95	12701.51	-176.61	-177.51	-122.45	5.49
MWD	140	13265	89.67	358.17	95	12705.34	-81.73	-82.66	-125.41	4.17
MWD	141	13360	90.11	358.78	95	12705.52	13.25	12.31	-127.93	0.79
MWD	142	13454	90.81	2.03	94	12704.76	107.22	106.29	-127.27	3.54
MWD	143	13548	90.95	0.63	94	12703.32	201.16	200.25	-125.09	1.50
MWD	144	13643	92.35	357.03	95	12700.58	296.10	295.17	-127.03	4.06
MWD	145	13736	91.91	359.05	93	12697.13	388.99	388.05	-130.20	2.22
MWD	146	13832	87.25	3.70	96	12697.83	484.89	483.97	-127.90	6.86
MWD	147	13927	94.15	6.08	95	12696.67	579.41	578.55	-119.81	7.68
MWD	148	14044	92.44	2.65	117	12689.95	695.79	695.00	-110.93	3.27
MWD	149	14138	91.74	2.56	94	12686.52	789.60	788.84	-106.66	0.75
MWD	150	14232	91.34	2.56	94	12683.99	883.44	882.71	-102.46	0.43
MWD	151	14327	89.23	1.42	95	12683.52	978.34	977.64	-99.16	2.52
MWD	152	14422	89.32	0.80	95	12684.72	1073.30	1072.62	-97.32	0.66
MWD	153	14516	89.19	1.07	94	12685.94	1167.27	1166.60	-95.79	0.32
MWD	154	14611	88.92	2.30	95	12687.51	1262.19	1261.54	-92.99	1.33

MWD	155	14703	88.04	0.63	92	12689.95	1354.10	1353.47	-90.64	2.05
MWD	156	14795	88.97	0.98	92	12692.35	1446.05	1445.43	-89.35	1.08
MWD	157	14888	88.97	359.84	93	12694.02	1539.02	1538.41	-88.69	1.23
MWD	158	14981	89.32	357.82	93	12695.41	1632.00	1631.38	-90.58	2.20
MWD	159	15076	89.10	357.90	95	12696.72	1726.95	1726.30	-94.13	0.25
MWD	160	15171	88.22	357.20	95	12698.94	1821.86	1821.19	-98.19	1.18
MWD	161	15265	87.74	356.76	94	12702.25	1915.71	1915.00	-103.14	0.69
MWD	162	15360	89.23	357.20	95	12704.77	2010.57	2009.83	-108.14	1.64
MWD	163	15455	90.29	357.82	95	12705.16	2105.51	2104.74	-112.27	1.29
MWD	164	15550	90.73	358.08	95	12704.32	2200.46	2199.68	-115.67	0.54
MWD	165	15645	90.99	358.52	95	12702.89	2295.43	2294.62	-118.49	0.54
MWD	166	15737	90.55	358.70	92	12701.66	2387.41	2386.59	-120.72	0.52
MWD	167	15830	91.87	358.96	93	12699.69	2480.38	2479.54	-122.62	1.45
MWD	168	15924	90.59	357.03	94	12697.67	2574.31	2573.46	-125.91	2.46
MWD	169	16018	89.93	357.11	94	12697.25	2668.22	2667.33	-130.71	0.71
MWD	170	16113	90.90	357.73	95	12696.56	2763.15	2762.23	-134.99	1.21
MWD	171	16208	90.33	358.08	95	12695.54	2858.10	2857.16	-138.46	0.70
MWD	172	16302	89.05	359.13	94	12696.05	2952.08	2951.13	-140.75	1.76
MWD	173	16396	88.88	359.22	94	12697.75	3046.07	3045.11	-142.10	0.20
MWD	174	16489	89.36	358.96	93	12699.18	3139.05	3138.08	-143.58	0.59
MWD	175	16584	90.02	358.96	95	12699.69	3234.04	3233.07	-145.30	0.69
MWD	176	16679	89.27	358.96	95	12700.28	3329.04	3328.05	-147.03	0.79
MWD	177	16773	87.74	359.75	94	12702.73	3423.00	3422.01	-148.08	1.83
MWD	178	16868	87.03	358.61	95	12707.06	3517.90	3516.90	-149.44	1.41
MWD	179	16961	88.13	0.10	93	12710.99	3610.81	3609.80	-150.49	1.99
MWD	180	17055	90.33	0.28	94	12712.25	3704.79	3703.79	-150.18	2.35
MWD	181	17150	90.51	0.37	95	12711.56	3799.78	3798.78	-149.64	0.21
MWD	182	17245	90.29	359.66	95	12710.90	3894.77	3893.78	-149.61	0.78
MWD	183	17339	89.85	359.49	94	12710.78	3988.77	3987.78	-150.31	0.50
MWD	184	17432	90.59	359.75	93	12710.42	4081.77	4080.77	-150.93	0.84
MWD	185	17526	91.16	359.49	94	12708.99	4175.76	4174.76	-151.55	0.67
MWD	186	17620	91.12	0.01	94	12707.12	4269.74	4268.74	-151.96	0.55
MWD	187	17715	91.38	0.54	95	12705.05	4364.71	4363.72	-151.50	0.62
MWD	188	17809	90.51	0.72	94	12703.49	4458.68	4457.70	-150.47	0.95
MWD	189	17904	90.55	0.45	95	12702.62	4553.66	4552.69	-149.50	0.29
MWD	190	17999	90.55	1.77	95	12701.70	4648.62	4647.66	-147.66	1.39
MWD	191	18094	88.53	0.19	95	12702.47	4743.58	4742.64	-146.03	2.70
MWD	192	18189	87.74	2.12	95	12705.56	4838.49	4837.56	-144.12	2.19
MWD	193	18284	87.38	0.89	95	12709.60	4933.35	4932.44	-141.63	1.35
MWD	194	18378	87.52	359.93	94	12713.79	5027.25	5026.35	-140.96	1.03
MWD	195	18472	88.75	0.45	94	12716.84	5121.19	5120.30	-140.64	1.42
MWD	196	18567	88.75	1.16	95	12718.92	5216.14	5215.26	-139.31	0.75
MWD	197	18660	89.89	0.89	93	12720.02	5309.11	5308.24	-137.65	1.26
MWD	198	18754	89.98	2.83	94	12720.13	5403.03	5402.19	-134.60	2.07
MWD	199	18848	90.51	1.60	94	12719.73	5496.92	5496.11	-130.96	1.42
MWD	200	18943	91.25	1.16	95	12718.27	5591.87	5591.07	-128.68	0.91
MWD	201	19039	91.16	1.24	96	12716.25	5687.81	5687.03	-126.67	0.13
MWD	202	19132	91.52	1.42	93	12714.07	5780.74	5779.98	-124.51	0.43
MWD	203	19227	88.92	358.52	95	12713.71	5875.72	5874.96	-124.56	4.10
MWD	204	19322	88.79	358.43	95	12715.61	5970.68	5969.91	-127.09	0.17
MWD	205	19417	88.00	358.78	95	12718.27	6065.63	6064.84	-129.40	0.91
MWD	206	19511	89.80	359.57	94	12720.07	6159.60	6158.81	-130.75	2.09
MWD	207	19606	89.49	359.57	95	12720.66	6254.60	6253.81	-131.46	0.33
MWD	208	19701	89.14	358.87	95	12721.80	6349.59	6348.79	-132.76	0.82
MWD	209	19794	91.12	358.61	93	12721.59	6442.58	6441.76	-134.80	2.15
MWD	210	19888	88.79	358.26	94	12721.66	6536.55	6535.72	-137.37	2.51
MWD	211	19984	88.66	358.34	96	12723.80	6632.50	6631.65	-140.22	0.16
MWD	212	20079	89.80	357.29	95	12725.07	6727.45	6726.57	-143.84	1.63
MWD	213	20174	93.32	357.46	95	12722.49	6822.33	6821.42	-148.19	3.71
MWD	214	20268	94.24	357.03	94	12716.29	6916.04	6915.11	-152.69	1.08
MWD	215	20363	92.92	358.17	95	12710.36	7010.80	7009.84	-156.66	1.83
MWD	216	20457	92.92	358.96	94	12705.57	7104.66	7103.68	-159.01	0.84
MWD	217	20551	88.97	357.64	94	12704.02	7198.60	7197.61	-161.80	4.43
MWD	218	20645	92.22	358.17	94	12703.04	7292.54	7291.53	-165.24	3.50
MWD	219	20739	91.03	358.52	94	12700.38	7386.48	7385.45	-167.95	1.32
MWD	220	20832	91.43	358.78	93	12698.38	7479.45	7478.40	-170.14	0.51
MWD	221	20927	90.33	357.99	95	12696.92	7574.41	7573.35	-172.82	1.43
MWD	222	21022	88.48	359.22	95	12697.91	7669.39	7668.31	-175.13	2.34
MWD	223	21115	88.22	359.05	93	12700.59	7762.35	7761.26	-176.54	0.33
MWD	224	21210	88.97	358.96	95	12702.91	7857.31	7856.22	-178.18	0.80
MWD	225	21304	91.65	359.22	94	12702.41	7951.30	7950.20	-179.68	2.86
MWD	226	21398	92.18	359.49	94	12699.27	8045.25	8044.14	-180.74	0.63
MWD	227	21493	92.53	0.54	95	12695.36	8140.16	8139.06	-180.71	1.16
MWD	228	21587	92.75	0.89	94	12691.03	8234.04	8232.95	-179.54	0.44
MWD	229	21682	90.02	1.24	95	12688.74	8328.98	8327.90	-177.77	2.90
MWD	230	21774	90.29	1.77	92	12688.49	8420.92	8419.86	-175.36	0.65
MWD	231	21869	91.38	2.21	95	12687.10	8515.83	8514.79	-172.06	1.24
MWD	232	21963	89.85	2.47	94	12686.09	8609.71	8608.71	-168.22	1.65
MWD	233	22057	89.98	2.30	94	12686.23	8703.60	8702.63	-164.31	0.23
MWD	234	22153	88.92	2.03	96	12687.15	8799.49	8798.55	-160.68	1.14
MWD	235	22247	88.48	2.03	94	12689.29	8893.38	8892.47	-157.35	0.47
MWD	236	22341	86.90	1.33	94	12693.08	8987.24	8986.35	-154.60	1.84
MWD	237	22436	87.25	0.80	95	12697.92	9082.08	9081.21	-152.84	0.67
MWD	238	22531	92.40	1.24	95	12698.21	9177.02	9176.16	-151.15	5.44

MWD	239	22625	93.27	1.24	94	12693.56	9270.87	9270.02	-149.11	0.93
MWD	240	22719	92.35	1.07	94	12688.96	9364.72	9363.89	-147.22	1.00
MWD	241	22813	92.97	0.98	94	12684.59	9458.59	9457.77	-145.54	0.67
MWD	242	22935	94.33	1.42	122	12676.83	9580.29	9579.50	-142.99	1.17
PTB	243	23000	94.33	1.42	65	12671.92	9645.07	9644.29	-141.39	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								1. WELL API NO.		
								2. Type of Lease ☐ STATE ☐ FEE ☐ FED/INDIAN		
								3. State Oil & Gas Lease No.		
								5. Lease Name or Unit Agreement Name		
								6. Well Number:		
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator TAP ROCK OPERATING, LLC						9. OGRID 372043				
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO						11. Pool name or Wildcat				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released			16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well		19. Plug Back Measured Depth			20. Was Directional Survey Made?			21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name		Title			Date		
E-mail Address										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 60555

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 60555
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 60555

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 60555
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	3/31/2022