

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - RT- 01/24/2022
⁴ API Number 30-025-46949	⁵ Pool Name RED TANK BONE SPRING	⁶ Pool Code 51683
⁷ Property Code: 321612	⁸ Property Name: TACO CAT 27-34 FEDERAL COM	⁹ Well Number: 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	22S	32E		535	NORTH	1315	EAST	LEA

¹¹ Bottom Hole Location FTP: 140' FNL 2194' FWL LTP: 155' FSL 2118' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	34	22S	32E		45	SOUTH	2117	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date 08/28/2021	²² Ready Date 01/24/2022	²³ TD 21199'M 10718'V	²⁴ PBDT 21165'M 10720'V	²⁵ Perforations 10788-21089'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	963'	1160		
12-1/4"	9-5/8"	6433'	1714		
8-3/4" x 8-1/2"	5-1/2"	21179'	2848		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/23/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title: **Engineer**

Approval Date: **04/05/22**

RT expires on 07/05/22

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

District Office

1220 South St. Francis Dr.

Santa Fe, NM 87505

☒ AMENDED REPORT
 (AS-DRILLED)


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-46949	² Pool Code 51683	³ Pool Name RED TANK BONE SPRING
⁴ Property Code 321612	Property Name TACO CAT 27-34 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 24H
		⁹ Elevation 3653'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	27	22S	32E		535	NORTH	1315	EAST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	34	22S	32E		45	SOUTH	2117	WEST	LEA
¹² Dedicated Acres 1280.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99978441298 Convergence Angle: 00°21'15.90375"

Horizontal Spacing Unit





OXY



Borehole:	Well:	Field:	Structure:
Taco Cat "27_34" Federal Com 24H	Taco Cat "27_34" Federal Com 24H	NM Lea County (NAD 83)	Oxy Taco Cat "27_34" Federal Com Pad

Gravity & Magnetic Parameters	Surface Location	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Miscellaneous
Model: IFR1 MagDec: 6.584° Dip: 60.027° Date: 07-Nov-2021 FS: 47859.3nT Gravity FS: 998.453mgn (9.80665 Based)	Lat: N 32 22 6.58 Lon: W 103 39 29.73	Northing: 498447.04ftUS Easting: 749763.5ftUS Grid Conv: 0.3614° Scale Fact: 0.99995884	Slot: Taco Cat "27_34" Federal Com 24H Plan: Oxy Taco Cat "27_34" Federal Com 24H Gyro+MWD 0' to 21199' MD TVD Ref: RKB(3677.6ft above MSL)

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00
First Gyro Survey	66.50	0.27	45.74	66.50	-0.08	0.07	0.07	0.65
Last Gyro Survey	904.00	0.64	327.76	903.99	-3.49	3.34	1.17	0.35
First SLB Survey	1000.00	0.09	173.71	999.99	-3.82	3.72	0.89	0.75
Actual KOP	10050.00	16.72	288.61	9810.83	-431.74	712.11	-1580.17	4.10
Second Bone Spring Intersection	10736.46	51.93	186.89	10363.60	-108.33	417.23	-1772.49	6.69
100' FNL Crossing	10738.00	52.03	186.87	10364.55	-107.12	416.02	-1772.64	6.69
100' FSL Crossing	21144.00	88.66	179.94	10720.01	10106.87	-9948.81	-1781.31	0.15
Final MWD	21150.00	88.67	179.94	10720.15	10112.78	-9954.81	-1781.31	0.15
Proj to TD	21199.00	88.67	179.94	10721.29	10161.04	-10003.80	-1781.26	0.00



Schlumberger



Oxy Taco Cat "27_34" Federal Com 24H Gyro+MWD 0' to 21199'MD Survey Geodetic Report (Def Survey)

Report Date: November 22, 2021 - 05:28 PM
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Taco Cat "27_34" Federal Com Pad / Taco Cat "27_34" Federal Com 24H
Well: Taco Cat "27_34" Federal Com 24H
Borehole: Taco Cat "27_34" Federal Com 24H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Taco Cat "27_34" Federal Com 24H Gyro+MWD 0' to 21199'MD
Survey Date: September 29, 2021
Tort / AHD / DDI / ERD Ratio: 206.653' / 12561.616 ft / 6.710 / 1.172
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 22' 26.57721", W 103° 39' 29.73005"
Survey Date: N 498447.040 ftUS, E 749763.500 ftUS
CRS Grid Convergence Angle: 0.3614"
Grid Scale Factor: 0.99995884
Version / Patch: 2.10.8268

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 189.835 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3677.600 ft above MSL
Seabed / Ground Elevation: 3652.600 ft above MSL
Magnetic Declination: 6.584 °
Total Gravity Field Strength: 998.4529mg (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47859.300 nT
Magnetic Dip Angle: 60.027 °
Declination Date: November 07, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.3600 °
Total Corr Mag North->Grid North: 6.2240 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	498447.04	749763.50	N 32 22 6.58	W 103 39 29.73
First Gyro Survey	25.00	0.00	25.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	498447.04	749763.50	N 32 22 6.58	W 103 39 29.73
	66.50	0.27	45.74	66.50	-0.08	0.07	0.07	0.65	0.10	45.74	498447.11	749763.57	N 32 22 6.58	W 103 39 29.73
	154.00	0.18	44.43	154.00	-0.36	0.31	0.10	0.44	45.33	498447.35	749763.81	N 32 22 6.58	W 103 39 29.73	
Last Gyro Survey First SLB Survey	240.60	0.19	35.44	240.60	-0.60	0.52	0.49	0.04	0.72	43.20	498447.56	749763.99	N 32 22 6.58	W 103 39 29.72
	337.90	0.05	49.26	337.90	-0.78	0.68	0.62	0.15	0.92	42.12	498447.72	749764.12	N 32 22 6.58	W 103 39 29.72
	432.30	0.12	105.84	432.30	-0.80	0.68	0.74	0.11	1.01	47.44	498447.72	749764.24	N 32 22 6.58	W 103 39 29.72
	526.80	0.32	65.92	526.80	-0.94	0.76	1.08	0.25	1.32	54.73	498447.80	749764.58	N 32 22 6.58	W 103 39 29.72
	621.00	0.54	14.85	621.00	-1.53	1.30	1.43	0.45	1.94	47.80	498448.34	749764.93	N 32 22 6.59	W 103 39 29.71
	715.30	0.32	357.75	715.29	-2.23	1.99	1.54	0.27	2.52	37.66	498449.03	749765.04	N 32 22 6.60	W 103 39 29.71
	809.60	0.39	353.23	809.59	-2.79	2.58	1.49	0.08	2.97	30.05	498449.61	749764.99	N 32 22 6.60	W 103 39 29.71
	904.00	0.64	327.76	903.99	-3.49	3.34	1.17	0.35	3.54	19.32	498450.38	749764.67	N 32 22 6.61	W 103 39 29.72
	1000.00	0.09	173.71	999.99	-3.82	3.72	0.89	0.75	3.82	13.50	498450.76	749764.39	N 32 22 6.61	W 103 39 29.72
	1132.00	0.03	294.74	1131.99	-3.73	3.63	0.87	0.08	3.73	13.52	498450.67	749764.37	N 32 22 6.61	W 103 39 29.72
	1319.00	0.03	103.40	1318.99	-3.74	3.64	0.88	0.03	3.74	13.54	498450.68	749764.38	N 32 22 6.61	W 103 39 29.72
	1414.00	0.10	163.17	1413.99	-3.66	3.55	0.92	0.09	3.67	14.58	498450.59	749764.42	N 32 22 6.61	W 103 39 29.72
	1509.00	0.04	351.41	1508.99	-3.62	3.51	0.94	0.15	3.63	15.05	498450.55	749764.44	N 32 22 6.61	W 103 39 29.72
	1794.00	0.05	161.63	1793.99	-3.60	3.49	0.97	0.03	3.62	15.51	498450.53	749764.47	N 32 22 6.61	W 103 39 29.72
	1889.00	0.07	66.86	1888.99	-3.60	3.47	1.03	0.09	3.62	16.59	498450.51	749764.53	N 32 22 6.61	W 103 39 29.72
	2079.00	0.04	117.57	2078.98	-3.64	3.49	1.20	0.03	3.69	18.99	498450.53	749764.70	N 32 22 6.61	W 103 39 29.72
	2174.00	0.04	38.58	2173.98	-3.66	3.50	1.25	0.05	3.71	19.67	498450.54	749764.75	N 32 22 6.61	W 103 39 29.72
	2269.00	0.01	159.77	2268.98	-3.68	3.51	1.27	0.05	3.74	19.91	498450.55	749764.77	N 32 22 6.61	W 103 39 29.71
	2364.00	0.08	239.93	2363.98	-3.63	3.47	1.22	0.08	3.68	19.33	498450.51	749764.72	N 32 22 6.61	W 103 39 29.72
	2459.00	0.06	136.21	2458.98	-3.56	3.40	1.20	0.12	3.61	19.35	498450.44	749764.70	N 32 22 6.61	W 103 39 29.72
	2554.00	0.04	121.20	2553.98	-3.52	3.35	1.26	0.02	3.58	20.58	498450.39	749764.76	N 32 22 6.61	W 103 39 29.72
	2649.00	0.03	332.25	2648.98	-3.52	3.36	1.28	0.07	3.59	20.80	498450.40	749764.77	N 32 22 6.61	W 103 39 29.71
	2744.00	0.06	110.79	2743.98	-3.54	3.36	1.31	0.09	3.61	21.30	498450.40	749764.81	N 32 22 6.61	W 103 39 29.71
	2839.00	0.08	15.24	2838.98	-3.59	3.41	1.37	0.01	3.67	21.97	498450.45	749764.87	N 32 22 6.61	W 103 39 29.71
	2934.00	0.12	48.63	2933.98	-3.74	3.54	1.47	0.07	3.83	22.52	498450.58	749764.97	N 32 22 6.61	W 103 39 29.71
	3029.00	0.16	78.09	3028.98	-3.86	3.63	1.67	0.09	4.00	24.71	498450.67	749765.17	N 32 22 6.61	W 103 39 29.71
	3125.00	0.14	109.41	3124.98	-3.89	3.62	1.91	0.09	4.09	27.86	498450.66	749765.41	N 32 22 6.61	W 103 39 29.71
	3220.00	0.15	92.88	3219.98	-3.89	3.57	2.15	0.05	4.17	30.99	498450.61	749765.65	N 32 22 6.61	W 103 39 29.70
	3315.00	0.83	308.75	3314.98	-4.24	4.00	1.73	1.01	4.36	23.44	498451.04	749765.23	N 32 22 6.62	W 103 39 29.71
	3410.00	3.20	309.86	3409.92	-5.90	6.13	-0.84	2.49	6.19	352.21	498453.17	749762.66	N 32 22 6.64	W 103 39 29.74
3505.00	5.52	307.41	3504.63	-9.34	10.60	-6.50	2.45	12.44	328.45	498457.64	749757.00	N 32 22 6.68	W 103 39 29.81	
3600.00	8.58	306.85	3599.07	-14.08	16.84	-14.75	1.54	22.39	318.78	498463.88	749748.75	N 32 22 6.74	W 103 39 29.90	
3695.00	8.33	308.05	3693.22	-19.95	24.55	-24.79	1.43	34.89	314.72	498471.58	749738.71	N 32 22 6.82	W 103 39 30.02	
3790.00	9.00	307.53	3787.13	-26.66	33.37	-36.10	0.71	42.13	312.70	498480.35	749727.40	N 32 22 6.91	W 103 39 30.15	
3885.00	10.42	306.80	3880.77	-34.01	42.99	-48.88	1.50	65.09	311.33	498490.03	749714.63	N 32 22 7.01	W 103 39 30.30	
3980.00	11.77	305.88	3973.99	-42.16	53.81	-63.61	1.43	83.32	310.23	498500.85	749699.90	N 32 22 7.11	W 103 39 30.47	
4075.00	11.96	305.24	4066.96	-50.63	65.17	-79.50	0.24	102.80	309.34	498512.21	749684.01	N 32 22 7.23	W 103 39 30.65	
4169.00	12.23	305.10	4158.88	-59.06	76.52	-95.60	0.29	122.45	308.67	498523.55	749667.91	N 32 22 7.34	W 103 39 30.84	
4264.00	12.77	304.85	4251.82	-67.80	87.83	-112.45	0.57	142.97	308.14	498535.34	749651.06	N 32 22 7.46	W 103 39 31.03	
4359.00	13.23	304.14	4344.19	-76.71	100.40	-130.06	0.51	164.31	307.67	498547.44	749635.45	N 32 22 7.58	W 103 39 31.24	
4453.00	14.04	303.00	4435.54	-85.62	112.65	-148.53	0.91	186.41	307.18	498559.68	749614.98	N 32 22 7.70	W 103 39 31.45	
4548.00	14.72	299.21	4527.56	-94.16	124.82	-168.73	1.22	209.87	306.49	498571.85	749594.78	N 32 22 7.82	W 103 39 31.69	
4643.00	15.53	296.26	4619.27	-101.76	136.33	-190.67	1.18	234.39	305.57	498583.37	749572.84	N 32 22 7.94	W 103 39 31.94	
4737.00	14.72	294.09	4710.02	-108.26	146.78	-212.85	1.05	258.55	304.59	498593.81	749550.65	N 32 22 8.04	W 103 39 32.20	
4832.00	14.59	290.91	4801.84	-113.59	156.09	-235.35	0.90	282.41	303.55	498603.12	749528.16	N 32 22 8.14	W 103 39 32.46	
4927.00	15.11	291.28	4893.59	-118.41	164.97	-258.36	0.90	306.54	302.56	498612.00	749505.15	N 32 22 8.23	W 103 39 32.73	
5022.00	15.07	290.96	4985.31	-123.25	173.88	-281.43	0.10	330.82	301.71	498620.91	749482.08	N 32 22 8.32	W 103 39 33.00	
5116.00	15.12	289.23	5076.07	-127.61	182.29	-304.42	0.48	354.83	300.91	498629.32	749459.09	N 32 22 8.40	W 103 39 33.27	
5211.00	14.99	289.57	5167.81	-130.31	189.14	-328.09	1.70	378.70	299.96	498636.17	749435.42	N 32 22 8.47	W 103 39 33.54	
5306.00	15.05	283.17	5259.57	-131.71	194.71	-352.07	0.08	402.33	298.94	498641.11	749411.44	N 32 22 8.53	W 103 39 33.82	
5401.00	15.03	283.24	5351.31	-133.16	200.35	-376.07	0.03	426.11	298.05	498647.38	749387.44	N 32 22 8.58	W 103 39 34.10	
5496.00	15.03	282.87	5443.06	-134.55	205.91	-400.07	0.10	449.95	297.23	498652.94	749363.45	N 32 22 8.64	W 103 39 34.38	
5591.00	14.86	283.15	5534.85	-135.90	211.43	-423.94	0.19	473.74	296.51	498658.46	749339.58	N 32 22 8.70	W 103 39 34.66	
5780.00	15.14	283.96	5717.41	-139.08	222.89	-471.49	0.19	521.52	295.30	498661.92	749320.93	N 32 22 8.81	W 103 39 35.21	
5875.00	14.97	290.22	5809.15	-142.19	230.13	-495.05	1.72	545.92	294.93	498677.16	749298.47	N 32 22 8.89	W 103 39 35.48	
5969.00	14.95	292.84	5899.97	-146.62	239.52	-517.80	0.09	570.11	294.43	498685.60	749245.73	N 32 22 8.97	W 103 39 35.75	
6064.00	15.00	293.17	5991.74	-151.73	247.71	-540.58	0.72	594.63	294.62	498694.73	749222.95	N 32 22 9.06	W 103 39 36.01	
6159.00	15.08	295.67	6083.49	-157.94	257.90	-563.02	0.69	619.27	294.61	498704.93	749200.51	N 32 22 9.16	W 103 39 36.28	
6253.00	15.07	296.74	6174.25	-164.62	268.50	-585.04	0.02	643.72	294.65	498715.53	749178.48	N 32 22 9.27	W 103 39 36.53	
6348.00	15.10	295.95	6265.98	-171.36	279.26	-608.69	0.06	668.69	294.69	498726.21	749156.19	N 32 22 9.36	W 103 39 36.79	
6494.00	15.46	296.58	6406.82	-182.13	296.12	-641.89	0.31	706.90	294.65	498743.15	749121.64	N 32 22 9.55	W 103 39 37.19	
6588.00	15.40	297.23	6497.43	-189.47										

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N ° ° ' °)	Longitude (E/W ° ° ' °)
Second Bone Spring Intersection 100' FNL Crossing	10058.00	16.68	287.48	9818.50	-432.07	712.83	-1582.35	4.10	1735.50	294.25	499159.83	748181.22	N 32 22 13.73	W 103 39 48.13
	10152.00	23.15	255.90	9907.08	-426.34	712.37	-1613.26	13.12	1763.54	293.83	499159.38	748150.31	N 32 22 13.73	W 103 39 48.49
	10246.00	30.85	238.21	9990.90	-402.76	695.12	-1651.79	11.76	1792.09	292.82	499142.13	748111.79	N 32 22 13.56	W 103 39 48.94
	10341.00	32.50	224.51	10071.85	-365.54	664.05	-1690.43	7.75	1816.18	291.45	499111.06	748073.14	N 32 22 13.25	W 103 39 49.39
	10436.00	37.74	207.35	10149.72	-316.68	619.89	-1721.78	11.72	1829.97	289.80	499066.90	748041.79	N 32 22 12.82	W 103 39 49.76
	10531.00	42.07	185.33	10222.66	-257.27	563.53	-1744.47	8.34	1853.23	287.90	499010.55	748010.11	N 32 22 12.26	W 103 39 50.03
	10625.00	45.98	190.74	10290.27	-192.18	500.15	-1759.98	6.21	1829.67	285.86	498947.17	748003.60	N 32 22 11.64	W 103 39 50.21
	10720.00	50.84	187.13	10353.32	-121.18	429.99	-1770.92	5.85	1822.38	283.65	498877.01	747992.65	N 32 22 10.94	W 103 39 50.35
	10736.46	51.93	186.89	10363.60	-108.33	417.23	-1772.49	6.69	1820.94	283.25	498864.25	747991.08	N 32 22 10.82	W 103 39 50.36
	10738.00	52.03	186.87	10364.55	-107.12	416.02	-1772.64	6.69	1820.80	283.21	498863.05	747990.94	N 32 22 10.80	W 103 39 50.37
10815.00	57.11	185.85	10409.17	-44.52	353.69	-1779.57	6.69	1814.38	281.24	498800.71	747984.01	N 32 22 10.19	W 103 39 50.45	
10910.00	65.11	183.42	10455.04	38.23	270.96	-1786.22	8.71	1806.64	278.62	498717.88	747977.37	N 32 22 9.37	W 103 39 50.54	
11004.00	71.97	181.56	10489.41	124.94	183.51	-1789.98	7.53	1799.36	275.85	498630.54	747973.60	N 32 22 8.50	W 103 39 50.59	
11099.00	78.82	178.87	10513.35	215.50	91.65	-1790.29	7.71	1792.64	272.93	498538.68	747973.28	N 32 22 7.60	W 103 39 50.60	
11194.00	85.37	178.06	10526.41	307.70	-2.37	-1787.77	6.95	1787.77	269.92	498444.67	747975.81	N 32 22 6.66	W 103 39 50.57	
11289.00	86.31	179.14	10533.30	400.63	-97.09	-1785.45	1.50	1788.09	266.89	498349.96	747978.12	N 32 22 5.73	W 103 39 50.55	
11355.00	86.15	179.78	10537.64	465.41	-162.94	-1784.83	1.00	1792.25	264.78	498284.11	747978.74	N 32 22 5.08	W 103 39 50.55	
11544.00	89.49	182.28	10544.83	652.01	-351.73	-1788.23	2.21	1822.49	258.87	498095.92	747975.35	N 32 22 3.21	W 103 39 50.60	
11638.00	89.72	182.25	10545.48	745.19	-445.65	-1791.95	0.25	1846.53	256.03	498001.40	747971.63	N 32 22 2.28	W 103 39 50.65	
11732.00	89.52	181.97	10546.10	838.33	-539.59	-1795.41	0.37	1807.47	253.27	497907.47	747968.17	N 32 22 1.35	W 103 39 50.70	
11826.00	89.82	182.12	10546.65	931.47	-633.53	-1798.76	0.36	1907.07	250.60	497813.54	747964.82	N 32 22 0.42	W 103 39 50.75	
11920.00	89.94	182.33	10546.84	1024.64	-727.46	-1802.41	0.26	1943.68	248.02	497719.62	747961.17	N 32 21 59.49	W 103 39 50.80	
12014.00	89.40	181.99	10547.38	1117.79	-821.39	-1807.69	0.68	1983.97	245.82	497625.69	747957.22	N 32 21 58.56	W 103 39 50.85	
12108.00	89.54	180.07	10548.25	1210.68	-915.36	-1807.64	2.05	2026.19	243.14	497531.72	747955.93	N 32 21 57.63	W 103 39 50.87	
12297.00	89.23	180.11	10550.28	1396.94	-1104.35	-1807.94	0.27	2118.55	238.58	497342.74	747955.64	N 32 21 55.76	W 103 39 50.89	
12391.00	89.83	180.97	10551.05	1489.70	-1198.34	-1808.83	1.12	2169.76	236.48	497248.75	747954.75	N 32 21 54.83	W 103 39 50.91	
12485.00	89.23	179.93	10551.82	1582.44	-1292.34	-1809.56	1.28	2223.66	234.47	497154.76	747954.01	N 32 21 53.90	W 103 39 50.92	
12573.00	89.59	179.63	10553.76	1767.54	-1480.32	-1808.84	0.25	2337.36	230.70	496996.78	747954.74	N 32 21 52.04	W 103 39 50.93	
12661.00	89.80	179.77	10554.76	1952.60	-1688.32	-1807.86	0.13	2460.01	227.30	496878.79	747955.72	N 32 21 50.18	W 103 39 50.93	
12955.00	89.75	179.30	10555.13	2045.09	-1762.31	-1807.10	0.50	2524.15	225.72	496684.80	747956.48	N 32 21 49.25	W 103 39 50.93	
13049.00	89.50	179.01	10555.75	2137.46	-1856.30	-1805.71	0.41	2589.68	224.21	496590.82	747957.87	N 32 21 48.32	W 103 39 50.92	
13237.00	89.64	179.09	10557.16	2322.13	-2044.27	-1802.59	0.09	2725.51	221.41	496402.86	747960.99	N 32 21 46.46	W 103 39 50.90	
13331.00	89.59	178.65	10557.79	2414.41	-2138.25	-1800.74	0.47	2795.49	220.10	496308.88	747962.84	N 32 21 45.57	W 103 39 50.88	
13425.00	89.80	178.94	10558.29	2506.67	-2232.23	-1798.76	0.38	2866.77	218.86	496214.91	747964.52	N 32 21 44.60	W 103 39 50.85	
13519.00	89.27	178.85	10559.05	2598.96	-2326.21	-1796.95	0.57	2939.43	217.69	496120.93	747966.63	N 32 21 43.67	W 103 39 50.85	
13613.00	88.63	179.08	10560.77	2691.26	-2420.17	-1795.25	0.72	3013.33	216.57	496026.97	747968.33	N 32 21 42.74	W 103 39 50.84	
13707.00	88.68	179.49	10562.98	2783.64	-2514.14	-1794.08	0.44	3088.63	215.51	495933.01	747969.50	N 32 21 41.81	W 103 39 50.83	
13802.00	88.77	179.23	10565.09	2877.04	-2609.11	-1793.02	0.29	3165.81	214.50	495844.08	747970.56	N 32 21 40.87	W 103 39 50.82	
13906.00	88.45	179.26	10567.37	2969.41	-2703.08	-1791.78	0.34	3243.01	213.54	495744.08	747971.80	N 32 21 39.94	W 103 39 50.82	
13990.00	88.66	179.13	10569.74	3061.76	-2797.04	-1790.46	0.26	3321.02	212.62	495650.12	747973.12	N 32 21 39.01	W 103 39 50.81	
14084.00	88.56	178.70	10572.02	3154.03	-2890.99	-1788.68	0.47	3399.59	211.75	495556.17	747974.90	N 32 21 38.08	W 103 39 50.79	
14178.00	88.52	179.13	10574.42	3246.30	-2984.94	-1786.90	0.46	3478.92	210.91	495462.22	747976.68	N 32 21 37.15	W 103 39 50.78	
14272.00	88.51	178.12	10576.86	3338.47	-3078.88	-1784.65	1.07	3558.72	210.10	495368.29	747978.93	N 32 21 36.22	W 103 39 50.76	
14366.00	88.60	178.33	10579.23	3430.52	-3172.81	-1781.73	0.24	3638.86	209.32	495274.37	747981.84	N 32 21 35.29	W 103 39 50.73	
14460.00	88.65	178.55	10581.48	3522.64	-3266.75	-1778.18	0.24	3719.83	208.57	495180.43	747984.40	N 32 21 34.36	W 103 39 50.71	
14554.00	88.52	178.53	10583.86	3614.79	-3360.69	-1776.78	0.27	3801.47	207.87	495086.50	747986.79	N 32 21 33.43	W 103 39 50.69	
14649.00	89.29	178.44	10585.62	3707.92	-3455.64	-1774.27	0.82	3884.52	207.18	494991.55	747989.31	N 32 21 32.49	W 103 39 50.67	
14743.00	89.13	178.88	10586.91	3800.13	-3549.60	-1772.07	0.50	3967.36	206.53	494897.59	747991.50	N 32 21 31.56	W 103 39 50.65	
14837.00	88.45	178.51	10588.90	3892.33	-3643.56	-1769.93	0.82	4050.70	205.91	494803.64	747993.64	N 32 21 30.64	W 103 39 50.63	
14931.00	88.64	178.69	10591.29	3984.50	-3737.50	-1767.64	0.28	4134.42	205.31	494709.70	747995.94	N 32 21 29.71	W 103 39 50.61	
15025.00	88.74	179.83	10593.44	4076.88	-3831.46	-1766.42	1.22	4219.05	204.75	494615.57	747997.54	N 32 21 28.78	W 103 39 50.59	
15120.00	88.68	179.21	10595.57	4170.32	-3926.44	-1765.63	0.66	4305.15	204.21	494520.77	747997.95	N 32 21 27.84	W 103 39 50.60	
15214.00	88.61	179.34	10597.80	4262.70	-4020.40	-1764.44	0.16	4390.54	203.70	494426.81	747999.14	N 32 21 26.91	W 103 39 50.59	
15308.00	88.82	178.75	10599.91	4355.02	-4114.36	-1762.87	0.67	4476.13	203.19	494332.85	748000.70	N 32 21 25.98	W 103 39 50.58	
15403.00	88.80	178.82	10601.88	4448.24	-4209.32	-1760.86	0.08	4562.79	202.70	494237.90	748002.72	N 32 21 25.04	W 103 39 50.57	
15497.00	88.67	178.82	10603.95	4540.48	-4303.28	-1758.82	0.14	4648.87	202.23	494143.95	748004.65	N 32 21 24.11	W 103 39 50.55	
15592.00	88.70	179.11	10606.13	4633.75	-43983									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
		1	25.000	904.000	Act Strns	26.400	26.400	GYD_GC+DROP+OH						
		1	904.000	21199.000	Act Strns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS						

Taco Cat "27_34" Federal Com 24H
/ Oxy Taco Cat "27_34" Federal
Taco Cat "27_34" Federal Com 24H
/ Oxy Taco Cat "27_34" Federal
Com 24H Gyro+MWD 0' to

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐ ORDER NO. R-21777Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 75238

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 75238
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 75238

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 75238
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	RT expires on 07/05/22	4/5/2022