

Well Name: BISTI GALLUP 20	Well Location: T25N / R12W / SEC 20 / NESE / 36.384869 / -108.128049	County or Parish/State: SAN JUAN / NM
Well Number: 9	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM25448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004534002	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2660860

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 03/08/2022

Time Sundry Submitted: 02:04

Date Operation Actually Began: 02/09/2022

Actual Procedure: The subject well was Plugged & Abandoned on 02/09/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

EOW_Summary__Bisti_Gallup_20_9_20220308140441.pdf

Well Name: BISTI GALLUP 20

Well Location: T25N / R12W / SEC 20 / NESE / 36.384869 / -108.128049

County or Parish/State: SAN JUAN / NM

Well Number: 9

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM25448

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004534002

Well Status: Abandoned

Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD

Signed on: MAR 08, 2022 02:04 PM

Name: DJR OPERATING LLC

Title: Regulatory Specialist

Street Address: 1 Road 3263

City: Aztec

State: NM

Phone: (505) 632-3476

Email address: sford@djrlc.com

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 03/09/2022

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Bisti Gallup 20-9
API # 30-045-34002
NE/SE, Unit I, Sec 20, T25N, R12W
San Juan County, NM
Spud Date: 8-28-2008
Plug Date: 2-9-2022

7-15-2021:

MIRU rig and equipment. SITP = 0, SICP = 48, BH = 0.

Pull rods. TOOH with 2 3/8" production string.

Release rig.

2-7-2022:

MIRU rig and equipment.

TIH with bit and string mill to 4675'. TOOH.

TIH with 5 1/2" cement retainer, set CR at 4646'.

2-8-2022:

PT casing, casing, good test.

P&A Plug 1&2: Gallup perfs and Gallup formation top: Mix and pump 50 sx cement under CR into Gallup perfs. Sting out of CR, place 12 sx cement above CR from 4646' to 4546'.

P&A Plug 3: Mancos formation top: Pull up to 3828', mix and pump balanced plug of 20 sx from 3828' to 3656'.

P&A Plug 4: Mesa Verde formation top: Pull up to 1982', mix and pump balanced plug of 20 sx from 1982' to 1810'.

P&A Plug 5: Chacra formation top: Pull up to 1541', mix and pump balanced plug of 20 sx from 1541' to 1369'.

P&A Plug 6: Pictured Cliffs and Fruitland formation tops: Pull up to 1258', mix and pump balanced plug of 73 sx from 1258' to 635'.

P&A Plug 7: Kirtland and Ojo Alamo formation tops to surface: Pull up to 411', mix and pump balanced plug of 65 sx from 411' to surface.

2-9-2022:

Cut off WH. Install P&A marker, check TOCs. TOCs in casing and annulus at surface.

Mix 21 sx to top off cellar.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Dustin Porch, BLM

GPS Coordinates: Lat; 36.38488N, Long; 108.12805W

DJR Operating, LLC
P&A End of Well Report
Bisti Gallup 20-9
API # 30-045-34002
NE/SE, Unit I, Sec 20, T25N, R12W
San Juan County, NM
Spud Date: 8-28-2008
Plug Date: 2-9-2022



**End of Well Report
DJR Operating, LLC
Bisti Gallup 20-9
API # 30-045-34002
NE/SE, Unit I, Sec 20, T25N, R12W
San Juan County, NM**

GL 6342'
KB 6354'
Spud Date 8/28/2008 (Conductor, 15', 18")
11/13/2008 (Surf Csg)

SURF CSG


Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: J-55
ID: 8.097"
Depth 387'
Csg cap ft³: 0.3576
TOC: Surf

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	20'
Kirtland	411'
Fruitland	735'
Pictured Cliffs	1198'
Chacra	1481'
Mesa Verde	1915'
Mancos	3762'
Gallup	4646'

PROD CSG

Hole size 7.875"
Csg Size: 5.5"
Wt: 15.5#
Grade: J-55
ID: 4.95"
Depth 5146'
Csg cap ft³: 0.1336
Csg/Csg 0.1926
Ann ft³:
Csg/OH cap ft³: 0.1732
TOC: Circ surf



All Cement used was Class G mixed at 15.8 ppq, yield 1.15 ft³/ sx
Regulatory Representative: Dustin Porch, BLM
GPS Coordinates: 36.38488 N and 108.12805 W

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 88776

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 88776
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	3/21/2022