

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-25495
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Legacy Reserves Operating LP		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 10848, Midland, TX 79702		7. Lease Name or Unit Agreement Name Denton
4. Well Location Unit Letter O : 990 feet from the S line and 1980 feet from the E line Section 11 Township 15S Range 37E NMPM County Lea		8. Well Number #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3788' GL		9. OGRID Number 240974
		10. Pool name or Wildcat Denton (Devonian)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/04/22 Moved plugging equipment to location. **04/05/22** Dug out cellar. **04/07/22** ND well head, NU BOP. POH w/ 300 jts of tbg. **04/08/22** Tagged plug @ 11,161'. Spotted 25 sx class H cmt @ 10,350-10,147'. WOC. **04/11/22** Tagged plug @ 10,139'. Spotted 25 sx class H cmt @ 9930-9727'. WOC. Tagged plug @ 9719'. Spotted 25 sx class H cmt @ 8995-8792'. WOC. **04/12/22** Tagged plug @ 8771'. Circ'd hole w/ MLF. Spotted 25 sx class H cmt @ 7915-7712'. WOC. **04/13/22** Tagged plug @ 7693'. Spotted 25 sx class C cmt @ 7300-7053'. WOC. Tagged plug @ 7046'. Spotted 25 sx class C cmt @ 6645-6398'. WOC & tagged plug @ 6395'. **04/14/22** Perf'd @ 5980'. Pressured up to 800 PSI. Spotted 25 sx class C cmt @ 6030-5783'. WOC. Tagged plug @ 5773'. **04/18/22** ND BOP. RU Wireline & cut csg @ 4735'. NU BOP. POH w/ 18 jts of 5 1/2 csg. **04/19/22** POH w/ 102 jts of 5 1/2 csg. Spotted 70 sx class C cmt @ 4785-4463'. WOC. **04/20/22** Tagged plug @ 4517'. Spotted 55 sx class C cmt @ 3960-3757'. Spotted 55 sx class C cmt @ 3650-3447'. WOC. Tagged plug @ 3437'. Spotted 55 sx class C cmt @ 2950-2747'. WOC. Tagged plug @ 2741'. Spotted 55 sx class C cmt @ 2180-1977'. WOC. **04/21/22** Tagged plug @ 1966'. ND NOP. Spotted 120 sx class C mt @ 431' & circ'd to surface. **04/25/22** Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 8 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:


Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Tech DATE 4/26/22

Type or print name Melanie Reyes E-mail address: mreyes@legacyreserves.com PHONE: (432) 221-6358


For State Use Only

APPROVED BY:  TITLE Compliance Officer A DATE 4/28/22

Conditions of Approval (if any) 575-263-6633

Legacy		PLUGGED	
Author:	Abby BCM	Well No.	#1
Well Name	Denton	API #:	30-025-25495
Field/Pool	Denton (Devonian)	Location:	Sec 11, T15S, R37E
County	Lea		990 FSL & 1980 FEL
State	NM	GL:	3788
Spud Date	3/26/1977		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		54.45#	381	####	400	0
Inter Csg	8 5/8		32/24#	4,685	####	1,450	65
Prod Csg	5 1/2		17/20#	12,212	7 7/8	1,800	7,000



- 13 3/8 54.45# CSG @ 381
14. Spotted 120 sx class C mt @ 431' & circ'd to surface.
13. Spotted 55 sx class C cmt @ 2180-1977'. WOC & Tagged plug @ 1966'.
12. Spotted 55 sx class C cmt @ 2950-2747'. WOC. Tagged plug @ 2741'.
11. Spotted 55 sx class C cmt @ 3650-3447'. WOC. Tagged plug @ 3437'.
10. Spotted 55 sx class C cmt @ 3960-3757'.
- 8 5/8 32/24# CSG @ 4,685
9. cut csg @ 4735'. NU BOP. POH w/ 18 jts of 5 1/2 csg. POH w/ 102 jts of 5 1/2 csg. Spotted 70 sx class C cmt @ 4785-4463'. WOC & Tagged plug @ 4517'.
8. Perf'd @ 5980'. Pressured up to 800 PSI. Spotted 25 sx class C cmt @ 6030-5783'. WOC. Tagged plug @ 5773'.
7. Spotted 25 sx class C cmt @ 6645-6398'. WOC & tagged plug @ 6395'.
6. potted 25 sx class C cmt @ 7300-7053'. WOC. Tagged plug @ 7046'.
5. Spotted 25 sx class H cmt @ 7915-7712'. WOC & Tagged plug @ 7693'. S
4. Spotted 25 sx class H cmt @ 8995-8792'. WOC & Tagged plug @ 8771'.
3. Spotted 25 sx class H cmt @ 9930-9727'. WOC. Tagged plug @ 9719'.
2. Spotted 25 sx class H cmt @ 10,350-10,147'. Tagged plug @ 10,139'.
1. Tagged plug @ 11,161'.
- 5 1/2" CIBP @ 11,210 w/ 35' cmt cap on top
- Perfs @ 11,260-11,715


5 1/2 17/20# CSG @ #####

Formation	Top
Anhy	2080
T/Salt	2130
B/Salt	2900
Yates	3060
7 Rivers	3395
Queen	3675
GRBG	3960
San Andres	4585
Glorieta	5980
Blinbry	6645
Tubb	7245
Drinkard	7915
Abo	8995
Canyon	9905
Strawn	10240
Atoka	10355
Miss	10487
Dev	11255

TDPB @ 11,175
TD @ 12,206

Legacy		PLUGGED	
Author:	Abby BCM	Well No.	#1
Well Name	Denton	API #:	30-025-25495
Field/Pool	Denton (Devonian)	Location:	Sec 11, T15S, R37E
County	Lea		990 FSL & 1980 FEL
State	NM	GL:	3788
Spud Date	3/26/1977		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		54.45#	381	####	400	0
Inter Csg	8 5/8		32/24#	4,685	####	1,450	65
Prod Csg	5 1/2		17/20#	12,212	7 7/8	1,800	7,000



- 13 3/8 54.45# CSG @ 381
14. Spotted 120 sx class C mt @ 431' & circ'd to surface.
13. Spotted 55 sx class C cmt @ 2180-1977'. WOC & Tagged plug @ 1966'.
12. Spotted 55 sx class C cmt @ 2950-2747'. WOC. Tagged plug @ 2741'.
11. Spotted 55 sx class C cmt @ 3650-3447'. WOC. Tagged plug @ 3437'.
10. Spotted 55 sx class C cmt @ 3960-3757'.
- 8 5/8 32/24# CSG @ 4,685
9. cut csg @ 4735'. NU BOP. POH w/ 18 jts of 5 1/2 csg. POH w/ 102 jts of 5 1/2 csg. Spotted 70 sx class C cmt @ 4785-4463'. WOC & Tagged plug @ 4517'.
8. Perf'd @ 5980'. Pressured up to 800 PSI. Spotted 25 sx class C cmt @ 6030-5783'. WOC. Tagged plug @ 5773'.
7. Spotted 25 sx class C cmt @ 6645-6398'. WOC & tagged plug @ 6395'.
6. potted 25 sx class C cmt @ 7300-7053'. WOC. Tagged plug @ 7046'.
5. Spotted 25 sx class H cmt @ 7915-7712'. WOC & Tagged plug @ 7693'. S
4. Spotted 25 sx class H cmt @ 8995-8792'. WOC & Tagged plug @ 8771'.
3. Spotted 25 sx class H cmt @ 9930-9727'. WOC. Tagged plug @ 9719'.
2. Spotted 25 sx class H cmt @ 10,350-10,147'. Tagged plug @ 10,139'.
1. Tagged plug @ 11,161'.
- 5 1/2" CIBP @ 11,210 w/ 35' cmt cap on top
- Perfs @ 11,260-11,715

5 1/2 17/20# CSG @ #####

Formation	Top
Anhy	2080
T/Salt	2130
B/Salt	2900
Yates	3060
7 Rivers	3395
Queen	3675
GRBG	3960
San Andres	4585
Glorieta	5980
Blinbry	6645
Tubb	7245
Drinkard	7915
Abo	8995
Canyon	9905
Strawn	10240
Atoka	10355
Miss	10487
Dev	11255

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 101553

COMMENTS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 101553
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	4/29/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101553

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 101553
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	4/28/2022