

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number 30 - 025-46879	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code P	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters


¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 		OIL CONSERVATION DIVISION	
Printed name:		Approved by: PATRICIA MARTINEZ	
Title:		Title: PETROLEUM SPECIALIST	
E-mail Address:		Approval Date: 5/3/2022	
Date:	Phone:		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46879	Pool Code 31920	Pool Name Hobbs; Grayburg - San Andres
Property Code 19552	Property Name SOUTH HOBBS G/SA UNIT	Well Number 297
OGRID No. 157984	Operator Name OCCIDENTAL PERMIAN LTD.	Elevation 3621.4'


Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	5	19 SOUTH	38 EAST, N.M.P.M.		2443'	SOUTH	952'	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	5	19 SOUTH	38 EAST, N.M.P.M.		2450'	SOUTH	1424'	WEST	LEA
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Roni Mathew 1/7/2022
Signature Date

Roni Mathew
Printed Name
Regulatory Analyst Sr.
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

[Signature] 15079
Date of Survey

[Signature]
Signature and Seal of Professional Surveyor

[Signature] 1/31/2020
Certificate Number 15079

WO# 200120WL (KA)



Oxy USA Inc.

**Lea County, NM
South Hobbs G/SA Unit
SHU 297**

Wellbore #1

Design: Surveys

Standard Survey Report

24 March, 2020







Project: Lea County, NM
Site: South Hobbs G/SA Unit
Well: SHU 297
Depth Reference: GL 3621.4' + 12.5' KB @ 3633.90usft (Precision 194)
SHL Northing: 616199.95
SHL Easting: 856187.91
Rig: Precision 194
Plan: plan3



SECTION DETAILS										FORMATION TOP DETAILS		
MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Annotation	TVDPath	MDPath	Formation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		214.00	214.00	Triassic Red Beds
1800.00	0.00	0.00	1800.00	0.00	0.00	0.00	0.00	0.00	Start Build 2.00	1599.00	1599.00	Rustler
2950.00	23.00	88.54	2919.36	5.81	227.66	2.00	88.54	227.74	Start 42.92 hold at 2950.00 MD	1709.00	1709.00	Salt
2992.92	23.00	88.54	2958.87	6.24	244.43	0.00	0.00	244.51	Start Drop -2.00	2777.00	2797.00	Yates
4142.92	0.00	0.00	4078.23	12.05	472.09	2.00	180.00	472.24	Start 262.77 hold at 4142.92 MD	2984.00	3020.17	Seven Rivers
4405.69	0.00	0.00	4341.00	12.05	472.09	0.00	0.00	472.24	TD at 4405.69	3509.00	3569.87	Queen
										3814.00	3878.31	Grayburg
										4092.00	4156.69	San Andres (Zone 1)

DESIGN TARGET DETAILS							T G M	Azimuths to Grid North True North: -0.62° Magnetic North: 6.03° Magnetic Field Strength: 47970.7snT Dip Angle: 60.65° Date: 3/4/2020 Model: HDGM
Name	TVD	+N/-S	+E/-W	Northing	Easting	Shape		
SHU 297 p2 BHL	4341.00	12.05	472.09	616212.00	856660.00	Circle (Radius: 50.00)		





Survey Report



Company:	Oxy USA Inc.	Local Co-ordinate Reference:	Well SHU 297
Project:	Lea County, NM	TVD Reference:	GL 3621.4' + 12.5' KB @ 3633.90usft (Precision 194)
Site:	South Hobbs G/SA Unit	MD Reference:	GL 3621.4' + 12.5' KB @ 3633.90usft (Precision 194)
Well:	SHU 297	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	EDM 5000.14 Single User Db

Project	Lea County, NM		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	South Hobbs G/SA Unit		
Site Position:		Northing:	616,257.52 usft
From:	Map	Easting:	857,718.46 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 41' 19.686 N
		Longitude:	103° 10' 14.307 W
		Grid Convergence:	0.63 °

Well	SHU 297		
Well Position	+N/-S	0.00 usft	Northing: 616,199.95 usft
	+E/-W	0.00 usft	Easting: 856,187.91 usft
Position Uncertainty	2.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 41' 19.282 N
		Longitude:	103° 10' 32.220 W
		Ground Level:	3,621.40 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	3/4/2020	6.65	60.65	47,970.70000000

Design	Surveys				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	88.54	

Survey Program	Date	3/24/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
12.50	1,526.00	Survey #1_Gyro surveys (Wellbore #1)	GYD_G003_GC+DROP+	Gyrodata Stationary Tool drop on BHA on open h	
1,526.00	4,429.00	Survey #2_MWD Surveys (Wellbore #1)	B001Mb_MWD+HRGM	OWSG MWD + HRGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12.50	0.00	0.00	12.50	0.00	0.00	0.00	0.00	0.00	0.00	
Ground Level @ 12.50' MD										
99.00	0.46	259.55	99.00	-0.06	-0.34	-0.34	0.53	0.53	0.00	
First Gyro Survey@ 99.00' MD										
251.00	0.82	299.60	250.99	0.36	-1.89	-1.88	0.36	0.24	26.35	
407.00	1.36	304.22	406.96	1.96	-4.39	-4.34	0.35	0.35	2.96	
562.00	1.58	299.80	561.91	4.05	-7.76	-7.66	0.16	0.14	-2.85	



Survey Report



Company:	Oxy USA Inc.	Local Co-ordinate Reference:	Well SHU 297
Project:	Lea County, NM	TVD Reference:	GL 3621.4' + 12.5' KB @ 3633.90usft (Precision 194)
Site:	South Hobbs G/SA Unit	MD Reference:	GL 3621.4' + 12.5' KB @ 3633.90usft (Precision 194)
Well:	SHU 297	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	EDM 5000.14 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
718.00	2.01	304.42	717.83	6.67	-11.89	-11.71	0.29	0.28	2.96
874.00	2.36	306.58	873.72	10.13	-16.72	-16.46	0.23	0.22	1.38
1,029.00	2.58	306.67	1,028.58	14.11	-22.08	-21.72	0.14	0.14	0.06
1,184.00	3.00	312.12	1,183.39	18.92	-27.89	-27.40	0.32	0.27	3.52
1,417.00	2.82	310.79	1,416.09	26.75	-36.75	-36.06	0.08	-0.08	-0.57
1,526.00	2.77	314.13	1,524.96	30.34	-40.67	-39.89	0.16	-0.05	3.06
Latest Gyro Survey@ 1526.00' MD									
1,680.00	2.09	315.84	1,678.82	34.94	-45.30	-44.39	0.44	-0.44	1.11
First Scout MWD Survey@ 1680.00' MD									
1,859.00	5.73	72.24	1,857.53	40.02	-39.06	-38.02	3.86	2.03	65.03
2,038.00	7.49	85.98	2,035.35	43.56	-18.91	-17.79	1.32	0.98	7.68
2,218.00	10.94	91.08	2,213.00	44.06	9.88	11.00	1.97	1.92	2.83
2,397.00	14.90	88.97	2,387.43	44.15	49.89	51.00	2.23	2.21	-1.18
2,577.00	18.63	91.54	2,559.76	43.80	101.79	102.87	2.11	2.07	1.43
2,756.00	21.36	95.87	2,727.96	39.69	162.81	163.77	1.73	1.53	2.42
2,936.00	19.46	97.02	2,896.65	32.68	225.19	225.95	1.08	-1.06	0.64
3,115.00	16.63	97.03	3,066.83	25.90	280.21	280.78	1.58	-1.58	0.01
3,294.00	14.18	97.43	3,239.39	19.92	327.38	327.78	1.37	-1.37	0.22
3,474.00	11.27	95.67	3,414.95	15.34	366.75	367.03	1.63	-1.62	-0.98
3,653.00	9.37	93.98	3,591.04	12.60	398.70	398.89	1.07	-1.06	-0.94
3,833.00	9.07	92.27	3,768.72	11.02	427.49	427.64	0.23	-0.17	-0.95
4,012.00	7.02	97.50	3,945.95	9.03	452.44	452.52	1.21	-1.15	2.92
4,191.00	2.93	98.54	4,124.24	6.92	467.81	467.84	2.29	-2.28	0.58
4,372.00	3.56	97.58	4,304.95	5.49	477.96	477.94	0.35	0.35	-0.53
Latest Scout MWD Survey@ 4372.00' MD									
4,407.57	3.56	97.58	4,340.45	5.20	480.15	480.13	0.00	0.00	0.00
SHU 297 p2 BHL									
4,429.00	3.56	97.58	4,361.84	5.03	481.47	481.44	0.00	0.00	0.00
Projection to TD @ 4429.00' MD									

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
12.50	12.50	0.00	0.00	Ground Level @ 12.50' MD
99.00	99.00	-0.06	-0.34	First Gyro Survey@ 99.00' MD
1,526.00	1,524.96	30.34	-40.67	Latest Gyro Survey@ 1526.00' MD
1,680.00	1,678.82	34.94	-45.30	First Scout MWD Survey@ 1680.00' MD
4,372.00	4,304.95	5.49	477.96	Latest Scout MWD Survey@ 4372.00' MD
4,429.00	4,361.84	5.03	481.47	Projection to TD @ 4429.00' MD

Checked By: _____ Approved By: _____ Date: _____

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-46879		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN		
								3. State Oil & Gas Lease No.		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____								5. Lease Name or Unit Agreement Name South Hobbs G/SA Unit		
8. Name of Operator Occidental Permian LTD.								6. Well Number: 297		
10. Address of Operator P.O. BOX 4294, HOUSTON, TX 77210								11. Pool name or Wildcat Hobbs; Grayburg - San Andres		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	5	19S	38E		2443	South	952	West	Lea
BH:	K	5	19S	38E		2450	South	1424	West	Lea
13. Date Spudded 3/20/2020	14. Date T.D. Reached 3/23/2020		15. Date Rig Released 3/25/2020			16. Date Completed (Ready to Produce) 7/16/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3634 KB		
18. Total Measured Depth of Well 4429			19. Plug Back Measured Depth 4370			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CNL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 4181 - 4367 San Andres										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9-5/8"		36		1619		13-1/2"		525 sx		0
7"		26		4414		8-3/4"		925 sx		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						2-7/8"	4003			
26. Perforation record (interval, size, and number) 4181 - 4367 w/ 32 shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						4181 - 4367		5460 gals of 15% pad acid		
28. PRODUCTION										
Date First Production 7/26/2020		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) ESP				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 9/29/2021	Hours Tested 24 hrs.	Choke Size	Prod'n For Test Period	Oil - Bbl 112	Gas - MCF 1098	Water - Bbl. 2316	Gas - Oil Ratio 9.8			
Flow Tubing Press. 349	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 112	Gas - MCF 1098	Water - Bbl. 2316	Oil Gravity - API - (<i>Corr.</i>) 24				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Produced gas is reinjected as part of the South Hobbs Unit CO2 Flood								30. Test Witnessed By		
31. List Attachments C102, Directional Survey, CNL Log										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Roni Mathew			Printed Name		Title			Date		
E-mail Address roni_mathew@oxy.com			Roni Mathew		Regulatory Analyst, Sr			1/7/2022		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy		T. Cisco	T. Ojo Alamo	T. Penn 'C'
T. Salt	1655 MVD	T. Canyon	T. Kirtland-Fruitland	T. Penn 'D'
B. Salt		T. Strawn		
T. Yates	2740 MVD	T. Atoka	T. Pictured Cliffs	T. Leadville
T. 7 Rivers	2949 MVD	T. Miss	T. Cliff House	T. Madison
T. Queen	3508 MVD	T. Devonian	T. Menefee	T. Elbert
T. Grayburg		T. Siluro-Devonian	T. Point Lookout	T. McCracken
T. San Andres	4106 MVD	T. Montoya	T. Mancos	T. Ignacio Otzte
T. Glorieta		T. Simpson	T. Gallup	T. Granite
T. Paddock		T. McKee	Base Greenhorn	T. Poison Canyon
T. Blinebry		T. Ellenburger	T. Dakota	T. Raton
T. Tubb		T. Gr. Wash	T. Morrison	T. Vermejo
T. Drinkard		T. Bone Springs	T. Todilto	T. Trinidad SS
T. Abo		T. Santa Rosa	T. Entrada	T. Pierre
T. Wolfcamp		T. Cimaron	T. Wingate	T. Niobrara
T. Wolfcamp B Zone		Anhy.	T. Chinle	T. Sangre De Cristo
		T. Hueco	T. Permian	T. Magdalena
			T. Penn 'A'	Delaware
			T. Penn 'B'	

**OIL OR GAS
SANDS OR ZONES**

No. 1, from	to	No. 3, from	to
No. 2, from	to	No. 4, from	to

..... IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____


No. 2, from _____ to _____ feet _____

No. 3, from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

[illegible]

OCCIDENTAL PERMIAN LTD.
South Hobbs G/SA Unit 297
API No. 30-025-46879



13-1/2" hole @ 1619'
9-5/8" csg @ 1619'
w/ 525sx-TOC-12' Surf Circ

Perfs @ 4181-4367'

8-3/4" hole @ 4429'
7" csg @ 4414'
w/ 925sx-TOC-12'-Calc

PB-4370'

TD-4429'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 95399

ACKNOWLEDGMENTS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 95399
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 95399

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 95399
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	Submit the C-103 Completion Sundry as a [C-103] Sub. (Re) Completion (C-103T).	5/3/2022