Received by OCD: 5/6/2022 9:08:27 AM 1625 N. French Dr., Hobbs, NM 88240

Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Page 1 of 11 Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

☐AMENDED REPORT

APPL1	CATIC	N FOR	PERMIT	TO DRILL,	RE-EN'	TER, DEEPI	EN, PLUGBA	CK, OR A	ADD A ZONE	
	LOPERATOR Name and Address IACX Production, LLC. 5001 LBJ Freeway, Suite 300 Dallas, TX 75244							^{2.} OGRID N 329	Number 9877	
								^{3.} API Nu 30-005-6		
4. Prop. 32	erty Code 7963			Hard as	Property Na Nails AMD	me State Com			6. Well No.	
P-1		-		^{7.} St	ırface Loc	ation				
UL - Lot C	Section 27	Township 9S	Range 26E	Lot Idn	Feet from 660	n N/S Line North	Feet From 1980	E/W Lin- West	e County Chaves	
	_		7	8 Propose	ed Bottom	Hole Location				
UL - Lot	Section	Township	Range	Lot Idn	Feet from	n N/S Line	Feet From	E/W Line	e County	
				9. Pc	ol Inform	ation				
					Name Volfcamp (Gas)				Pool Code	
							1	***************************************	76750	
	rk Type A		^{12.} Well Type G	Additional Well Information 13. Cable/Rotary		^{14.} Lease Type State	15	15. Ground Level Elevation 3,778'		
	ultiple Y		17. Proposed Depth 5,948'	18 Formation Cisco			19. Contractor		^{20.} Spud Date	
Depth to Grou					ce from nearest fresh water well Distance to nearest surface water				face water	
⊠We will b	e using a c	losed-loop	system in lieu	of lined pits			I			
			21	Proposed Cas	sing and C	Cement Progran	1			
Туре		Size	Casing Size	Casing We	ight/ft	Setting Depth Sacks of C		f Cement	Estimated TOC	
Surface		25"	8.625"	24		1,105'	800 (ir	n place)	0(circ)	
Prod	7.8	75"	5.5"	15.5	5	6,170' 1300 (in		n place)	0(circ)	
			Casi	 ng/Cement Pro	ogram: Ac	lditional Comm	ents			
			***************************************		-					
	Trus		22		wout Prev	ention Progran		Т	the state of the s	
	Type Manual BOF	>		Working Pressure 3000 psi			Pressure	Manufacturer		
				3000 psi		300	00 psi	Willene	Whichever company is available	
of my knowle	dge and beli	ief.		rue and complete to	-	О	IL CONSERVA	TION DIV	ISION	
I further cert 19.15.14.9 (B Signature:	NMAE [ave compli , if applica	ed with 19.15.14. able.	9 (A) NMAC 🗌 :	and/or	Approved By:				
Printed name:	Keith Hutch	hens				Title:				
Title: Product						Approved Date:		Expiration Date	e:	
		chens@iacxi	production.com							
Date: 5/6/2022	2	***************************************	Phone: 575-4	16-3240		Conditions of Approv	/al Attached			

Well Name: Hard a	s Nails AMD State C	Com #5	Field:	Casing Pro	gram
Location: 660' FNL GL: 3,778'	& 1980' FWL Sec 27 Zero:	7-9S-26E Chave KB:	s County	8-5/8" 24# J55	1,105'
Spud Date: 10/13/ Comments: API No		pletion Date:		5-1/2" 15.5# J55	6,170'
			5.6	 Formation	Tops
			<u>Before</u>	Queen	472'
			Learning and the second	Penrose	570'
	7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	35 18 g 10_1		Grayburg	752'
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 Mars Mars Mars Mars Mars Mars Mars Mars		San Andres	983'
	1			Glorieta	2,100'
	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	101 to 20 to		Yeso	2,216'
12.25" hole	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	## 20 10 10 10 10 10 10 10 10 10 10 10 10 10		Tubb	3,647'
	P 10 1 10 10 1 1 1 1 1	6 to 2 to 5		Abo	4,407'
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10 10 10 10 10 10 10 10 10 10 10 1		Wolfcamp	5,086'
	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	្តប្តា ខ នេះ ទ នេះ ម នេះ ម នេះ		Wolfcamp B	5,188'
	**************************************	8.625" @	2 1,105'	Spear	5,438'
		w/800 s		Cisco	5,670'
	10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		THE STATE OF THE S	Strawn	5,794'
	" " " " " " " " " " " " " " " " " " "			Miss	5,920'
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			Silurian	5,949'
	1 22 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
7.875" hole	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
	20 m				

	" " " " " " " " " " " " " " " " " " "				
	11 ag 2 31 ag 32 a				
	\$\begin{array}{cccccccccccccccccccccccccccccccccccc	Cisco perfs	s: 5,676'-82' (24)		
	1	-			
RBP @ 5,706'	1,0 2,0 3,0 4,0 4,0 4,0 4,0 4,0 4,0 4,0 4,0 4,0 4				
	1 2 3 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Cisco perfs:	5,714'-26' (48)		
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Becommon property of the second control of			TOTAL SERVICE
CIRD @ F 048! +25!+	**************************************				
CIBP @ 5,948 +35 CMT	8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Silurian pe	erfs: 5,998'-6,010' (48)		
CIBP @ 5,948 +35 CMT	4 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-			
CIBP @ 5,948' +35' cmt					
CIBP @ 5,948 +35 CML		5.5" @ 6	5,170'		
CIBP @ 5,948 +35 CMT		5.5" @ 6 w/1300s			
CIBP @ 5,948 +35 CMI	FC: 6,144'	5.5" @ 6 w/1300s		Not to s	cale

Well Name: Hard as	Nails AMD State Co	om #5	Field:	Casing Pro	gram
Location: 660' FNL 8 GL: 3,778'	& 1980' FWL Sec 27- Zero:	9S-26E Chaves KB:	County	8-5/8" 24# J55	1,105'
Spud Date: 10/13/0 Comments: API No.	4 Comp	letion Date:		5-1/2" 15.5# J55	6,170'
				Formation	Tons
			<u>After</u>	Queen	472'
				Penrose	570'
	22.223 Filtra			Grayburg	752'
	The control of the			San Andres	983'
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Glorieta	2,100'
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Yeso	2,216'
12.25" hole	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			Tubb	3,647'
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$			Abo	4,407'
	**************************************			Wolfcamp	5,086'
				Wolfcamp B	5,188'
	10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (8.625" @	1,105'	Spear	5,438'
		w/800 sx		Cisco	5,670'
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		· · · · · · · · · · · · · · · · · · ·	Strawn	5,794'
	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			Miss	5,920'
	1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Silurian	5,949'
	1				
	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			-	
	# 1				
7.875" hole	1				
		-			
	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Wolfcamp	C "Spear" perfs: 5,4	454'-60'	
					411
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Cisco perfs: !	5,676'-82' (24)		
DDD @ F 7001	1 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				
RBP @ 5,706'	1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Cisco perfs: 5,	714'-26' (48)		
CIRD @ E 048! 125!	2 2 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				
CIBP @ 5,948' +35' cmt	1	Cit :	f F. 0001 5 0401 1 - 1		
		Silurian perf	fs: 5,998'-6,010' (48)		
		F F !! O C :	1701		
	1 0" 1	5.5" @ 6,1			
	EC: 6 144	w/1300sx	(Circ.)		
	FC: 6,144' TD: 6,170'			Not to s	cale
	111 0 1/11				

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

¹ API Number

State of New Mexico

Energy, Minerals & Natural Resources Department **QIL CONSERVATION DIVISION** 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

		_								
WF	$^{\mathrm{HL}}$	L	OCA	OITA	N AND	ACREA	GE D	EDICA	TION PL	AT

² Pool Code

				² I	Pool Code 3 Pool Name						
3	0-005-63687				76750	Foor Ranch; Wolfcamp (Gas)					
⁴ Property (Code					⁵ Property N	erty Name 6 Well Number				Vell Number
327963						Hard as Nails AMI	State Com				5
⁷ OGRID N	No.					⁸ Operator N	lame			9	Elevation
329877						IACX Production	on, LLC.				3,778'
						¹⁰ Surface I	Location			0	
UL or lot no.	Section	Township	Range		Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County
C	27	9S	26E			660	North	1980	Wes	st	Chaves
			п Во	tto	m Ho	le Location If	Different From	Surface	1		
UL or lot no.	Section	Township	Range		Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County
12 Dedicated Acres	13 Joint o	Infill 1	⁴ Consolidation	Code	¹⁵ Or	der No.					***************************************
320											
No allowable v division.	will be ass	igned to	this complet	ion	until al	ll interests have b	peen consolidated o	r a non-standare	d unit has	been app	proved by the
(16											

(940)	6006		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order
			Signature Date
			18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
			Date of Survey Signature and Seal of Professional Surveyor: Certificate Number

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

				1 – Plan D ffective May 25					
I. Operator: IACX Pro	oduction, LLC	2.	00	GRID: 329877		Da	te: 05/ 06	5_/_	2022
II. Type: ⊠ Original	☐ Amendmer	nt due to	□ 19.15.27	7.9.D(6)(a) NMA	.C □ 19.15.27.9.D	(6)(b)	NMAC □ (Other.	
If Other, please describe	e:					***************************************	1		
III. Well(s): Provide the be recompleted from a s	e following ir single well pa	nformat d or cor	ion for each nected to a	new or recomple central delivery p	eted well or set of point.	wells p	proposed to	be dri	lled or proposed to
Well Name	API		ULSTR	Footages	Anticipated Oil BBL/D	1	ticipated s MCF/D	P	Anticipated roduced Water BBL/D
Hard as Nails AMD State Com #5	30-005- 63687	C-27	-9S-26E	660'N 1980'W	0		435		0
IV. Central Delivery P V. Anticipated Schedu proposed to be recomple	le: Provide th	e follov	ving informa	ation for each nev	om #5 v or recompleted v ral delivery point.		L		27.9(D)(1) NMAC
Well Name	API	Sı	oud Date	TD Reached Date	Completion Commencement		Initial F		First Production Date
Hard as Nails AMD State Com #5	<u>30-005-</u> <u>63687</u>				5/26/2022		6/1/2022		6/7/2022

Wen Name	AII	Spud Date	Date	Commencement Date	Back Date	Date
Hard as Nails AMD State Com #5	<u>30-005-</u> <u>63687</u>			5/26/2022	6/1/2022	6/7/2022

- VI. Separation Equipment:

 Attach a complete description of how Operator will size separation equipment to optimize gas capture.
- VII. Operational Practices:

 Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.
- VIII. Best Management Practices:

 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☑ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well		API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

- XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.
- XII. Line Capacity. The natural gas gathering system \square will \square will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.
- XIII. Line Pressure. Operator \Box does \Box does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).
- ☐ Attach Operator's plan to manage production in response to the increased line pressure.
- XIV. Confidentiality:
 Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

Page 2 of 4

Section 3 - Certifications

Effective May 25, 2021 Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: Departor will be able to connect the well(\$) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production. taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In.

Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; power generation for grid; (b) compression on lease: (c) liquids removal on lease; (d) reinjection for underground storage; (e) reinjection for temporary storage; (f) (g) reinjection for enhanced oil recovery: (h) fuel cell production; and (i) other alternative beneficial uses approved by the division. **Section 4 - Notices** 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud: Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas (b) capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement. 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act. Signature: Printed Name: Keith Hutchens Title: Production Supervisor E-mail Address: keithhutchens@iacxproduction.com Date: 5/6/2022 Phone: 575-416-3240 OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form) Approved By: Title: Approval Date: Conditions of Approval:

IACX Production LLC

Natural Gas Management Plan - Attachment

- VI. IACX Production, LLC. production tank batteries include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool in conjunction with the total number of wells planned to or existing within the facility. Separation equipment is upgraded prior to well being drilled or completed, if determined to be undersized or needed. The separation equipment is designed and built according to the relevant industry specifications (API specification 12J and ASME Sec VIII DIv I). Other recognized industry publications such as the Gas Processors Suppliers Association (GPSA) are referenced when designing separation equipment to optimize gas capture.
- VII. IACX Production LLC will take the following actions to comply with the regulations listed in 19.15.27.8:
- A. IACX Production will maximize the recovery of natural gas by minimizing waste, as defined by 19.15.2 NMAC, of natural gas through venting and flaring. IACX Production will ensure that our wells will be connected to a natural gas gathering system with sufficient capacity to transport natural gas.
- B. All drilling operations will be equipped with a rig flare at least 100 feet from the nearest surface hole location. Rig flare will be utilized to combust any natural gas that is brought to surface during normal operations. In the case of emergency, flaring volumes will be reported appropriately.
- C. During completion operations any natural gas brought to surface will be flared rather than vented, where technically feasible. Immediately following completion operations, wells will flow to permanent separation equipment. Produced natural gas from separation equipment will be sent to sales. If natural gas does not meet gathering pipeline specifications, IACX Production will flare for 60 days or until natural gas meets the pipeline specifications. IACX Production will ensure flare is properly sized and is equipped with an automatic igniter or continuous pilot. Gas samples will be taken twice per week and natural gas will be routed into a gathering system as soon as the pipeline specifications are met.
- D. Natural gas will not be flared with the exception of 19.15.27.8(D)(1-4). If there is no adequate takeaway for the separator gas, wells will be shut-in until that natural gas gathering system is available with exception of emergency or malfunction situations. Volumes will be reported appropriately.
- E. IACX Production will comply with performance standards pursuant to 19.15.27.8(E)(1-8). All equipment will be designed and sized to handle maximum pressures to minimize waste. Storage tanks constructed after May 25, 2021 will be equipped with an automatic gauging system that reduces venting of natural gas. Flare stacks installed or replaced after May 25, 2021 will be equipped with an automatic ignitor or continuous pilot. IACX Production will conduct AVO inspections as described in 19.15.27.8(E)(5)(a) with frequencies specified in 19.15.27.8(E)(5)(b) and (c). All emergencies or malfunctions will be resolved as quickly and safely as possible to minimize waste.
- F. The volume of natural gas that is vented or flared as the result of an emergency or malfunction during drilling and/or completion operations will be estimated and reported accordingly. The volume of natural gas that is vented, flared or beneficially used during production operations, will be measured and reported accordingly. IACX Production will install equipment to measure the volume of natural gas

flared from existing piping or a flowline piped from equipment such as high-pressure separators, heater treaters, or VRUs associated with a well or facility associated with a well authorized by an APD after May 25, 2021 that has an average daily production of less than 60,000 cubic feet of natural gas. If metering is not practicable due to circumstances such as low flow rate or low pressure venting or flaring, IACX Production will estimate the volume of flared or vented natural gas. Measuring equipment will conform to industry standards and will not be equipped with a manifold

VIII. For maintenance activities involving production equipment and compression, venting will be limited to the depressurization of the subject equipment to ensure safe working conditions. For maintenance of production equipment, the associated producing wells will be shut-in to eliminate venting. For maintenance of VRUs, all natural gas normally routed to the VRU will be routed to flare.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 104873

CONDITIONS

Operator:	OGRID:
IACX Production LLC	329877
5001 LBJ Freeway, Suite 300	Action Number:
Dallas, TX 75244	104873
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
kpickford	Downhole Commingle Required	5/10/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	5/12/2022