Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ROELOFS Well Location: T29N / R8W / SEC 22 / County or Parish/State: SAN

NWNE / 36.71544 / -107.65945 JUAN / NM

Well Number: 4 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF078415 Unit or CA Name: Unit or CA Number:

US Well Number: 3004523490 Well Status: Producing Gas Well Operator: SIMCOE LLC

Notice of Intent

Sundry ID: 2670106

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 05/04/2022 Time Sundry Submitted: 02:13

Date proposed operation will begin: 06/13/2022

Procedure Description: It is intended to recomplete the subject well in the Blanco Mesaverde (pool 72319) and downhole commingle the existing Basin Dakota (pool 71599) with the Mesaverde. The production will be commingled per Oil Conservation Division Order Number 11363. Allocation and methodology will be provided after the well is completed. Commingling will not reduce the value of the production. Proposed perforations are: MV – 3830'-4530' These perforations are in MD. Please see the attached Procedure, Current and proposed WBD, Reclamation plan, and NGMP.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

ROELOFS 004 DK Proposed Schematic 20220504141244.pdf

ROELOFS_004_DK_Current_Schematic_20220504141231.pdf

Roelofs_004_Procedure_20220504141215.pdf

Roelofs_004_Recomplete_Reclamation_Plan_20220504141158.pdf

Roelofs_004_NGMPForm_Final_Signed_20220504141130.pdf

NM_APD_Air_Plan_2022_20220504141106.pdf

Well Location: T29N / R8W / SEC 22 /

NWNE / 36.71544 / -107.65945

County or Parish/State: SAN 2 of

Allottee or Tribe Name:

JUAN / NM

Well Number: 4

Type of Well: CONVENTIONAL GAS

Unit or CA Name: Lease Number: NMSF078415

Unit or CA Number:

US Well Number: 3004523490 Well Status: Producing Gas Well **Operator: SIMCOE LLC**

Conditions of Approval

Specialist Review

2670106 RCMPLTN 4 3004523490 KR 05052022 20220505100055.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: GINA DOERNER Signed on: MAY 04, 2022 02:12 PM

Name: SIMCOE LLC

Title: Regulatory Analyst

Street Address: 1199 MAIN AVENUE SUITE 101

City: DURANGO State: CO

Phone: (970) 852-0082

Email address: GINA.DOERNER@IKAVENERGY.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Kenneth Rennick

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved Disposition Date: 05/05/2022

eceined by OCP: 5/13/2022 8:27:52	AM State of New Mexico	Form <i>E</i> -103 of 1
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283	ON CONSERVATION BUNGAON	WELL API NO. 30-045-23490
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE X FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
87505		SF 078415
	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
`	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH	Roelofs
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well X Other	8. Well Number
2. Name of Operator	Gas Well A Guiei	9. OGRID Number
SIMCOE LI	LC	329736
3. Address of Operator		10. Pool name or Wildcat
1199 Main Avenue, Ste 101, Dur	ango, CO 81301	Blanco Mesaverde/Basin Dakota
4. Well Location	OOO C. C. A. NORTH II	1500 C. C. J. FAST
	990 feet from the NORTH line and	
Section 22	Township 29N Range 08W 11. Elevation (Show whether DR, RKB, RT, GR,	NMPM County SAN JUAN
	6730' GL	eic.)
of starting any proposed we proposed completion or rec It is intended to recomplete Dakota (pool 71599) with 11363. Allocation and met	PLUG AND ABANDON	DRILLING OPNS. P AND A DENT JOB DENT JO
Spud Date:	Rig Release Date:	edge and belief
SIGNATURE Gina Doerner	TITLE Regulatory Analyst	
Type or print name Gina Doerner For State Use Only	E-mail address: _gina.doerner(@ikavenergy.com PHONE: 970-852-0082
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any).		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Form C-102 August 1, 2011

Permit 315484

WELL LOCATION AND ACREAGE DEDICATION PLAT

Santa Fe, NM 87505

1. API Number	2. Pool Code	3. Pool Name						
30-045-23490	72319	BLANCO-MESAVERDE (PRORATED GAS)						
4. Property Code	5. Property Name	6. Well No.						
327695	Roelofs	004						
7. OGRID No.	8. Operator Name	9. Elevation						
329736	SIMCOE LLC	6730						


10. Surface Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	В	22	29N	W80		990	N	1580	E	San Juan

11. Bottom Hole Location If Different From Surface

Ĺ	JL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
1	2. Dedicated A 320	.cres .00 E/2		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Gina Doerner
Title: Regulatory Analyst

Date: 5/4/2022

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred Kerr, Jr.

Date of Survey: 3/22/1979

Certificate Number: 3950

Roelofs #004

B-22-29N-08W 990 FNL & 1580 FEL

API: 30-045-23490

MESAVERDE RECOMPLETION PROCEDURE


Procedure

- 1. MIRU service rig and equipment
- 2. NU BOPs. POOH w/ production tubing.
- 3. Set a CIBP 100' above top DK perf.
- 4. Load the casing and pressure test casing to max frac pressure.
- 5. Run CBL through lined section.
- 6. If necessary, perforate liner and pump Class G cement behind the liner to get good cement bond across MV interval.
- 7. ND BOPs. NU frac stack and test to max frac pressure.
- 8. RDMO service rig. MIRU frac spread.
- 9. Perforate and frac the MV from 5015' 5746'. RDMO frac spread.
- 10. MIRU service rig.
- 11. NU BOPs. RIH and clean out to DK CIBP.
- 12. When water and sand rates are acceptable, flow test the MV.
- 13. Drill out DK CIBP. POOH w/ tubing.
- 14. RIH and land production tubing. Obtain a commingled flow rate.
- 15. ND BOPs, NUWH.
- 16. RDMO service rig and put well on production.

GL: 6730' KB: 12'

ROELOFS 004-DK

Dakota API # 300452349000 SEC 22, T29N, R8W NEW MEXICO




Nipple Data

GL: 6730' KB: 12'

ROELOFS 004-DK

Dakota API # 300452349000 SEC 22, T29N, R8W NEW MEXICO



Nipple Data

- **IV. Separation Equipment**: A complete description of how Operator will size separation equipment to optimize gas capture.
 - SIMCOE production locations include separation equipment designed to separate gas from
 liquid phases. Equipment sizing is based on estimated volumes and pressures, as well as
 historical basin knowledge. Flowback separation equipment and production separation
 equipment will be utilized. Both of which are built and maintained to industry standards.
 Following the recompletion, gas will be sent to sales, depending on the gas composition. Since
 SIMCOE is performing work at an existing well location, which includes separation equipment,
 the well is already tied into an existing gas line therefore once the well is shown to meet
 pipeline spec it will go to sales.

VII. Operational Practices

- 1. Subsection (A) Venting and Flaring of Natural Gas
- SIMCOE understands the requirements of NMAC 19.15.27.8 which outlines that the venting or flaring of natural gas during drilling, completion, or production operations that constitutes waste as defined in 19.15.2 NMAC is prohibited. SIMCOE does not plan to flare.
- 2. Subsection (B) Venting and flaring during drilling operations
 - This application is not for drilling operations.
- 3. Subsection (C) Venting and flaring during completion or recompletion operations.
 - During initial flowback, SIMCOE will route flowback fluids into a completion or storage tank and, if technically feasible under the applicable well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - During separation flowback, SIMCOE will capture and route natural gas from the separation equipment to a gas flowline or collection system or use on-site as a fuel source or other purpose that a purchased fuel or raw material would serve.
 - Should natural gas not meet gathering pipeline quality specifications, rule 19.15.27.8.C.3 will be met.
- 4. Subsection (D) Venting and flaring during production operations.
 - For liquids unloading by manual purging, an operator will remain present on-site or remain within 30 minutes' drive time of location. Will take reasonable action to not vent after the well achieves a stabilized rate and pressure.
 - Plunger lift system will be optimized to minimize the venting of natural gas.
 - During downhole well maintenance, venting of natural gas will be minimized.
- 5. Subsection (E) Performance Standards
 - Completion and production separation equipment and storage tanks will be designed appropriately for anticipated throughout and pressure to minimize waste.
 - No flare stacks will be installed or operating at a production location.
 - AVO inspections will be conducted in accordance with 19.15.27.8.E.5
- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
- The estimation of vented natural gas will be completed in accordance with 19.15.27.8.F.5-6

VII. Best Management Practices

- 1. For recomplete activities, production facilities are already in place and the gathering system is already tied in so once the gas is sellable it will be sent down the line.
- 2. Low-bleed pneumatic devices will be installed at the production location.
- 3. The well will be shut in in the event of an emergency situation, or other operations where venting or flaring may occur due to equipment failures.

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: SIMCOE	I LLC		OGRID: _32	29736		Date: _4	<u>1 /6</u>	/ 2022
II. Type: 🛛 Original 🗆	☐ Amendment	due to □ 19.15.27.	9.D(6)(a) NMA(C □ 19.15.27.9.D(6)(b) N	MAC □ Ot	ther.	
If Other, please describe	»:	West of the second seco						
III. Well(s): Provide the be recompleted from a s	e following inf ingle well pad	formation for each 1 or connected to a c	new or recomple entral delivery p	ted well or set of voint.	wells pro	oposed to t	oe drill	ed or proposed to
Well Name	API	ULSTR	Footages 990FNL	Anticipated Oil BBL/D		cipated MCF/D		Anticipated oduced Water BBL/D
Roelofs 004	3004523490	B-22-29N-08W	1580FEL					חותם
V. Anticipated Schedu proposed to be recomple Well Name Roelofs 004	API 3004523490	e following informatingle well pad or con Spud Date NA	tion for each new meeted to a centr TD Reached Date NA	w or recompleted we ral delivery point. Completion Commencement NA	ı	et of wells p Initial Flo Back Da NA	low	ed to be drilled or First Production Date NA
NODOIS VOT	3004323470			1000				
VII. Separation Equiparts VII. Operational Practices Subsection A through F VIII. Best Manageme during active and plans	ctices: 🖾 Attac F of 19.15.27.8	ch a complete desc NMAC.	ription of the ac	ctions Operator wil	ll take to	o comply v	with th	ne requirements of

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

© Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system □ will □ will not	have capacity to gather 1	00% of the anticipated	natural gas
production volume from the well	prior to the date of first production.	- · ·	*	Ų

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same s	segment, or portion.	of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure ca	aused by the new w	ell(s).

Attach O	perator's	plan to	manage	production	in res	nonse to	the	increased	line	nressure

XIV. Confidentiality: U Operator asserts confidentiality pursuant to Section 71-2-8 NMSA	1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a fu	description of the specific information
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications

Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

© Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following:

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Aul But	
Printed Name: Julie Best	
Title: HSE Manager Operations	
E-mail Address: julie.best@ikavenergy.com	
Date: 4/26/22	
Phone: 970-822-8924	
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)	
Approved By:	
Title:	
Approval Date:	
Conditions of Approval:	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 106620

CONDITIONS

Operator:	OGRID:
SIMCOE LLC	329736
1199 Main Ave., Suite 101	Action Number:
Durango, CO 81301	106620
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
kpickford	DHC required	5/17/2022
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	5/17/2022