

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

COM

Well Name: INDIAN HILLS UNIT GAS Well Location: T21S / R24E / SEC 29 / County or Parish/State: EDDY /

LOT 5 /

Well Number: 3 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMLC064391B Unit or CA Name: INDIAN HILLS #3 Unit or CA Number:

NMNM71145

US Well Number: 3001510553 Well Status: Abandoned Operator: OXY USA WTP LP

Accepted for record – NMOCD gc 5/9/2022

Subsequent Report

Sundry ID: 2669032

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 04/27/2022 Time Sundry Submitted: 12:27

Date Operation Actually Began: 03/30/2022

Actual Procedure: null

SR Attachments

Actual Procedure

FINAL_WELLBORE_20220427122708.pdf

 $In dian_Hills_Unit_Gas_Com_3_FINAL_PLUGGING_REPORT_20220427122708.pdf$

County or Parish/State: EDD 1/2 eived by OCD: 5/4/2022 2:42:25 PM Well Name: INDIAN HILLS UNIT GAS Well Location: T21S / R24E / SEC 29 /

COM LOT 5/

Type of Well: CONVENTIONAL GAS **Allottee or Tribe Name:**

Unit or CA Name: INDIAN HILLS #3 Lease Number: NMLC064391B **Unit or CA Number:**

NMNM71145

US Well Number: 3001510553 Well Status: Abandoned Operator: OXY USA WTP LP

Operator

Well Number: 3

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK Signed on: APR 27, 2022 12:27 PM

Name: OXY USA WTP LP Title: Regulatory Engineer

Street Address: 5 Greenway Plaza, Suite 110

State: TX City: Houston

Phone: (713) 497-2417

Email address: stephen_janacek@oxy.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

Disposition: Accepted **Disposition Date:** 05/03/2022

Signature: James A. Amos

Page 2 of 2

Stephen Janacek

4/27/2022

Final Wellbore

INDIAN HILLS UNIT GAS COM #003

TD 9535'

30-015-10553-0000

Eddy

String 1 OD 13.375 in TD 240 ft TOC 0 ft

String 2 OD 9.625 in TD 2075 ft TOC 0 ft BLM APPROVED TO PERF AND CIRC 50 SX CL C CMT 382' TO SURF.

> PERF AND CIRC 350 SX CL C CMT 950'-SURF'. CEMENT DID NOT CIRCULATE. TAG @ 382'

PERF AND SQZ 100 SX CL C CMT 2440'-2025'. WOC AND TAG @ 2019'.

PERF AND SQZ 35 SX CL C CMT 3154'-3054'. WOC AND TAG @ 3010'

PERF AND SQZ 35 SX CL C CMT 5080-4930. WOC AND TAG @ 4903.

SPOT 75 SX CL C CMT 6760-6002. WOC AND TAG AT 5889.

SET CIBP AT 7212'. SPOT 35 SX CL C CMT 7212'-7020'

CIBP 7800' WITH 3 SX CMT IN 1965

30 SX CMT 9250'-9100' IN 1965

TOC 0 ft

String 3 OD 7 in 7654 ft TD 7843 ft TOC 6115 ft PBTD 7843 ft Indian Hills Unit Gas Com 3

30-015-10553

Final Summary

Set 5 ½" CIBP @ 7212'.Pick up 2 7/8" workstring tbg. Tagged CIBP @ 7212'. Circulated well with 160 bbls of MLB. Pressure tested 5 ½" csg to 500 psi. No pressure loss. Spotted 35 sx of Class H cmt. Cement Plugs in hole. Plug #1) Spotted 35 sx of Class H 16.4 ppg cmt on top of 7" CIBP. Tagged TOC @ 7020'. 4/13/22 Plug #2) Spotted 75 sx of Class C 14.8 ppg cmt from 6760'- 6002'. WOC & tagged TOC @ 5889'. 4/14/22 Plug #3) Perf & sqz 35 sx of Class C cmt from 5080-4930. WOC & tagged @4903'.WOC & tagged @ 4903'. 4/18/22 Plug #4) Perf & sqz 35 sx of Class C cmt from 3154-3024. WOC & Tagged TOC @3010'. 4/18/22 Plug #5) Perf & sqz 100 sx of Class C cmt from 2440-2025. WOC & Tagged TOC @ 2019'. 4/19/22 Plug #6) Pumped 350 sx of Class C 14.8 ppg cement. Cement did not circulate to surface. Out of the 7" csg. Lost circulation after 300 sx cmt. RIH with 2 7/8" tbg. Tagged cmt @ 382'. BLM approved to Circulate cmt to surface. Pumped 50 sx cmt from 382' to surface. POOH lay down 11 jts of 2 7/8" tbg.The 7" csg pressure up to 1000 psi with no loss of pressure in 10 min. Pumped 50 sx of Class C 14.8 ppg cmt down 9 5/8" csg. SICP 500 psi. Verified cement to surface.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 104168

CONDITIONS

Operator:	OGRID:
OXY USA WTP LIMITED PARTNERSHIP	192463
P.O. Box 4294	Action Number:
Houston, TX 772104294	104168
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
gcordero	None	5/9/2022