

Well Name: COMPROMISE SWD	Well Location: T18S / R27E / SEC 30 / SENE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMNM110346	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152566500X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Accepted for record – NMOCD gc 5/19/2022

Subsequent Report

Sundry ID: 2670405

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 05/05/2022	Time Sundry Submitted: 02:46
Date Operation Actually Began: 04/18/2022	

Actual Procedure: Please see attached subsequent P&A. Thank you.

SR Attachments

Actual Procedure

Compromise_SWD_1_5_5_22_20220505144641.pdf

Well Name: COMPROMISE SWD	Well Location: T18S / R27E / SEC 30 / SENE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name:
Lease Number: NMNM110346	Unit or CA Name:	Unit or CA Number:
US Well Number: 300152566500X1	Well Status: Abandoned	Operator: EOG RESOURCES INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TINA HUERTA	Signed on: MAY 05, 2022 02:46 PM
Name: EOG RESOURCES INCORPORATED	
Title: Regulatory Specialist	
Street Address: 104 SOUTH FOURTH STREET	
City: Artesia	State: NM
Phone: (575) 748-4168	
Email address: tina_huerta@eogresources.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: jamos@blm.gov
Disposition: Accepted	Disposition Date: 05/10/2022
Signature: James A. Amos	

**Compromise SWD 1 – Sub P&A
30-015-25665
H-30-18S-27E**

4/18/22 – MIRU and NU BOP. RIH with GR/JB to 8030'. Set a CIBP at 8004'. Ebru Barraza with BLM-Carlsbad on location to witness setting of CIBP. Tagged CIBP at 7970'. Texted Ebru Barraza with BLM, within 100' of top Canyon perf at 8054'.


4/19/22 – Pressured up to 500 psi, good. Called Ebru Barraza to confirm good pressure test. Spotted 50 sx Class H cement on top of CIBP to 7694', tagged. Ebru Barraza on location to witness tag.

4/20/22 - Spotted a 25 sx Class C cement plug from 6400'-6147' calc TOC. No tag required. Spotted a 25 sx Class C cement plug from 3809'-3556' calc TOC. No tag required. Spotted a 25 sx Class C cement plug from 3087'-2834' calc TOC. No tag required. Perforated at 1298'. Pressured up to 600 psi with no injection. Ebru Barraza said RIH 50' below perf and spot cement. Spotted a 25 sx Class C cement plug from 1349'-1046', tagged. Ebru Barraza with BLM on location to witness tag and was texted all operations for the day when not on location.

4/21/22 – Perforated at 448'. Pressured up to 600 psi, no injection. Ebru Barraza on location. Perforated at 423'. Pressured up to 600 psi, no injection. Spotted a 25 sx Class C cement plug from 496'-262', tagged. Ebru Barraza on location for operations. Perforated at 100'. Pressured up to 600 psi, no injection. Pumped 16 sx Class C cement from 164' and circulated up to surface. Topped off with cement. Texted pictures to Ebru Barraza with BLM of cement to surface.

4/26/22 - Cut off wellhead. Installed above ground dry hole marker as per BLM. Cover cellar and cut off anchors. **WELL IS PLUGGED AND ABANDONED.**

Compromise SWD #1



Sec-TWN-RNG: FOOTAGES:		Sec. 30-18S-27E 1980'FNL & 800'FEL		API: 30-015-25665 GL: 3281 KB: 3296					
CASING DETAIL									
#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	17 1/2	13 3/8	54.5	J55	0	398	400	Circ	
B	11	8 5/8	24	J55	0	1,248	700	Circ	
C	7 7/8	5 1/2	17	N80/J55	0	9,800	550	7600	Original CBL
								TOC 1575 after sqz per CBL	
FORMATION TOPS									
		Formation	Top			Formation	Top		
		San Andres	1420			Bone Spring	3750		
		Glorieta	3042			Wolfcamp	6335		
						Canyon	7905		
#	Joints	Description	Length	OD	ID	Grade	Wt (lb/ft):	Top (ftKB):	Btm (ftKB):
		2-7/8" EUE 6.5# Tubing and packer							7947
Additional Detail									
11/29/2001 Bradenhead squeeze 8 5/8 X 5 1/2 annulus with 100sx class C for casing hole 6315-6333									
Converted to SWD 1992.									
1992-Drilled up RBP @ 8000 & CIBP @ 8065 and push down to about 8400'. Perforate Canyon									
Perforation Detail									
	Formation	Top	Bottom		Treatment				
A	Morrow	9,370	9,382		w/1500 gals 7 1/2% MS acid and N2. w/10000 gals gelled 3%				
B	Atoka	9,255	9,283		w/1500 gals 7 1/2% Morrow acid				
C	Strawn	8,498	8,778		w/1500 gals 15% NEFE acid				
D	Canyon	8,054	8,153		w/5000 gals 20% NEFE				
E	Cisco	7,731	7,736		w/1500 gals 15% NEFE acid				
PLUGS									
#	SX	Class	Top	Bottom	Tag	Notes			
1	50	H	7694	7970	Y	CIBP			
2	25	C	6147	6400	N				
3	25	C	3556	3809	N				
4	25	C	2834	3087	N				
5	25	C	1046	1349	Y	Perforate			
6	25	C	262	496	Y	Perforate			
7	16	C	0	164	N	Perforate			
5/18/22									

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 108415

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 108415
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/19/2022