

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-30402
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG-9688
7. Lease Name or Unit Agreement Name Triangle Ranch ASW State Com
8. Well Number 1
9. OGRID Number 7377
10. Pool name or Wildcat Red Tank Draw; Atoka-Morrow

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A <input type="checkbox"/>	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>K</u> : <u>2310</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>13</u> Township <u>19S</u> Range <u>23E</u> NMPM <u>Eddy</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3857'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/29/22 - MIRU and NU BOP. Set a CIBP at 8275'. Dump bailed 2.6 sx Class "H" cement on top of CIBP to 8235', tagged.
 3/30/22 - Set a CIBP at 7926'. Spotted 30 sx Class "H" cement on top of CIBP to 7531', tagged.
 3/31/22 - Spotted a 30 sx Class "C" cement plug from 7123'-6670' calc TOC. Set a CIBP at 6247'. Spotted 30 sx Class "C" cement on top of CIBP to 5805', tagged.
 4/1/22 - Pressured up to 500 psi for 10 min, good. Spotted a 30 sx Class "C" cement plug from 4738'-4285' calc TOC. Spotted a 30 sx Class "C" cement plug from 3702'-3249' calc TOC. Perforated at 1255'. Pressured up to 500 psi, good. Spotted a 40 sx Class "C" cement plug from 1694'-1066', tagged.
 4/4/22 - Spotted a 20 sx Class "C" cement plug from 313' and circulated up to surface. Topped off with cement.
 4/25/22 - Cut off wellhead and installed above ground dry hole marker. Cut off anchors and cleaned location. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE May 5, 2022

Type or print name Tina Huerta E-mail address: tina.huerta@egoresources.com PHONE: 575-748-4168
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 5/9/2022
 Conditions of Approval (if any):

Triangle Ranch ASW State Com 1

Sec-TWN-RNG: 13 - T19S - R23E
FOOTAGES: 2310' FSL & 1980' FWLAPI: 30-015-30402
GR: 3857

Plug 8

Plug 7

Plug 6

Plug 5

Plug 4

Cisco Perfs 6297-6352


Plug 3

Plug 2

Atoka Perfs 7976-8094

Plug 1

Morrow Perfs 8325-8330

PBTD: MD
TD: 8,540 MD

CASING DETAIL

#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cmt	Circ/TOC	TOC Method
A	12 1/4	8 5/8	24	J-55	0	1,205	900	1" to surf	
B	7 7/8	4 1/2	11.6	N-80	0	8,535	1800	Surf	Calc

FORMATION TOPS

	Formation	Top (MD)		Formation	Top (MD)		Formation	Top (MD)	
	San Andres	258		Canyon	7060				
	Glorieta	1633		Strawn	7645				
	Abo	3630		Atoka	7962				
	Wolfcamp	4670		Morrow	8272				

PLUGS

#	SX	Class	Top	Bottom	Tag	Notes	
1	2.6	H	8235	8275	Y	CIBP	
2	30	H	7531	7926	Y	CIBP	
3	30	C	6670	7123	N		
4	30	C	5805	6247	Y	CIBP	
5	30	C	4285	4738	N		
6	30	C	3249	3702	N		
7	40	C	1066	1694	Y	Perforate	
8	20	C	0	313	N	Topped off cement to surface	

	Formation	Top	Bottom						
	Morrow	8,325	8,330	39000 gals binary foam w/ 15% fluid volume methanol, 50000# 20-40 econoprop, 84 tons CO2 and 4429000 scf N2					
	Atoka	7,976	8,094	w/50200 gals 70Q foam and 50000# 20-40 interprop. Acidized w/250 gals 7 1/2% Morrow acid					
	Cisco (unsuccessful)	6,297	6,352	1500 gals 15% iron control HCL acid and ball sealers					

5/5/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 104592

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 104592
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	5/9/2022