

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103

Revised August 1, 2011

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well X Other		WELL API NO. 30-015-31798 5. Indicate Type of Lease STATE X FEE 6. State Oil & Gas Lease No.
2. Name of Operator CHISHOLM ENERGY OPERATING, LLC		7. Lease Name or Unit Agreement Name LANCASTER SPRINGS UNIT
3. Address of Operator 801 CHERRY ST., SUITE 1200, UNIT 20, FORT WORTH, TEXAS 76102		8. Well Number 004
4. Well Location Unit Letter M : 500 feet from the SOUTH line and 160 feet from the WEST line Section 05 Township 22S Range 26E NMPM EDDY County		9. OGRID Number 372137
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,678' – GR		10. Pool name or Wildcat HAPPY VALLEY; MORROW (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒ X
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: WELL PLUGGED AND ABANDONED 04/14/22

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/07/22: TAG PBTD @ 11,017'; CIRC. WELL W/ M.L.F.; PUMP (50) SXS. CLASS "H" CMT. @ 11,017'; WOC X TAG TOC @ 10,582'; PRES. TEST 5-1/2" CSG. TO 500# X HOLD FOR 15 MINS.
 04/08/22: PUMP (40) SXS. CLASS "H" CMT. # 10,172'-9,889'; PUMP (25) SXS. CLASS "H" CMT. @ 8,695'-8,515'; PUMP (25) SXS. CLASS "H" CMT. @ 7,465'; WOC.
 04/09/22: TAG TOC @ 7,193' (OK'D BY OCD); PUMP (25) SXS. CLASS "C" CMT. @ 4,930'-4,790'.
 04/10/22: CUT 5-1/2" CSG. @ 2,335' – NOT FREE.
 04/11/22: PERF. SQZ. HOLES @ 2,382'; ATTEMPT TO EST. INJ. RATE – PRES. UP 500# X HOLD; PUMP (30) SXS. CLASS "C" CMT. @ 2,432' (PER OCD); WOC.
 04/13/22: TAG TOC @ 2,101'; PERF. X SQZ. (45) SXS. CLASS "C" CMT. @ 776'; WOC X TAG TOC @ 640'.
 04/14/22: PERF. X CIRC. TO SURF., FILLING ALL ANNULI, (70) SXS. CLASS "C" CMT. @ 200'-3'; DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; SPOT (5) SXS. CMT. X FILL TO CUTOFF; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

MIRU PXA EQUIP.: 03/30/22

RDMO PXA EQUIP.: 04/14/22

I hereby certify that the information above is true and complete to the best of my knowledge and

SIGNATURE  TITLE: AGENT

DATE: 04/14/22

Type or print name: DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM PHONE: 432.687.3033

For State Use Only

APPROVED BY:  TITLE: Staff Manager DATE: 4/21/2022

Conditions of Approval (if any):

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

LANCASTER SPRINGS UNIT 4

04/07/2022-TAG PBTB@ 11017'; CIRC. WELL W/ M.L.F.; PUMP 50 SXS CLASS H CMNT @ 11017'; WOC X TAG TOC @ 10852'; PRESSURE TEST 5.5" CSG TO 500# X HOLD FOR 15 MIN

04/08/2022-PUMP 40 SXS CLASS H CMNT @ 10172'-9889'; PUMP 25 SXS CLASS H CMNT @ 8695'-8515'; PUMP 25 SXS CLASS H CMNT @ 7465'; WOC

04/09/2022-TAG TOC @ 7193' (OK'D BY OCD); PUMP 25 SXS CLASS C CMNT @ 4930'-4790'

04/10/2022-CUT 5.5" CSG @ 2335'-NOT FREE.

04/11/2022-PERF. SQZ. HOLES @ 2382'; ATTEMPT TO EST INJ RATE-PRESSURE UP 500# X HOLD; PUMP 30 SXS CLASS C CMNT @ 2432' (PER OCD); WOC

04/13/2022-TAG TOC @ 2101'; PERF X SQZ. 45 SXS CLASS C CMNT @ 776'; WOC X TAG TOC @ 640'

04/14/2022-PERF X CIRC TO SURFACE, FILLING ALL ANNULI, 70 SXS CLASS C CMNT @ 200'-3'; DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; SPOT 5 SXS CMNT X FILL TO CUTOFF; WELD ON STEEL PLAT TO CSGS. X INSTALL DRY HOLE MARKER.

**Lancaster Spring Com 4
TA WELLBORE DIAGRAM**

CURRENT

Created: 03/18/17 By: RJDE
Updated: By:
Lease: Lancaster Spring Com
Field: Happy Valley (Morrow)
Surf. Loc.: 500' FSL & 160' FWL
Bot. Loc.: 919' FNL & 745' FWL
County: Eddy St.: NM
Status: Inactive Gas Well

Well #: 3 Lse: Fee
API: 30-015-31798
Unit Ltr.: M Section: 5
TSHP/Rng: 22S / 26E
Unit Ltr.: D Section: 8
TSHP/Rng: 22S / 26E
Cost Center: UCRD80810
CHEVNO: HD0085
OGRID: 4323

WELL PXA 04/14/22

Surface Casing


Size: 13-3/8"
Wt., Grd.: 54.5# & 61#, K-55
Depth: 726'
Cmt: 825 sx
Circulate: No
TOC: 340'
Hole Size: 17-1/2"

Intermediate Casing

Size: 9-5/8"
Wt., Grd.: 36#, J-55
Depth: 2,332'
Cmt: 990 sx
Circulate: Yes
TOC: Surface
Hole Size: 12-1/4"

Production Casing

Size: 5-1/2"
Wt., Grd.: 17#, P-110 & N-80
Depth: 11,874'
Cmt: 1,675 sx
Circulate: No
TOC: 2830'
Hole Size: 7-7/8"



PBTD: 11,754'
TD: 11,870'

DAE 04/14/22

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 99938

CONDITIONS

Operator: CHISHOLM ENERGY OPERATING, LLC 801 Cherry Street Fort Worth, TX 76102	OGRID: 372137
	Action Number: 99938
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	4/21/2022