

Well Name: RDX 9	Well Location: T26S / R30E / SEC 9 / SESE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM100558	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001536211	Well Status: Producing Oil Well	Operator: WPX ENERGY PERMIAN LLC

Accepted for record – NMOCD gc 6/7/2022

Notice of Intent

Sundry ID: 2672526

Type of Submission: Notice of Intent	Type of Action: Plug and Abandonment
Date Sundry Submitted: 05/19/2022	Time Sundry Submitted: 09:31
Date proposed operation will begin: 05/26/2022	

Procedure Description: Please see the attached proposed procedure and wellbore diagrams.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

RDX_9_1_NOI_P_A_SIGNED_CURRENT___PROPOSED_WELLBORE_20220519093054.pdf

Received by OCD: 6/6/2022 12:08:38 PM

Page 2 of 10

Well Name: RDX 9	Well Location: T26S / R30E / SEC 9 / SESE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM100558	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001536211	Well Status: Producing Oil Well	Operator: WPX ENERGY PERMIAN LLC

Conditions of Approval

Specialist Review
RDX_9_1_Sundry_ID_2672526_P_A_20220604131557.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LAUREN WATSON
Signed on: MAY 19, 2022 09:30 AM
Name: WPX ENERGY PERMIAN LLC
Title: Regulatory Compliance Professional
Street Address: 333 W. SHERIDAN AVE.
City: OKLAHOMA CITY State: OK
Phone: (405) 552-3379
Email address: LAUREN.WATSON@DVN.COM

Field

Representative Name:
Street Address:
City: State: Zip:
Phone:
Email address:

BLM Point of Contact

BLM POC Name: LONG VO
BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972
BLM POC Email Address: LVO@BLM.GOV
Disposition: Approved
Disposition Date: 06/04/2022
Signature: Long Vo

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

05/28/2022

Well Name: RDX 9	Well Location: T26S / R30E / SEC 9 / SESE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM100558	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001536211	Well Status: Producing Oil Well	Operator: WPX ENERGY PERMIAN LLC

Notice of Intent

LONG VO

Digitally signed by LONG VO
Date: 2022.06.04 08:39:13
-05'00'

Sundry ID: 2672526

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/19/2022

Time Sundry Submitted: 09:31

Date proposed operation will begin: 05/26/2022

Procedure Description: Please see the attached proposed procedure and wellbore diagrams.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

RDX_9_1_NOI_P_A_SIGNED_CURRENT___PROPOSED_WELLBORE_20220519093054.pdf

Well Name: RDX 9

Well Location: T26S / R30E / SEC 9 /
SESE /County or Parish/State: EDDY,
NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM100558

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001536211

Well Status: Producing Oil Well

Operator: WPX ENERGY
PERMIAN LLC**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LAUREN WATSON

Signed on: MAY 19, 2022 09:30 AM

Name: WPX ENERGY PERMIAN LLC

Title: Regulatory Compliance Professional

Street Address: 333 W. SHERIDAN AVE.

City: OKLAHOMA CITY

State: OK

Phone: (405) 552-3379

Email address: LAUREN.WATSON@DVN.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

Form 3160-5
(August 2007)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM100558

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE – Other instructions on page 2.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
WPX ENERGY PERMIAN, LLC3a. Address
333 West Sheridan Avenue, Oklahoma City, OK 73102-50153b. Phone No. (include area code)
405-228-30474. Location of Well (Footage, Sec., T., R., M., or Survey Description)
990 FSL 990 FEL, SEC 9, T-26S, R-30E

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.
RDX 9-19. API Well No.
30-015-3621110. Field and Pool or Exploratory Area
BRUSHY DRAW, DELAWARE EAST11. Country or Parish, State
EDDY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

1. MIRU P&A unit. Pull Pump & Rods. Unset TAC & TOOH with tubing

Set CIBP at 6360'. Spot 25 sx from 6360' to 6140'. Leak Test CIBP.

Spot from 3750' to 3520'. WOC and Tag. 25 sx

Perf and Squeeze from 1180' to surface. (In/Out) Verify at Surface. 328 sx.

9. Cut off WH 3' BGL, Set dryhole marker.

Cave/Karst: Medium

Sundry ID: 2672526

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)

Karsan Sprague

Title Production Engineer

Signature

Karsan Sprague

Date 05/17/2022

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

WPX ENERGY PERMIAN, LLC

Well Name: RDX 9 1	Field: Stateline North FLD
Location: 990 FSL 990 FEL SEC 9-T26S-R30E	County: Eddy State: New Mexico
Elevation: 3098' GL	Spud Date: 4/18/2008 Compl Date: 6/28/2008
API#: 30-015-36211 Prepared by: Karsan Sprague	Date: 5/17/22 Rev:

CURRENT WELLBORE

17-1/2" Hole
13-3/8", 54.5# @ 830'
 Cmt'd w/632 sx to surface

12-1/4" Hole
9-5/8", 36# @ 3624'
 Cmt'd w/1750 sx to surface

TOC @ 3160' (CBL)

Perforations: (Delaware)
 6410-6454'

7 5/8" Hole
5-1/2", 17# @ 7540'
 Cmt'd w/805 sx to 3160' (CBL)

Rod string: (12/6/2018)
 250 rods & 8 sinker bars
 Pump depth @ 6512'

Tubing string: (12/6/2018)
 203 joints 2-7/8", 6.5# L-80 Tubing
 EOT @ 6630'

9151' TVD

WPX ENERGY PERMIAN, LLC

Well Name: RDX 9 1	Field: Stateline North FLD
Location: 990 FSL 990 FEL SEC 9-T265-R30E	County: Eddy State: New Mexico
Elevation: 3098' GL	Spud Date: 4/18/2008 Compl Date: 6/28/2008
API#: 30-015-36211 Prepared by: Karsan Sprague	Date: 5/17/22 Rev:

PROPOSED WELLBORE

17-1/2" Hole
13-3/8", 54.5# @ 830'
 Cmt'd w/632 sx to surface

Proposed:
 1. Cut off WH 3' BGL, Set dryhole marker.

Proposed:
 1. Perf @ 1180'.
 2. Pump 328 sx CI C from 1180' to surface.
 Verify at Surface. (T. Salt @ 1130') (Shoe @ 830')
 (In/Out)

12-1/4" Hole
9-5/8", 36# @ 3624'
 Cmt'd w/1750 sx to surface

Proposed:
 2. Spot 25 sx CI C from 3750'-3520'. WOC & TAG
 (T. Delaware @ 3700'; Shoe @ 3624'; B. Salt @ 3565')

TOC @ 3160' (CBL)

Perforations: (Delaware)
 6410-6454'

Proposed:
 1. Set CIBP @ 6360'. Tag. Circ 10# salt gel. Leak test.
 2. Spot 25 sx CI C from 6360'-6140'.
 (Perfs @ 6410')

7 5/8" Hole
5-1/2", 17# @ 7540'
 Cmt'd w/805 sx to 3160' (CBL)

9151' TVD

Sundry ID

2672526

Plug Type	Top	Bottom	Length	Tag	Sacks	Notes
Surface Plug	0.00	1180.00	1180.00	Tag/Verify		
Shoe Plug	771.70	880.00	108.30	Tag/Verify		
						Perf and Squeeze from 1180' to surface. (In/Out). Verify at Surface.
Top of Salt @ 1130	1068.70	1180.00	111.30	Tag/Verify	328.00	
Delaware @ 3607	3520.93	3657.00	136.07	If solid		
						Spot from 3750' to 3520'. WOC and Tag.
Shoe Plug	3537.76	3674.00	136.24	Tag/Verify	25.00	
				If solid base no need to Tag (CIBP present and/or Mechanical Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio		
CIBP Plug	6325.00	6360.00	35.00	Perforatio	25.00	Set CIBP at 6360'. Spot 25 sx from 6360' to 6140'. Leak Test CIBP.
Perforations Plug (If No CIBP)	6339.46	6504.00	164.54	Tag/Verify		Not Necessary
				If solid base no need to Tag (CIBP present and/or Mechanical Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio		
Bonesprings @ 7408	7283.92	7458.00	174.08	Perforatio		Not Necessary
Shoe Plug	7414.60	7590.00	175.40	Tag/Verify		Not Necessary

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole.
Class H >7500'
Class C <7500'
Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.
Medium, Secretary: Top of salt to surface <i>If no salt take the deepest fresh water.</i>
High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater
R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft³/sx
--

Class H: 1.06 ft³/sx
--

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement	Medium	Top of Salt to surface	
Shoe @	830.00		
Shoe @	3624.00		
Shoe @	7540.00	TOC @	3160.00
Perforatons Top @	6410.00	Perforations	6454.00
		CIBP @	6360.00

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 113954

CONDITIONS

Operator: WPX Energy Permian, LLC Devon Energy - Regulatory Oklahoma City, OK 73102	OGRID: 246289
	Action Number: 113954
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/7/2022