

DISTRICT

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural ResourcesForm C-104  
Revised August 1, 2011Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

## I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                          |                                                 |                                                           |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br>TAP ROCK OPERATING, LLC<br>523 PARK POINT DRIVE, SUITE 200<br>GOLDEN, CO 80401 |                                                 | <sup>2</sup> OGRID Number<br>372043                       |
|                                                                                                                          |                                                 | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW |
| <sup>4</sup> API Number 46854<br>30 - 0 15-46874                                                                         | <sup>5</sup> Pool Name<br>PURPLE SAGE; WOLFCAMP | <sup>6</sup> Pool Code<br>98220                           |
| <sup>7</sup> Property Code<br>327308                                                                                     | <sup>8</sup> Property Name<br>NAILED IT FED COM | <sup>9</sup> Well Number<br>212H                          |

II. <sup>10</sup> Surface Location

| UI or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 3             | 36      | 26-S     | 30-E  | -       | 205'          | SOUTH            | 1840'         | WEST           | EDDY   |

<sup>11</sup> Bottom Hole Location

| UL or lot no.          | Section                             | Township                          | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County |
|------------------------|-------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|--------|
| K                      | 25                                  | 26-S                              | 30-E                              | -                                  | 2411'                               | SOUTH            | 1530'         | WEST           | EDDY   |
| <sup>12</sup> Lse Code | <sup>13</sup> Producing Method Code | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |        |
| F                      | F                                   | 10/28/2021                        |                                   |                                    |                                     |                  |               |                |        |

## III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                                      | <sup>20</sup> O/G/W |
|---------------------------------|---------------------------------------------------------------------------------|---------------------|
| 373554                          | SALT CREEK MIDSTREAM, LLC<br>20329 STATE HIGHWAY 249<br>HOUSTON, TX U.S.A 77070 | O                   |
| 373554                          | SALT CREEK MIDSTREAM, LLC<br>20329 STATE HIGHWAY 249<br>HOUSTON, TX U.S.A 77070 | G                   |
|                                 |                                                                                 |                     |
|                                 |                                                                                 |                     |
|                                 |                                                                                 |                     |
|                                 |                                                                                 |                     |

## IV. Well Completion Data

| <sup>21</sup> Spud Date | <sup>22</sup> Ready Date           | <sup>23</sup> TD        | <sup>24</sup> PBTB         | <sup>25</sup> Perforations | <sup>26</sup> DHC, MC |
|-------------------------|------------------------------------|-------------------------|----------------------------|----------------------------|-----------------------|
| 7/11/2021               | 10/28/2021                         | 15481'                  | 15413' 15414               | 11110' - 15329'            |                       |
| <sup>27</sup> Hole Size | <sup>28</sup> Casing & Tubing Size | <sup>29</sup> Depth Set | <sup>30</sup> Sacks Cement |                            |                       |
| 17.5"                   | 13.375"                            | 1166'                   | 850 SKS                    |                            |                       |
| 12.75"                  | 9.625"                             | 3666'                   | 1240 SKS                   |                            |                       |
| 8.75"                   | 7.625"                             | 10605'                  | 852 SKS                    |                            |                       |
| 6.75"                   | 5.5"                               | 15460'                  | 469 SKS                    |                            |                       |

## V. Well Test Data

|                                                                                                                                                                                                                                                                                                            |                                               |                                      |                                       |                                  |                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------------|---------------------------------------|----------------------------------|------------------------------------------|
| <sup>31</sup> Date New Oil<br>11/20/2021                                                                                                                                                                                                                                                                   | <sup>32</sup> Gas Delivery Date<br>11/20/2021 | <sup>33</sup> Test Date<br>12/1/2021 | <sup>34</sup> Test Length<br>24 HRS   | <sup>35</sup> Tbg. Pressure<br>0 | <sup>36</sup> Csg. Pressure<br>2580 5853 |
| <sup>37</sup> Choke Size<br>25/64                                                                                                                                                                                                                                                                          | <sup>38</sup> Oil<br>807                      | <sup>39</sup> Water<br>2537          | <sup>40</sup> Gas<br>3774             |                                  | <sup>41</sup> Test Method<br>Flowing     |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                               |                                      | OIL CONSERVATION DIVISION             |                                  |                                          |
| Printed name:<br>JEFF TRLICA                                                                                                                                                                                                                                                                               |                                               |                                      | Approved by: <b>PATRICIA MARTINEZ</b> |                                  |                                          |
| Title:<br>REGULATORY ANALYST                                                                                                                                                                                                                                                                               |                                               |                                      | Title: <b>PETROLEUM SPECIALIST</b>    |                                  |                                          |
| E-mail Address:<br>JTRLICA@GMAIL.COM                                                                                                                                                                                                                                                                       |                                               |                                      | Approval Date: <b>6/15/2022</b>       |                                  |                                          |
| Date:<br>12/28/2021                                                                                                                                                                                                                                                                                        |                                               | Phone:<br>720-772-5910               |                                       |                                  |                                          |

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources  
Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT  
**As Drilled**

## WELL LOCATION AND ACREAGE DEDICATION PLAT

|                                         |                                                        |                                                 |
|-----------------------------------------|--------------------------------------------------------|-------------------------------------------------|
| <sup>1</sup> API Number<br>33-015-46854 | <sup>2</sup> Pool Code<br>98220                        | <sup>3</sup> Pool Name<br>PURPLE SAGE; WOLFCAMP |
| <sup>4</sup> Property Code<br>327308    | <sup>5</sup> Property Name<br>NAILED IT FED COM        | <sup>6</sup> Well Number<br>212H                |
| <sup>7</sup> OGRID No.<br>372043        | <sup>8</sup> Operator Name<br>TAP ROCK OPERATING, LLC. | <sup>9</sup> Elevation<br>3018'                 |

<sup>10</sup>Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| 3             | 36      | 26-S     | 30-E  | -       | 205'          | SOUTH            | 1840'         | WEST           | EDDY   |

<sup>11</sup>Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| K             | 25      | 26-S     | 30-E  | -       | 2411'         | SOUTH            | 1530'         | WEST           | EDDY   |

|                               |                               |                                  |                         |
|-------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|-------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<sup>17</sup>OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*[Signature]*  
10/20/2021

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

<sup>18</sup>SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

02/06/2021

Date of Survey Signature and Seal of Professional Surveyor

*[Signature]*  
24508  
PROFESSIONAL SURVEYOR

Certificate Number



Operator: TapRock Resources LLC  
Well Name: Nailed It Fed Com 212H  
County: Eddy  
State: New Mexico  
Rig Name: H&P 312  
API: 30-015-46854

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists  
Survey Depths: 173' MD – 15,414' MD  
Projection to Bit: 15,481' MD  
Dates Performed: 08/10/2021 – 10/05/2021  
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk  
MWD Operations Manager  
Intrepid Directional Drilling Specialists





# **Tap Rock Resources, LLC**

**Eddy County, NM (NAD 83 NME)  
(Nailed It) Sec-36\_T-26-S\_R-30-E  
Nailed It Fed Com #212H**

**ST01**

**Design: AWB**

## **Standard Survey Report**

**06 October, 2021**





# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

|                    |                              |                      |                |
|--------------------|------------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy County, NM (NAD 83 NME) |                      |                |
| <b>Map System:</b> | US State Plane 1983          | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983    |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone      |                      |                |

|                              |                                  |                          |                   |
|------------------------------|----------------------------------|--------------------------|-------------------|
| <b>Site</b>                  | (Nailed It) Sec-36_T-26-S_R-30-E |                          |                   |
| <b>Site Position:</b>        |                                  | <b>Northing:</b>         | 364,471.00 usft   |
| <b>From:</b>                 | Map                              | <b>Easting:</b>          | 693,516.00 usft   |
| <b>Position Uncertainty:</b> | 0.0 usft                         | <b>Slot Radius:</b>      | 13-3/16 "         |
|                              |                                  | <b>Latitude:</b>         | 32° 0' 3.820 N    |
|                              |                                  | <b>Longitude:</b>        | 103° 50' 32.687 W |
|                              |                                  | <b>Grid Convergence:</b> | 0.26 °            |

|                             |                         |                            |                                  |
|-----------------------------|-------------------------|----------------------------|----------------------------------|
| <b>Well</b>                 | Nailed It Fed Com #212H |                            |                                  |
| <b>Well Position</b>        | <b>+N/-S</b>            | 0.0 usft                   | <b>Northing:</b> 364,354.00 usft |
|                             | <b>+E/-W</b>            | 0.0 usft                   | <b>Easting:</b> 695,077.00 usft  |
| <b>Position Uncertainty</b> | 0.0 usft                | <b>Wellhead Elevation:</b> | usft                             |
|                             |                         | <b>Latitude:</b>           | 32° 0' 2.591 N                   |
|                             |                         | <b>Longitude:</b>          | 103° 50' 14.565 W                |
|                             |                         | <b>Ground Level:</b>       | 3,018.0 usft                     |

|                  |                   |                    |                                            |
|------------------|-------------------|--------------------|--------------------------------------------|
| <b>Wellbore</b>  | ST01              |                    |                                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>                     |
|                  | HDGM              | 10/04/21           | 6.49                                       |
|                  |                   |                    | <b>Dip Angle (°)</b> 59.50                 |
|                  |                   |                    | <b>Field Strength (nT)</b> 47,455.09809919 |

|                          |                                |                      |                             |
|--------------------------|--------------------------------|----------------------|-----------------------------|
| <b>Design</b>            | AWB                            |                      |                             |
| <b>Audit Notes:</b>      |                                |                      |                             |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>        | ACTUAL                      |
|                          |                                | <b>Tie On Depth:</b> | 1,209.0                     |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b>  | <b>+E/-W (usft)</b>         |
|                          | 0.0                            | 0.0                  | 0.0                         |
|                          |                                |                      | <b>Direction (°)</b> 359.68 |

|                       |                  |                          |                  |                     |
|-----------------------|------------------|--------------------------|------------------|---------------------|
| <b>Survey Program</b> | <b>Date</b>      | 10/06/21                 |                  |                     |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b>  |
| 173.0                 | 1,209.0          | Intrepid MWD (OWB)       | MWD              | OWSG MWD - Standard |
| 1,231.0               | 15,481.0         | Intrepid MWD ST01 (ST01) | MWD              | OWSG MWD - Standard |

|                              |                        |                    |                              |                     |                     |                                |                                |                               |                              |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                                |                               |                              |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |
| 0.0                          | 0.00                   | 0.00               | 0.0                          | 0.0                 | 0.0                 | 0.0                            | 0.00                           | 0.00                          | 0.00                         |
| 173.0                        | 0.57                   | 90.89              | 173.0                        | 0.0                 | 0.9                 | 0.0                            | 0.33                           | 0.33                          | 0.00                         |
| 233.0                        | 0.53                   | 99.15              | 233.0                        | -0.1                | 1.4                 | -0.1                           | 0.15                           | -0.07                         | 13.77                        |
| 326.0                        | 0.44                   | 116.03             | 326.0                        | -0.3                | 2.2                 | -0.3                           | 0.18                           | -0.10                         | 18.15                        |
| 417.0                        | 0.35                   | 160.50             | 417.0                        | -0.7                | 2.6                 | -0.7                           | 0.34                           | -0.10                         | 48.87                        |
| 507.0                        | 0.35                   | 103.54             | 507.0                        | -1.0                | 2.9                 | -1.0                           | 0.37                           | 0.00                          | -63.29                       |
| 597.0                        | 0.26                   | 85.35              | 597.0                        | -1.1                | 3.4                 | -1.1                           | 0.15                           | -0.10                         | -20.21                       |
| 688.0                        | 0.09                   | 275.72             | 688.0                        | -1.0                | 3.5                 | -1.1                           | 0.38                           | -0.19                         | -186.41                      |
| 877.0                        | 0.62                   | 341.90             | 877.0                        | -0.1                | 3.1                 | -0.1                           | 0.31                           | 0.28                          | 35.02                        |
| 971.0                        | 0.84                   | 342.17             | 971.0                        | 1.1                 | 2.7                 | 1.1                            | 0.23                           | 0.23                          | 0.29                         |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

## Survey

| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| 1,064.0               | 3.16            | 311.23      | 1,063.9               | 3.4          | 0.6          | 3.4                     | 2.66                    | 2.49                   | -33.27                |
| 1,112.0               | 4.00            | 313.43      | 1,111.8               | 5.4          | -1.6         | 5.4                     | 1.77                    | 1.75                   | 4.58                  |
| 1,209.0               | 4.66            | 314.22      | 1,208.5               | 10.5         | -6.9         | 10.6                    | 0.68                    | 0.68                   | 0.81                  |
| 1,231.0               | 4.18            | 302.53      | 1,230.5               | 11.6         | -8.2         | 11.6                    | 4.63                    | -2.18                  | -53.14                |
| 1,263.0               | 3.47            | 279.15      | 1,262.4               | 12.3         | -10.2        | 12.4                    | 5.31                    | -2.22                  | -73.06                |
| 1,294.0               | 3.87            | 261.75      | 1,293.3               | 12.3         | -12.1        | 12.4                    | 3.80                    | 1.29                   | -56.13                |
| 1,326.0               | 4.09            | 254.37      | 1,325.3               | 11.9         | -14.3        | 12.0                    | 1.74                    | 0.69                   | -23.06                |
| 1,356.0               | 3.69            | 244.35      | 1,355.2               | 11.2         | -16.2        | 11.3                    | 2.62                    | -1.33                  | -33.40                |
| 1,388.0               | 3.34            | 229.84      | 1,387.1               | 10.1         | -17.8        | 10.2                    | 2.98                    | -1.09                  | -45.34                |
| 1,421.0               | 3.12            | 222.81      | 1,420.1               | 8.9          | -19.2        | 9.0                     | 1.37                    | -0.67                  | -21.30                |
| 1,515.0               | 2.20            | 193.46      | 1,514.0               | 5.2          | -21.3        | 5.3                     | 1.72                    | -0.98                  | -31.22                |
| 1,610.0               | 1.76            | 186.16      | 1,608.9               | 2.0          | -21.9        | 2.1                     | 0.53                    | -0.46                  | -7.68                 |
| 1,705.0               | 2.24            | 183.53      | 1,703.9               | -1.3         | -22.2        | -1.2                    | 0.51                    | 0.51                   | -2.77                 |
| 1,799.0               | 2.68            | 169.64      | 1,797.8               | -5.3         | -21.9        | -5.2                    | 0.78                    | 0.47                   | -14.78                |
| 1,894.0               | 2.33            | 189.94      | 1,892.7               | -9.4         | -21.8        | -9.3                    | 1.00                    | -0.37                  | 21.37                 |
| 1,988.0               | 2.33            | 231.25      | 1,986.6               | -12.5        | -23.7        | -12.3                   | 1.75                    | 0.00                   | 43.95                 |
| 2,083.0               | 3.08            | 249.53      | 2,081.5               | -14.6        | -27.6        | -14.4                   | 1.19                    | 0.79                   | 19.24                 |
| 2,178.0               | 3.82            | 251.46      | 2,176.3               | -16.5        | -33.0        | -16.3                   | 0.79                    | 0.78                   | 2.03                  |
| 2,272.0               | 4.09            | 241.71      | 2,270.1               | -19.1        | -38.9        | -18.8                   | 0.77                    | 0.29                   | -10.37                |
| 2,367.0               | 4.75            | 228.61      | 2,364.8               | -23.3        | -44.8        | -23.0                   | 1.27                    | 0.69                   | -13.79                |
| 2,461.0               | 4.66            | 227.56      | 2,458.5               | -28.4        | -50.5        | -28.1                   | 0.13                    | -0.10                  | -1.12                 |
| 2,557.0               | 4.26            | 227.65      | 2,554.2               | -33.4        | -56.1        | -33.1                   | 0.42                    | -0.42                  | 0.09                  |
| 2,651.0               | 4.66            | 235.64      | 2,648.0               | -37.9        | -61.8        | -37.6                   | 0.79                    | 0.43                   | 8.50                  |
| 2,837.0               | 5.19            | 239.78      | 2,833.3               | -46.4        | -75.3        | -46.0                   | 0.34                    | 0.28                   | 2.23                  |
| 2,932.0               | 4.62            | 231.25      | 2,927.9               | -51.0        | -82.0        | -50.5                   | 0.97                    | -0.60                  | -8.98                 |
| 3,025.0               | 4.57            | 208.66      | 3,020.6               | -56.6        | -86.7        | -56.1                   | 1.93                    | -0.05                  | -24.29                |
| 3,120.0               | 4.88            | 198.29      | 3,115.3               | -63.8        | -89.8        | -63.3                   | 0.95                    | 0.33                   | -10.92                |
| 3,215.0               | 5.98            | 177.64      | 3,209.9               | -72.5        | -90.8        | -72.0                   | 2.34                    | 1.16                   | -21.74                |
| 3,310.0               | 6.77            | 163.22      | 3,304.3               | -82.8        | -89.0        | -82.3                   | 1.87                    | 0.83                   | -15.18                |
| 3,404.0               | 4.84            | 165.42      | 3,397.8               | -92.0        | -86.4        | -91.5                   | 2.07                    | -2.05                  | 2.34                  |
| 3,499.0               | 2.90            | 191.96      | 3,492.6               | -98.2        | -85.9        | -97.7                   | 2.73                    | -2.04                  | 27.94                 |
| 3,594.0               | 2.81            | 214.64      | 3,587.5               | -102.5       | -87.7        | -102.0                  | 1.19                    | -0.09                  | 23.87                 |
| 3,621.0               | 2.90            | 213.94      | 3,614.5               | -103.6       | -88.5        | -103.1                  | 0.36                    | 0.33                   | -2.59                 |
| 3,767.0               | 2.55            | 220.26      | 3,760.3               | -109.1       | -92.7        | -108.6                  | 0.32                    | -0.24                  | 4.33                  |
| 3,861.0               | 2.64            | 219.91      | 3,854.2               | -112.4       | -95.4        | -111.9                  | 0.10                    | 0.10                   | -0.37                 |
| 3,956.0               | 2.64            | 221.32      | 3,949.1               | -115.7       | -98.2        | -115.2                  | 0.07                    | 0.00                   | 1.48                  |
| 4,049.0               | 2.64            | 212.79      | 4,042.0               | -119.1       | -100.8       | -118.6                  | 0.42                    | 0.00                   | -9.17                 |
| 4,144.0               | 3.65            | 210.16      | 4,136.9               | -123.6       | -103.5       | -123.0                  | 1.07                    | 1.06                   | -2.77                 |
| 4,239.0               | 4.79            | 227.29      | 4,231.6               | -128.9       | -108.0       | -128.3                  | 1.78                    | 1.20                   | 18.03                 |
| 4,334.0               | 4.66            | 226.59      | 4,326.3               | -134.2       | -113.7       | -133.6                  | 0.15                    | -0.14                  | -0.74                 |
| 4,429.0               | 4.48            | 224.31      | 4,421.0               | -139.5       | -119.1       | -138.9                  | 0.27                    | -0.19                  | -2.40                 |
| 4,521.0               | 4.62            | 224.04      | 4,512.7               | -144.8       | -124.2       | -144.1                  | 0.15                    | 0.15                   | -0.29                 |
| 4,615.0               | 4.44            | 223.43      | 4,606.4               | -150.1       | -129.3       | -149.4                  | 0.20                    | -0.19                  | -0.65                 |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,710.0               | 4.57            | 225.19      | 4,701.1               | -155.5       | -134.5       | -154.7                  | 0.20                    | 0.14                   | 1.85                  |
| 4,804.0               | 4.57            | 223.87      | 4,794.8               | -160.8       | -139.8       | -160.0                  | 0.11                    | 0.00                   | -1.40                 |
| 4,898.0               | 3.34            | 244.70      | 4,888.6               | -164.7       | -144.8       | -163.9                  | 1.99                    | -1.31                  | 22.16                 |
| 4,993.0               | 3.38            | 255.07      | 4,983.4               | -166.6       | -150.0       | -165.7                  | 0.64                    | 0.04                   | 10.92                 |
| 5,088.0               | 2.02            | 265.00      | 5,078.3               | -167.5       | -154.4       | -166.6                  | 1.51                    | -1.43                  | 10.45                 |
| 5,181.0               | 1.71            | 272.65      | 5,171.3               | -167.5       | -157.4       | -166.7                  | 0.43                    | -0.33                  | 8.23                  |
| 5,275.0               | 1.89            | 263.42      | 5,265.2               | -167.6       | -160.4       | -166.7                  | 0.36                    | 0.19                   | -9.82                 |
| 5,369.0               | 1.89            | 252.17      | 5,359.2               | -168.3       | -163.4       | -167.4                  | 0.39                    | 0.00                   | -11.97                |
| 5,558.0               | 1.80            | 252.26      | 5,548.1               | -170.2       | -169.2       | -169.2                  | 0.05                    | -0.05                  | 0.05                  |
| 5,652.0               | 1.80            | 250.67      | 5,642.0               | -171.1       | -172.0       | -170.1                  | 0.05                    | 0.00                   | -1.69                 |
| 5,746.0               | 1.89            | 248.92      | 5,736.0               | -172.1       | -174.8       | -171.2                  | 0.11                    | 0.10                   | -1.86                 |
| 5,842.0               | 1.58            | 217.10      | 5,831.9               | -173.8       | -177.1       | -172.8                  | 1.04                    | -0.32                  | -33.15                |
| 5,936.0               | 1.98            | 217.28      | 5,925.9               | -176.1       | -178.9       | -175.1                  | 0.43                    | 0.43                   | 0.19                  |
| 6,031.0               | 0.13            | 143.18      | 6,020.9               | -177.5       | -179.8       | -176.5                  | 2.05                    | -1.95                  | -78.00                |
| 6,124.0               | 1.36            | 56.44       | 6,113.9               | -177.0       | -178.8       | -176.0                  | 1.46                    | 1.32                   | -93.27                |
| 6,220.0               | 1.01            | 43.16       | 6,209.8               | -175.7       | -177.3       | -174.7                  | 0.46                    | -0.36                  | -13.83                |
| 6,315.0               | 0.57            | 29.89       | 6,304.8               | -174.7       | -176.5       | -173.7                  | 0.50                    | -0.46                  | -13.97                |
| 6,409.0               | 0.09            | 56.44       | 6,398.8               | -174.2       | -176.2       | -173.3                  | 0.52                    | -0.51                  | 28.24                 |
| 6,503.0               | 0.26            | 40.18       | 6,492.8               | -174.0       | -176.0       | -173.1                  | 0.19                    | 0.18                   | -17.30                |
| 6,599.0               | 0.09            | 27.34       | 6,588.8               | -173.8       | -175.8       | -172.8                  | 0.18                    | -0.18                  | -13.38                |
| 6,693.0               | 0.18            | 310.97      | 6,682.8               | -173.6       | -175.9       | -172.7                  | 0.19                    | 0.10                   | -81.24                |
| 6,788.0               | 0.31            | 220.53      | 6,777.8               | -173.7       | -176.2       | -172.8                  | 0.38                    | 0.14                   | -95.20                |
| 6,882.0               | 0.57            | 202.69      | 6,871.8               | -174.4       | -176.5       | -173.4                  | 0.31                    | 0.28                   | -18.98                |
| 6,977.0               | 0.70            | 203.30      | 6,966.8               | -175.3       | -176.9       | -174.3                  | 0.14                    | 0.14                   | 0.64                  |
| 7,072.0               | 0.92            | 195.65      | 7,061.8               | -176.6       | -177.3       | -175.6                  | 0.26                    | 0.23                   | -8.05                 |
| 7,166.0               | 1.41            | 202.60      | 7,155.8               | -178.4       | -178.0       | -177.4                  | 0.54                    | 0.52                   | 7.39                  |
| 7,260.0               | 0.79            | 196.36      | 7,249.8               | -180.1       | -178.6       | -179.1                  | 0.67                    | -0.66                  | -6.64                 |
| 7,354.0               | 0.66            | 188.45      | 7,343.8               | -181.2       | -178.9       | -180.2                  | 0.17                    | -0.14                  | -8.41                 |
| 7,450.0               | 0.22            | 289.52      | 7,439.8               | -181.7       | -179.1       | -180.7                  | 0.77                    | -0.46                  | 105.28                |
| 7,545.0               | 0.97            | 12.93       | 7,534.7               | -180.9       | -179.1       | -179.9                  | 1.02                    | 0.79                   | 87.80                 |
| 7,639.0               | 0.44            | 349.29      | 7,628.7               | -179.8       | -179.0       | -178.8                  | 0.63                    | -0.56                  | -25.15                |
| 7,734.0               | 0.62            | 251.55      | 7,723.7               | -179.6       | -179.6       | -178.6                  | 0.85                    | 0.19                   | -102.88               |
| 7,829.0               | 1.19            | 244.70      | 7,818.7               | -180.1       | -181.0       | -179.1                  | 0.61                    | 0.60                   | -7.21                 |
| 7,923.0               | 1.54            | 292.95      | 7,912.7               | -180.1       | -183.0       | -179.0                  | 1.23                    | 0.37                   | 51.33                 |
| 8,017.0               | 1.63            | 282.93      | 8,006.7               | -179.3       | -185.5       | -178.2                  | 0.31                    | 0.10                   | -10.66                |
| 8,109.0               | 1.05            | 303.50      | 8,098.6               | -178.5       | -187.4       | -177.5                  | 0.81                    | -0.63                  | 22.36                 |
| 8,204.0               | 1.01            | 22.69       | 8,193.6               | -177.3       | -187.8       | -176.2                  | 1.38                    | -0.04                  | 83.36                 |
| 8,300.0               | 0.79            | 65.93       | 8,289.6               | -176.2       | -186.9       | -175.2                  | 0.72                    | -0.23                  | 45.04                 |
| 8,394.0               | 0.35            | 69.79       | 8,383.6               | -175.9       | -186.1       | -174.8                  | 0.47                    | -0.47                  | 4.11                  |
| 8,489.0               | 0.57            | 292.16      | 8,478.6               | -175.6       | -186.2       | -174.5                  | 0.91                    | 0.23                   | -144.87               |
| 8,584.0               | 0.57            | 251.90      | 8,573.6               | -175.5       | -187.1       | -174.5                  | 0.41                    | 0.00                   | -42.38                |
| 8,679.0               | 0.84            | 238.72      | 8,668.6               | -176.1       | -188.2       | -175.0                  | 0.33                    | 0.28                   | -13.87                |
| 8,774.0               | 0.04            | 269.92      | 8,763.6               | -176.4       | -188.8       | -175.4                  | 0.85                    | -0.84                  | 32.84                 |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

## Survey

| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| 8,868.0               | 0.44            | 230.99      | 8,857.6               | -176.6       | -189.1       | -175.6                  | 0.44                    | 0.43                   | -41.41                |
| 8,963.0               | 1.01            | 236.96      | 8,952.6               | -177.3       | -190.1       | -176.3                  | 0.60                    | 0.60                   | 6.28                  |
| 9,057.0               | 0.84            | 32.79       | 9,046.6               | -177.2       | -190.4       | -176.1                  | 1.92                    | -0.18                  | 165.78                |
| 9,152.0               | 1.76            | 13.37       | 9,141.6               | -175.2       | -189.7       | -174.1                  | 1.06                    | 0.97                   | -20.44                |
| 9,246.0               | 2.59            | 349.29      | 9,235.5               | -171.7       | -189.7       | -170.6                  | 1.30                    | 0.88                   | -25.62                |
| 9,339.0               | 2.64            | 350.78      | 9,328.4               | -167.5       | -190.5       | -166.5                  | 0.09                    | 0.05                   | 1.60                  |
| 9,431.0               | 2.15            | 341.90      | 9,420.3               | -163.8       | -191.4       | -162.7                  | 0.67                    | -0.53                  | -9.65                 |
| 9,526.0               | 1.89            | 330.92      | 9,515.3               | -160.7       | -192.7       | -159.6                  | 0.49                    | -0.27                  | -11.56                |
| 9,620.0               | 1.89            | 319.40      | 9,609.2               | -158.2       | -194.4       | -157.1                  | 0.40                    | 0.00                   | -12.26                |
| 9,715.0               | 1.80            | 328.72      | 9,704.2               | -155.7       | -196.2       | -154.6                  | 0.33                    | -0.09                  | 9.81                  |
| 9,810.0               | 0.92            | 341.73      | 9,799.1               | -153.7       | -197.2       | -152.6                  | 0.98                    | -0.93                  | 13.69                 |
| 9,905.0               | 0.31            | 117.08      | 9,894.1               | -153.1       | -197.3       | -152.0                  | 1.22                    | -0.64                  | 142.47                |
| 9,999.0               | 0.35            | 225.27      | 9,988.1               | -153.4       | -197.2       | -152.3                  | 0.57                    | 0.04                   | 115.10                |
| 10,094.0              | 0.62            | 239.07      | 10,083.1              | -153.9       | -197.9       | -152.8                  | 0.31                    | 0.28                   | 14.53                 |
| 10,188.0              | 1.10            | 268.96      | 10,177.1              | -154.2       | -199.2       | -153.1                  | 0.68                    | 0.51                   | 31.80                 |
| 10,283.0              | 0.40            | 241.80      | 10,272.1              | -154.4       | -200.4       | -153.2                  | 0.81                    | -0.74                  | -28.59                |
| 10,376.0              | 0.84            | 239.51      | 10,365.1              | -154.9       | -201.3       | -153.7                  | 0.47                    | 0.47                   | -2.46                 |
| 10,470.0              | 2.29            | 232.39      | 10,459.1              | -156.4       | -203.4       | -155.2                  | 1.55                    | 1.54                   | -7.57                 |
| 10,564.0              | 2.86            | 226.06      | 10,553.0              | -159.1       | -206.5       | -158.0                  | 0.68                    | 0.61                   | -6.73                 |
| 10,615.0              | 2.99            | 224.39      | 10,603.9              | -161.0       | -208.4       | -159.8                  | 0.30                    | 0.25                   | -3.27                 |
| 10,717.0              | 2.20            | 250.39      | 10,705.8              | -163.5       | -212.1       | -162.3                  | 1.37                    | -0.77                  | 25.49                 |
| 10,810.0              | 18.51           | 354.28      | 10,797.2              | -149.3       | -215.3       | -148.1                  | 20.60                   | 17.54                  | 111.71                |
| 10,905.0              | 33.63           | 355.33      | 10,882.3              | -107.8       | -219.0       | -106.6                  | 15.92                   | 15.92                  | 1.11                  |
| 11,000.0              | 38.86           | 355.16      | 10,958.9              | -51.9        | -223.6       | -50.6                   | 5.51                    | 5.51                   | -0.18                 |
| 11,095.0              | 43.56           | 354.63      | 11,030.3              | 10.4         | -229.2       | 11.7                    | 4.96                    | 4.95                   | -0.56                 |
| 11,189.0              | 55.56           | 353.22      | 11,091.2              | 81.4         | -236.8       | 82.8                    | 12.82                   | 12.77                  | -1.50                 |
| 11,284.0              | 69.01           | 354.63      | 11,135.3              | 164.9        | -245.6       | 166.2                   | 14.22                   | 14.16                  | 1.48                  |
| 11,377.0              | 75.47           | 356.91      | 11,163.6              | 253.2        | -252.1       | 254.6                   | 7.33                    | 6.95                   | 2.45                  |
| 11,440.0              | 81.23           | 357.79      | 11,176.4              | 314.8        | -255.0       | 316.2                   | 9.24                    | 9.14                   | 1.40                  |
| 11,480.0              | 86.73           | 359.02      | 11,180.5              | 354.5        | -256.1       | 355.9                   | 14.09                   | 13.75                  | 3.08                  |
| 11,574.0              | 86.29           | 359.11      | 11,186.3              | 448.3        | -257.6       | 449.8                   | 0.48                    | -0.47                  | 0.10                  |
| 11,668.0              | 91.38           | 358.14      | 11,188.2              | 542.2        | -259.9       | 543.7                   | 5.51                    | 5.41                   | -1.03                 |
| 11,763.0              | 91.43           | 359.46      | 11,185.9              | 637.2        | -261.9       | 638.6                   | 1.39                    | 0.05                   | 1.39                  |
| 11,857.0              | 92.26           | 0.96        | 11,182.8              | 731.1        | -261.5       | 732.6                   | 1.82                    | 0.88                   | 1.60                  |
| 11,952.0              | 90.99           | 0.43        | 11,180.1              | 826.1        | -260.4       | 827.5                   | 1.45                    | -1.34                  | -0.56                 |
| 12,047.0              | 89.85           | 359.99      | 11,179.4              | 921.1        | -260.0       | 922.5                   | 1.29                    | -1.20                  | -0.46                 |
| 12,140.0              | 90.68           | 358.76      | 11,179.0              | 1,014.1      | -261.0       | 1,015.5                 | 1.60                    | 0.89                   | -1.32                 |
| 12,235.0              | 89.36           | 358.06      | 11,179.0              | 1,109.0      | -263.7       | 1,110.5                 | 1.57                    | -1.39                  | -0.74                 |
| 12,330.0              | 92.35           | 357.27      | 11,177.6              | 1,203.9      | -267.5       | 1,205.4                 | 3.26                    | 3.15                   | -0.83                 |
| 12,425.0              | 92.18           | 356.83      | 11,173.8              | 1,298.7      | -272.4       | 1,300.2                 | 0.50                    | -0.18                  | -0.46                 |
| 12,519.0              | 92.48           | 356.74      | 11,170.0              | 1,392.5      | -277.7       | 1,394.0                 | 0.33                    | 0.32                   | -0.10                 |
| 12,614.0              | 91.56           | 359.20      | 11,166.6              | 1,487.4      | -281.1       | 1,488.9                 | 2.76                    | -0.97                  | 2.59                  |
| 12,709.0              | 90.99           | 359.99      | 11,164.5              | 1,582.4      | -281.7       | 1,583.9                 | 1.03                    | -0.60                  | 0.83                  |
| 12,804.0              | 87.82           | 359.99      | 11,165.5              | 1,677.3      | -281.7       | 1,678.9                 | 3.34                    | -3.34                  | 0.00                  |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

## Survey

| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| 12,898.0              | 87.47           | 359.73      | 11,169.4              | 1,771.3      | -282.0       | 1,772.8                 | 0.46                    | -0.37                  | -0.28                 |
| 12,993.0              | 86.86           | 359.99      | 11,174.1              | 1,866.1      | -282.2       | 1,867.7                 | 0.70                    | -0.64                  | 0.27                  |
| 13,088.0              | 89.49           | 358.58      | 11,177.1              | 1,961.1      | -283.4       | 1,962.6                 | 3.14                    | 2.77                   | -1.48                 |
| 13,183.0              | 89.58           | 359.02      | 11,177.9              | 2,056.1      | -285.4       | 2,057.6                 | 0.47                    | 0.09                   | 0.46                  |
| 13,277.0              | 88.92           | 357.97      | 11,179.1              | 2,150.0      | -287.8       | 2,151.6                 | 1.32                    | -0.70                  | -1.12                 |
| 13,371.0              | 87.96           | 357.70      | 11,181.6              | 2,243.9      | -291.4       | 2,245.5                 | 1.06                    | -1.02                  | -0.29                 |
| 13,466.0              | 87.34           | 357.44      | 11,185.5              | 2,338.7      | -295.4       | 2,340.4                 | 0.71                    | -0.65                  | -0.27                 |
| 13,560.0              | 90.68           | 358.85      | 11,187.2              | 2,432.7      | -298.5       | 2,434.3                 | 3.86                    | 3.55                   | 1.50                  |
| 13,655.0              | 91.82           | 359.73      | 11,185.1              | 2,527.6      | -299.6       | 2,529.3                 | 1.52                    | 1.20                   | 0.93                  |
| 13,749.0              | 91.21           | 358.85      | 11,182.6              | 2,621.6      | -300.8       | 2,623.2                 | 1.14                    | -0.65                  | -0.94                 |
| 13,843.0              | 90.73           | 358.76      | 11,181.0              | 2,715.6      | -302.8       | 2,717.2                 | 0.52                    | -0.51                  | -0.10                 |
| 13,936.0              | 90.02           | 358.67      | 11,180.4              | 2,808.5      | -304.9       | 2,810.2                 | 0.77                    | -0.76                  | -0.10                 |
| 14,031.0              | 90.29           | 358.06      | 11,180.2              | 2,903.5      | -307.6       | 2,905.2                 | 0.70                    | 0.28                   | -0.64                 |
| 14,126.0              | 91.12           | 358.14      | 11,179.0              | 2,998.4      | -310.7       | 3,000.1                 | 0.88                    | 0.87                   | 0.08                  |
| 14,220.0              | 90.86           | 357.88      | 11,177.4              | 3,092.4      | -314.0       | 3,094.1                 | 0.39                    | -0.28                  | -0.28                 |
| 14,314.0              | 90.68           | 357.70      | 11,176.1              | 3,186.3      | -317.6       | 3,188.0                 | 0.27                    | -0.19                  | -0.19                 |
| 14,408.0              | 90.64           | 357.27      | 11,175.0              | 3,280.2      | -321.7       | 3,281.9                 | 0.46                    | -0.04                  | -0.46                 |
| 14,503.0              | 91.25           | 358.32      | 11,173.4              | 3,375.1      | -325.4       | 3,376.9                 | 1.28                    | 0.64                   | 1.11                  |
| 14,597.0              | 89.49           | 358.85      | 11,172.8              | 3,469.1      | -327.7       | 3,470.8                 | 1.96                    | -1.87                  | 0.56                  |
| 14,692.0              | 88.53           | 359.46      | 11,174.5              | 3,564.0      | -329.1       | 3,565.8                 | 1.20                    | -1.01                  | 0.64                  |
| 14,787.0              | 88.04           | 358.85      | 11,177.3              | 3,659.0      | -330.5       | 3,660.8                 | 0.82                    | -0.52                  | -0.64                 |
| 14,880.0              | 88.92           | 1.13        | 11,179.8              | 3,751.9      | -330.5       | 3,753.7                 | 2.63                    | 0.95                   | 2.45                  |
| 14,973.0              | 88.92           | 0.25        | 11,181.5              | 3,844.9      | -329.4       | 3,846.7                 | 0.95                    | 0.00                   | -0.95                 |
| 15,068.0              | 89.27           | 359.64      | 11,183.0              | 3,939.9      | -329.5       | 3,941.7                 | 0.74                    | 0.37                   | -0.64                 |
| 15,162.0              | 89.19           | 359.90      | 11,184.3              | 4,033.9      | -329.9       | 4,035.7                 | 0.29                    | -0.09                  | 0.28                  |
| 15,255.0              | 88.75           | 359.29      | 11,186.0              | 4,126.9      | -330.5       | 4,128.7                 | 0.81                    | -0.47                  | -0.66                 |
| 15,350.0              | 89.14           | 359.55      | 11,187.7              | 4,221.9      | -331.5       | 4,223.6                 | 0.49                    | 0.41                   | 0.27                  |
| 15,414.0              | 89.10           | 358.85      | 11,188.7              | 4,285.8      | -332.4       | 4,287.6                 | 1.10                    | -0.06                  | -1.09                 |
| 15,481.0              | 89.10           | 358.85      | 11,189.8              | 4,352.8      | -333.7       | 4,354.6                 | 0.00                    | 0.00                   | 0.00                  |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

## Design Targets

| Target Name<br>- hit/miss target<br>- Shape                                                                                                                                 | Dip Angle<br>(°) | Dip Dir.<br>(°) | TVD<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Northing<br>(usft) | Easting<br>(usft) | Latitude        | Longitude         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------|---------------|-----------------|-----------------|--------------------|-------------------|-----------------|-------------------|
| LTP (Nailed It Fed Co<br>- actual wellpath misses target center by 31.9usft at 15403.6usft MD (11188.6 TVD, 4275.5 N, -332.2 E)<br>- Point                                  | 0.00             | 0.00            | 11,182.0      | 4,276.0         | -301.0          | 368,630.00         | 694,776.00        | 32° 0' 44.921 N | 103° 50' 17.833 W |
| PBHL (Nailed It Fed C<br>- actual wellpath misses target center by 62.4usft at 15481.0usft MD (11189.8 TVD, 4352.8 N, -333.7 E)<br>- Point                                  | 0.00             | 359.68          | 11,182.0      | 4,406.0         | -302.0          | 368,760.00         | 694,775.00        | 32° 0' 46.207 N | 103° 50' 17.838 W |
| T1 (Nailed It Fed Com<br>- actual wellpath misses target center by 129.5usft at 11188.4usft MD (11090.9 TVD, 80.9 N, -236.8 E)<br>- Rectangle (sides W100.0 H1,785.0 D20.0) | 0.00             | 179.68          | 11,182.0      | -1.5            | -277.4          | 364,352.45         | 694,799.61        | 32° 0' 2.589 N  | 103° 50' 17.787 W |
| T2 (Nailed It Fed Com<br>- actual wellpath misses target center by 129.5usft at 11188.4usft MD (11090.9 TVD, 80.9 N, -236.8 E)<br>- Rectangle (sides W100.0 H2,728.6 D20.0) | 0.00             | 179.68          | 11,182.0      | -1.5            | -277.4          | 364,352.45         | 694,799.61        | 32° 0' 2.589 N  | 103° 50' 17.787 W |
| FTP (Nailed It Fed Co<br>- actual wellpath misses target center by 196.1usft at 11108.4usft MD (11039.9 TVD, 19.8 N, -230.1 E)<br>- Point                                   | 0.00             | 0.00            | 11,182.0      | -107.0          | -277.0          | 364,247.00         | 694,800.00        | 32° 0' 1.545 N  | 103° 50' 17.788 W |

## Formations

| Measured<br>Depth<br>(usft) | Vertical<br>Depth<br>(usft) | Name                 | Lithology | Dip<br>(°) | Dip<br>Direction<br>(°) |
|-----------------------------|-----------------------------|----------------------|-----------|------------|-------------------------|
| 1,066.1                     | 1,066.0                     | Rustler Anhydrite    |           |            |                         |
| 1,301.7                     | 1,301.0                     | Top Salt             |           |            |                         |
| 3,388.1                     | 3,382.0                     | Base Salt            |           |            |                         |
| 3,584.0                     | 3,577.5                     | Lamar                |           |            |                         |
| 3,584.5                     | 3,578.0                     | Delaware Mountain Gp |           |            |                         |
| 3,607.5                     | 3,601.0                     | Bell Canyon          |           |            |                         |
| 3,621.5                     | 3,615.0                     | Ramsey Sand          |           |            |                         |
| 4,801.2                     | 4,792.0                     | Cherry Canyon        |           |            |                         |
| 5,730.0                     | 5,720.0                     | Brushy Canyon        |           |            |                         |
| 7,521.2                     | 7,511.0                     | Bone Spring Lime     |           |            |                         |
| 7,616.3                     | 7,606.0                     | Upper Avalon         |           |            |                         |
| 7,990.8                     | 7,980.5                     | Middle Avalon        |           |            |                         |
| 8,270.4                     | 8,260.0                     | Lower Avalon         |           |            |                         |
| 8,450.4                     | 8,440.0                     | 1st Bone Spring Sand |           |            |                         |
| 8,942.4                     | 8,932.0                     | 2nd Bone Spring Carb |           |            |                         |
| 9,120.9                     | 9,110.5                     | 2nd Bone Spring Sand |           |            |                         |
| 9,683.3                     | 9,672.5                     | 3rd Bone Spring Carb |           |            |                         |
| 10,359.9                    | 10,349.0                    | 3rd Bone Spring Sand |           |            |                         |
| 10,663.2                    | 10,652.0                    | 3rd BS W Sand        |           |            |                         |
| 10,754.8                    | 10,743.5                    | Wolfcamp A X Sand    |           |            |                         |
| 10,855.7                    | 10,839.5                    | Wolfcamp A Y Sand    |           |            |                         |
| 10,941.1                    | 10,912.0                    | Wolfcamp A Lower     |           |            |                         |



# Intrepid Survey Report



|                  |                                  |                                     |                              |
|------------------|----------------------------------|-------------------------------------|------------------------------|
| <b>Company:</b>  | Tap Rock Resources, LLC          | <b>Local Co-ordinate Reference:</b> | Well Nailed It Fed Com #212H |
| <b>Project:</b>  | Eddy County, NM (NAD 83 NME)     | <b>TVD Reference:</b>               | KB @ 3044.0usft (H&P 312)    |
| <b>Site:</b>     | (Nailed It) Sec-36_T-26-S_R-30-E | <b>MD Reference:</b>                | KB @ 3044.0usft (H&P 312)    |
| <b>Well:</b>     | Nailed It Fed Com #212H          | <b>North Reference:</b>             | Grid                         |
| <b>Wellbore:</b> | ST01                             | <b>Survey Calculation Method:</b>   | Minimum Curvature            |
| <b>Design:</b>   | AWB                              | <b>Database:</b>                    | EDM 5000.15 Single User Db   |

## Design Annotations

| Measured<br>Depth<br>(usft) | Vertical<br>Depth<br>(usft) | Local Coordinates |                 | Comment                                             |
|-----------------------------|-----------------------------|-------------------|-----------------|-----------------------------------------------------|
|                             |                             | +N/-S<br>(usft)   | +E/-W<br>(usft) |                                                     |
| 10,907.4                    | 10,884.3                    | -106.5            | -219.1          | FTP @ 10907.4'MD, 100'FSL & 1620'FWL                |
| 15,404.3                    | 11,188.6                    | 4,276.1           | -332.2          | LTP @ 15404.3'MD, 330'FNL & 1530.5'FWL              |
| 15,414.0                    | 11,188.7                    | 4,285.8           | -332.4          | LAST SVY                                            |
| 15,481.0                    | 11,189.8                    | 4,352.8           | -333.7          | Projection to TD @ 15481'MD, 253.3'FNL & 1529.5'FWL |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

# Well Completion Print Report

12/28/2021

|                                             |                                        |                               |                                               |
|---------------------------------------------|----------------------------------------|-------------------------------|-----------------------------------------------|
| <b>Operator Name</b> TAP ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854              |
| <b>SHL Lot 3 Sec 36 26S 30E</b>             | <b>County</b> EDDY                     | <b>State</b> NM               | <b>Lease Number(s)</b> NMNM138850, NMNM138850 |
| <b>Well Type</b> CONVENTIONAL GAS WELL      | <b>Well Status</b> Drilling Well       | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                    |
| <b>Allottee/Tribe Name</b>                  | <b>Well Pad Name</b> Nailed It Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                         |

## Section 1 - General

|                                                           |                                           |                                  |
|-----------------------------------------------------------|-------------------------------------------|----------------------------------|
| <b>Well Completion Report Id:</b> 82477                   | <b>Submission Date:</b> N/A until DB Work |                                  |
| <b>BLM Office:</b> Carlsbad Field Office                  | <b>User:</b> JEFFREY TRLICA               | <b>Title:</b> Regulatory Analyst |
| <b>Federal/Indian:</b> FEDERAL                            | <b>Lease Number:</b> NMNM138850           | <b>Lease Acres:</b>              |
| <b>Agreement in place?:</b> NO                            | <b>Federal or Indian Agreement:</b>       |                                  |
| <b>Agreement Number:</b>                                  | <b>Agreement Name:</b>                    |                                  |
| <b>Keep this Well Completion Report confidential?:</b> NO |                                           |                                  |
| <b>APD Operator:</b> TAP ROCK OPERATING LLC               |                                           |                                  |

## Section 2 - Well Information

|                                                                  |                            |                                |
|------------------------------------------------------------------|----------------------------|--------------------------------|
| <b>Field/Pool or Exploratory:</b> Field/Pool                     | <b>Pool Name:</b> Wolfcamp | <b>Field Name:</b> PURPLE SAGE |
| <b>Well Type:</b> CONVENTIONAL GAS WELL                          |                            |                                |
| <b>Spud Date:</b> 07-11-2021                                     |                            |                                |
| <b>Date Total Measured Depth Reached:</b> 10-04-2021             |                            |                                |
| <b>Drill &amp; Abandon or Ready To Produce:</b> READY TO PRODUCE |                            |                                |
| <b>Well Class:</b> HORIZONTAL                                    |                            |                                |

## Section 3 - Geologic Formations

| Formation Name | Lithology | Describe Lithology | Elevation | TVD | MD  | Mineral Resources | Describe Mineral Resources |
|----------------|-----------|--------------------|-----------|-----|-----|-------------------|----------------------------|
| QUATERNARY     | OTHER     | None               | 3018      | 0   | 0   | NONE              |                            |
| RUSTLER        | ANHYDRITE |                    | 2185      | 872 | 872 | OTHER             | Salt                       |

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL</b> Lot 3 Sec 36 26S 30E                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Section 3 - Geologic Formations

| Formation Name  | Lithology | Describe Lithology | Elevation | TVD   | MD    | Mineral Resources | Describe Mineral Resources |
|-----------------|-----------|--------------------|-----------|-------|-------|-------------------|----------------------------|
| SALADO          | SALT      |                    | 1633      | 1423  | 1424  | OTHER             | Salt                       |
| BASE OF SALT    | SALT      |                    | -406      | 3386  | 3393  | OTHER             | Salt                       |
| LAMAR           | LIMESTONE |                    | -618      | 3583  | 3591  | NONE              |                            |
| BELL CANYON     | SANDSTONE |                    | -637      | 3617  | 3624  | NATURAL GAS, OIL  |                            |
| CHERRY CANYON   | SANDSTONE |                    | -1778     | 4792  | 4806  | NATURAL GAS, OIL  |                            |
| BRUSHY CANYON   | SANDSTONE |                    | -2731     | 5796  | 5811  | NATURAL GAS, OIL  |                            |
| BONE SPRING     | LIMESTONE |                    | -4480     | 7496  | 7512  | NATURAL GAS, OIL  |                            |
| BONE SPRING 1ST | SANDSTONE |                    | -5425     | 8450  | 8466  | NATURAL GAS, OIL  |                            |
| BONE SPRING 2ND | SANDSTONE |                    | -5775     | 9081  | 9098  | NATURAL GAS, OIL  |                            |
| BONE SPRING 3RD | SANDSTONE |                    | -6659     | 10340 | 10357 | NATURAL GAS, OIL  |                            |
| WOLFCAMP        | OTHER     | Shale              | -7718     | 10746 | 10758 | NATURAL GAS, OIL  |                            |

### Completion and Completed Intervals

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL</b> Lot 3 Sec 36 26S 30E                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Completion Data

| Wellbore Code | Completion Code | Interval Number | Case Number | Lease Number | Well Completion Type | Describe Well Completion Type | Completion Status | Date Completed | Date First Produced | Formation | Interval Top (MD) | Interval Bottom (MD) | Interval Perforated? | Perforation Size | Number of Holes | Status of Interval |
|---------------|-----------------|-----------------|-------------|--------------|----------------------|-------------------------------|-------------------|----------------|---------------------|-----------|-------------------|----------------------|----------------------|------------------|-----------------|--------------------|
| 00            | S8              | 1               | NMNM138850  | NMNM138850   | NEW                  |                               | PGW               | 10-28-2021     | 11-20-2021          | WOLFCA MP | 11110             | 15329                | Y                    | .55              | 430             | OPEN               |

### Treatment Data

| Wellbore Code | Completion Code | Interval Number | Interval Treated? | Treatment Type | Total Fluid (bbls) | Total Proppant (lbs) | Treatment Remarks                                                                                                                                                                                                                                                                                                                      |
|---------------|-----------------|-----------------|-------------------|----------------|--------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00            | S8              | 1               | Y                 | FRAC           | 228910             |                      | Spud well on 7/11/2021 at 19:45<br>10/4/2021: TD Reached at 15,481 ft MD, 11190 ft TVD. Rig Release on 10/7/2021 at 12:00.<br>10/13/2021: Pressure test casing to 5100 psi for 30 minutes, good test.<br>10/14/2021 to 10/24/2021: Perforate from 11110 ft to 15329 ft, 2 SPF, .55 inch holes with 430 total shots. 15 stage frac with |

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL</b> Lot 3 Sec 36 26S 30E                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Treatment Data

| Wellbore Code | Completion Code | Interval Number | Interval Treated? | Treatment Type | Total Fluid (bbls) | Total Proppant (lbs) | Treatment Remarks                                                                                                                                 |
|---------------|-----------------|-----------------|-------------------|----------------|--------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|               |                 |                 |                   |                |                    |                      | 10,524,540 lbs of 100 mesh sand. 10/27/2021: Drill out plugs Plug Back Measured depth at 15,414 ft MD, 11189 ft TVD. 10/28/2021: Ready to produce |

### Production Data

| Wellbore Code | Completion Code | Interval Number | API Oil Gravity | Gas Gravity | Production Method | Describe Production | Disposition of Gas | Describe Disposition |
|---------------|-----------------|-----------------|-----------------|-------------|-------------------|---------------------|--------------------|----------------------|
| 00            | S8              | 1               |                 |             | FLows FROM WELL   |                     | SOLD               |                      |

### Test Data

| Wellbore Code | Completion Code | Interval Number | Test Date  | Hours Tested | 24-Hour Rate Oil (bbls) | 24-Hour Rate Gas (MCF) | 24-Hour Rate Water(BWPD) | Gas-Oil Ratio (SCF/Bbl) | Choke Size | Tubing Pressure | Tubing Pressure Shut-In (psi) | Casing Pressure (psi) |
|---------------|-----------------|-----------------|------------|--------------|-------------------------|------------------------|--------------------------|-------------------------|------------|-----------------|-------------------------------|-----------------------|
| 00            | S8              | 1               | 12/01/2021 | 24           | 804                     | 3774                   | 2537                     | 4694                    | 25/64      |                 |                               | 5853                  |

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL Lot 3 Sec 36 26S 30E</b>                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Well Location

Survey Type: RECTANGULAR

Survey Number: 11401

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

|                   | State      | Meridian             | County | Latitude   | Longitude    | Elevation (MSL) | Lease Type | Lease Number | Plug TVD (ft) | Plug MD (ft) | Plug Type | NS-Foot | NS-Indicator | EW-Foot | EW-Indicator | Township | Range | Section | Aliquot/Lot/Tract |
|-------------------|------------|----------------------|--------|------------|--------------|-----------------|------------|--------------|---------------|--------------|-----------|---------|--------------|---------|--------------|----------|-------|---------|-------------------|
| SHL               | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.000719  | -103.8373782 | 3018            | STATE      | STATE        |               |              |           | 205     | FSL          | 1840    | FWL          | 26S      | 30E   | 36      | Lot 3             |
| KOP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.0004306 | -103.8380866 | -7866           | STATE      | STATE        |               |              |           | 100     | FSL          | 1620    | FWL          | 26S      | 30E   | 36      | Lot 3             |
| PPP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.0004306 | -103.8380866 | -7866           | STATE      | STATE        |               |              |           | 100     | FSL          | 1620    | FWL          | 26S      | 30E   | 36      | Lot 3             |
| PPP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.0060611 | -103.8382629 | -8158           | STATE      | STATE        |               |              |           | 0       | FSL          | 2148    | FWL          | 26S      | 30E   | 25      | SESW              |
| EXIT Well bore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.0124786 | -103.8383868 | -8171           | FEDERAL    | NMNM138850   |               |              |           | 2334    | FSL          | 1531    | FWL          | 26S      | 30E   | 25      | NESW              |
| BHL Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.0126886 | -103.8383904 | -8172           | FEDERAL    | NMNM138850   |               |              |           | 2411    | FSL          | 1530    | FWL          | 26S      | 30E   | 25      | NESW              |

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL</b> Lot 3 Sec 36 26S 30E                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Casing, Liner and Tubing

#### Casing and Liner

| Wellbore Code | Casing String Type | Hole Size | Top Setting Depth (MD) | Bottom Setting Depth (MD) | Casing Size | Wt(lbs/ft) | Casing Grade | Describe Other Casing Grade | Joint | Other Joint | Amount Pulled (ft) |
|---------------|--------------------|-----------|------------------------|---------------------------|-------------|------------|--------------|-----------------------------|-------|-------------|--------------------|
| 00            | SURFACE            | 17.5      | 0                      | 1166                      | 13.375      | 54.5       | J-55         |                             | BUTT  |             |                    |
| 00            | INTERMEDIATE       | 8.75      | 0                      | 3385                      | 7.625       | 29.7       | P-110        |                             | BUTT  |             |                    |
| 00            | INTERMEDIATE       | 12.25     | 0                      | 3666                      | 9.625       | 40         | J-55         |                             | BUTT  |             |                    |
| 00            | PRODUCTION         | 6.75      | 0                      | 10431                     | 5.5         | 20         | P-110        |                             | OTHER | TXP         |                    |
| 00            | INTERMEDIATE       | 8.75      | 3385                   | 10605                     | 7.625       | 29.7       | P-110        |                             | OTHER | W-411       |                    |
| 00            | PRODUCTION         | 6.75      | 10431                  | 15460                     | 5.0         | 18         | P-110        |                             | OTHER | W-441       |                    |

#### Cementing

| Wellbore Code | Casing String Type | Stage Tool Depth | Cement Lead Type | Cement Lead Qty (sks) | Cement Lead Yield (cu.ft/sks) | Cement Lead Top (MD) | Cement Tail Type | Cement Tail Qty (sks) | Cement Tail Yield (cu.ft/sks) | Cement Tail Top (MD) | Total (Lead + Tail) Cement Slurry Volume (bbls) |
|---------------|--------------------|------------------|------------------|-----------------------|-------------------------------|----------------------|------------------|-----------------------|-------------------------------|----------------------|-------------------------------------------------|
| 00            | SURFACE            |                  | Class C          | 560                   | 1.72                          | 0                    | Class C          | 390                   | 1.33                          | 1166                 | 263.9                                           |
| 00            | INTERMEDIATE       |                  | None             | 0                     | 0                             | 0                    |                  |                       |                               |                      | 0                                               |
| 00            | INTERMEDIATE       |                  | Class C          | 702                   | 1.83                          | 0                    | Class C          | 451                   | 1.33                          | 1767                 | 335.6                                           |
| 00            | PRODUCTION         |                  | None             | 0                     | 0                             | 0                    |                  |                       |                               |                      | 0                                               |

|                                                |                                           |                               |                                                  |
|------------------------------------------------|-------------------------------------------|-------------------------------|--------------------------------------------------|
| <b>Operator Name</b> TAP<br>ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED<br>COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854                 |
| <b>SHL</b> Lot 3 Sec 36 26S 30E                | <b>County</b> EDDY                        | <b>State</b> NM               | <b>Lease Number(s)</b><br>NMNM138850, NMNM138850 |
| <b>Well Type</b><br>CONVENTIONAL GAS<br>WELL   | <b>Well Status</b> Drilling Well          | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                       |
| <b>Allottee/Tribe Name</b>                     | <b>Well Pad Name</b> Nailed It<br>Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                            |

### Cementing

| Wellbore Code | Casing String Type | Stage Tool Depth | Cement Lead Type | Cement Lead Qty (sks) | Cement Lead Yield (cu.ft/sks) | Cement Lead Top (MD) | Cement Tail Type | Cement Tail Qty (sks) | Cement Tail Yield(cu.ft/sks) | Cement Tail Top (MD) | Total (Lead + Tail) Cement Slurry Volume (bbls) |
|---------------|--------------------|------------------|------------------|-----------------------|-------------------------------|----------------------|------------------|-----------------------|------------------------------|----------------------|-------------------------------------------------|
| 00            | INTERMEDIATE       |                  | Class C          | 669                   | 2.11                          | 3311                 | Class C          | 183                   | 1.35                         | 8371                 | 295.4                                           |
| 00            | PRODUCTION         |                  | None             | 0                     | 0                             | 0                    | Class C          | 469                   | 1.32                         | 5250                 | 110.3                                           |

### Tubing

| Wellbore Code | Tubing Size | Describe Other | Tubing Setting Depth (MD/ft) | Packer Depth (MD/ft) | Tubing Weight | Tubing Grade | Describe Other | Tubing Coupling | Describe Other |
|---------------|-------------|----------------|------------------------------|----------------------|---------------|--------------|----------------|-----------------|----------------|
| 00            |             |                |                              |                      |               |              |                |                 |                |

### Logs

| Wellbore Code | Log Upload | Was Well Cored? | Was DST Run? | Directional Survey? | Geologic Report Completed? | Wellbore Diagram |
|---------------|------------|-----------------|--------------|---------------------|----------------------------|------------------|
| 00            | YES        | NO              | NO           | YES                 | NO                         | NO               |

|                                             |                                        |                               |                                               |
|---------------------------------------------|----------------------------------------|-------------------------------|-----------------------------------------------|
| <b>Operator Name</b> TAP ROCK OPERATING LLC | <b>Well Name</b> NAILED IT FED COM     | <b>Well Number</b> 212H       | <b>US Well Number</b> 3001546854              |
| <b>SHL</b> Lot 3 Sec 36 26S 30E             | <b>County</b> EDDY                     | <b>State</b> NM               | <b>Lease Number(s)</b> NMNM138850, NMNM138850 |
| <b>Well Type</b> CONVENTIONAL GAS WELL      | <b>Well Status</b> Drilling Well       | <b>Agreement Name</b>         | <b>Agreement Number(s)</b>                    |
| <b>Allottee/Tribe Name</b>                  | <b>Well Pad Name</b> Nailed It Fed Com | <b>Well Pad Number</b> Slot 2 | <b>ID</b> 10400046737                         |

### Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

**Name:** TAP ROCK OPERATING LLC

**Signed By:** JEFFREY TRLICA

**Title:** Regulatory Analyst

**Signed on:** 12/21/2021

**Street Address:** 523 PARK POINT DRIVE SUITE 200

**City:** GOLDEN

**State:** CO

**Zip:** 80401

**Phone:** (720)772-5910

**Email address:** JTRLICA@TAPRK.COM

### Field Representative

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Extension:**

**Email address:**

### Attachments

TAPROCK\_PERMIAN\_NAILED\_IT\_FED\_COM\_\_20211221152818

Nailed\_It\_Fed\_Com\_\_20211221152835

Nailed\_It\_Fed\_Com\_\_20211221152840

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 69193

**ACKNOWLEDGMENTS**

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>69193                            |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 69193

CONDITIONS

|                                                                                  |                                                    |
|----------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>TAP ROCK OPERATING, LLC<br>523 Park Point Drive<br>Golden, CO 80401 | OGRID:<br>372043                                   |
|                                                                                  | Action Number:<br>69193                            |
|                                                                                  | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 6/15/2022      |