

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46874	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 202H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
3	36	26-S	30-E	-	230'	SOUTH	1840'	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	25	26-S	30-E	-	2404'	SOUTH	2137'	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/29/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 7/11/2021	²² Ready Date 10/29/2021	²³ TD 15348'	²⁴ PBTB 15282'	²⁵ Perforations 10965' - 15195'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1124'	850 SKS		
12.75"	9.625"	3624'	1030 SKS		
8.75"	7.625"	10435'	715 SKS		
6.75"	5.5"/5.0"	10219'/15328'	610 SKS		

V. Well Test Data

³¹ Date New Oil 11/20/2021	³² Gas Delivery Date 11/20/2021	³³ Test Date 12/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2580
³⁷ Choke Size 25/64	³⁸ Oil 704	³⁹ Water 2202	⁴⁰ Gas 3544		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: JEFF TRLICA			Approved by: PATRICIA MARTINEZ		
Title: REGULATORY ANALYST			Title: PETROLEUM SPECIALIST		
E-mail Address: JTRLICA@GMAIL.COM			Approval Date: 6/15/2022		
Date: 12/28/2021		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ **AMENDED REPORT**
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 33-015-46874	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM	
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 202H ⁹ Elevation 3018'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	36	26-S	30-E	-	230'	SOUTH	1840'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	25	26-S	30-E	—	2404'	SOUTH	2137'	WEST	EDDY

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
-------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.



10/20/2021

Signature _____

Date _____

Jeff Trlica

Printed Name _____

jtrlica@taprk.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

02/06/2023

Date of Survey _____
Signature and Seal of Professional Surveyor _____

Signature and Seal of Professional Surveyor

Certificate Number



Operator: TapRock Resources LLC.
Well Name: Nailed It Fed Com #202H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-46874

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 173' MD – 15,282' MD
Projection to Bit: 15,348' MD
Dates Performed: 07/11/2021 – 09/29/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Tap Rock Resources, LLC

**Eddy County, NM (NAD 83 NME)
(Nailed It) Sec-36_T-26-S_R-30-E
Nailed It Fed Com #202H**

OWB

Design: AWB

Standard Survey Report

30 September, 2021





Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	(Nailed It) Sec-36_T-26-S_R-30-E		
Site Position:		Northing:	364,471.00 usft
From:	Map	Easting:	693,516.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 0' 3.820 N
		Longitude:	103° 50' 32.687 W
		Grid Convergence:	0.26 °

Well	Nailed It Fed Com #202H		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 0' 2.839 N
		Longitude:	103° 50' 14.564 W
		Ground Level:	3,018.0 usft

Wellbore	OWB				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	09/25/21	6.49	59.50	47,457.77214183

Design	AWB				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	359.68	

Survey Program	Date	09/30/21			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
173.0	15,348.0	Intrepid MWD (OWB)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
173.0	0.66	269.83	173.0	0.0	-1.0	0.0	0.38	0.38	0.00
233.0	1.10	261.48	233.0	-0.1	-1.9	-0.1	0.76	0.73	-13.92
326.0	1.05	251.20	326.0	-0.5	-3.6	-0.5	0.21	-0.05	-11.05
417.0	1.32	244.87	417.0	-1.2	-5.3	-1.2	0.33	0.30	-6.96
507.0	1.32	247.07	506.9	-2.1	-7.2	-2.0	0.06	0.00	2.44
597.0	1.63	254.45	596.9	-2.8	-9.4	-2.7	0.40	0.34	8.20
688.0	1.85	247.95	687.9	-3.7	-12.0	-3.6	0.32	0.24	-7.14
783.0	2.20	256.47	782.8	-4.7	-15.2	-4.6	0.49	0.37	8.97
877.0	2.24	260.61	876.7	-5.4	-18.8	-5.3	0.18	0.04	4.40



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
971.0	2.64	278.45	970.6	-5.4	-22.7	-5.3	0.91	0.43	18.98
1,064.0	3.52	293.83	1,063.5	-3.9	-27.5	-3.8	1.29	0.95	16.54
1,162.0	4.35	299.98	1,161.3	-0.9	-33.4	-0.7	0.95	0.85	6.28
1,257.0	2.51	317.73	1,256.1	2.5	-38.0	2.7	2.21	-1.94	18.68
1,352.0	1.41	6.25	1,351.1	5.2	-39.2	5.4	2.00	-1.16	51.07
1,447.0	1.63	57.14	1,446.0	7.1	-38.0	7.3	1.39	0.23	53.57
1,541.0	1.49	58.28	1,540.0	8.4	-35.8	8.6	0.15	-0.15	1.21
1,636.0	1.10	61.18	1,635.0	9.5	-34.0	9.7	0.42	-0.41	3.05
1,731.0	0.75	136.42	1,730.0	9.5	-32.7	9.7	1.22	-0.37	79.20
1,825.0	1.63	106.88	1,823.9	8.7	-31.0	8.9	1.11	0.94	-31.43
1,920.0	3.03	97.30	1,918.9	8.0	-27.2	8.1	1.52	1.47	-10.08
2,014.0	3.43	99.06	2,012.7	7.2	-22.0	7.3	0.44	0.43	1.87
2,109.0	2.95	97.30	2,107.6	6.5	-16.8	6.6	0.52	-0.51	-1.85
2,204.0	3.74	103.90	2,202.4	5.4	-11.3	5.5	0.92	0.83	6.95
2,298.0	4.62	106.53	2,296.1	3.6	-4.7	3.6	0.96	0.94	2.80
2,393.0	5.76	108.55	2,390.8	1.0	3.4	1.0	1.22	1.20	2.13
2,487.0	6.42	106.01	2,484.2	-2.0	13.0	-2.0	0.76	0.70	-2.70
2,583.0	6.81	108.73	2,579.6	-5.3	23.5	-5.4	0.52	0.41	2.83
2,677.0	7.34	111.54	2,672.9	-9.3	34.4	-9.5	0.67	0.56	2.99
2,772.0	6.68	113.39	2,767.2	-13.7	45.1	-13.9	0.73	-0.69	1.95
2,865.0	7.12	117.70	2,859.5	-18.5	55.2	-18.8	0.73	0.47	4.63
2,959.0	8.22	119.45	2,952.6	-24.5	66.2	-24.9	1.20	1.17	1.86
3,052.0	8.79	119.98	3,044.6	-31.3	78.1	-31.8	0.62	0.61	0.57
3,147.0	7.87	119.10	3,138.6	-38.1	90.1	-38.6	0.98	-0.97	-0.93
3,242.0	7.91	121.39	3,232.7	-44.7	101.4	-45.3	0.33	0.04	2.41
3,337.0	8.40	124.29	3,326.8	-52.0	112.7	-52.7	0.67	0.52	3.05
3,431.0	8.22	125.87	3,419.8	-59.8	123.8	-60.5	0.31	-0.19	1.68
3,526.0	7.38	124.46	3,513.9	-67.3	134.3	-68.0	0.91	-0.88	-1.48
3,568.0	7.08	124.64	3,555.6	-70.3	138.7	-71.0	0.72	-0.71	0.43
3,693.0	5.76	126.57	3,679.8	-78.4	150.1	-79.2	1.07	-1.06	1.54
3,788.0	7.08	126.13	3,774.2	-84.7	158.6	-85.6	1.39	1.39	-0.46
3,883.0	8.79	125.25	3,868.3	-92.3	169.3	-93.3	1.80	1.80	-0.93
3,978.0	8.88	124.90	3,962.1	-100.7	181.2	-101.7	0.11	0.09	-0.37
4,070.0	9.32	122.62	4,053.0	-108.8	193.3	-109.8	0.62	0.48	-2.48
4,164.0	9.58	122.71	4,145.7	-117.1	206.3	-118.3	0.28	0.28	0.10
4,259.0	9.49	122.97	4,239.4	-125.6	219.5	-126.9	0.11	-0.09	0.27
4,353.0	9.23	122.71	4,332.1	-133.9	232.4	-135.2	0.28	-0.28	-0.28
4,447.0	8.84	121.74	4,425.0	-141.8	244.9	-143.2	0.45	-0.41	-1.03
4,541.0	8.22	121.04	4,517.9	-149.1	256.8	-150.5	0.67	-0.66	-0.74
4,637.0	7.60	120.86	4,613.0	-155.9	268.1	-157.4	0.65	-0.65	-0.19
4,730.0	7.16	119.89	4,705.2	-161.9	278.4	-163.5	0.49	-0.47	-1.04
4,824.0	7.43	118.93	4,798.5	-167.8	288.8	-169.4	0.32	0.29	-1.02
4,918.0	7.47	118.22	4,891.7	-173.6	299.5	-175.3	0.11	0.04	-0.76
5,013.0	7.56	116.20	4,985.9	-179.3	310.5	-181.0	0.29	0.09	-2.13



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
5,107.0	6.33	114.36	5,079.2	-184.1	320.8	-185.9	1.33	-1.31	-1.96	
5,201.0	4.31	104.16	5,172.8	-187.1	329.0	-189.0	2.36	-2.15	-10.85	
5,295.0	1.98	98.36	5,266.6	-188.2	334.0	-190.1	2.50	-2.48	-6.17	
5,391.0	1.23	97.66	5,362.6	-188.6	336.6	-190.5	0.78	-0.78	-0.73	
5,485.0	1.14	106.97	5,456.6	-189.0	338.5	-190.9	0.23	-0.10	9.90	
5,580.0	1.36	125.43	5,551.5	-190.0	340.4	-191.9	0.48	0.23	19.43	
5,673.0	1.19	135.54	5,644.5	-191.3	341.9	-193.2	0.30	-0.18	10.87	
5,769.0	1.19	140.55	5,740.5	-192.8	343.3	-194.7	0.11	0.00	5.22	
5,864.0	0.70	156.89	5,835.5	-194.1	344.1	-196.0	0.58	-0.52	17.20	
5,958.0	0.84	188.80	5,929.5	-195.3	344.2	-197.2	0.47	0.15	33.95	
6,052.0	1.05	198.38	6,023.5	-196.8	343.9	-198.7	0.28	0.22	10.19	
6,148.0	1.23	205.15	6,119.4	-198.5	343.2	-200.4	0.23	0.19	7.05	
6,242.0	1.05	232.30	6,213.4	-200.0	342.0	-201.9	0.60	-0.19	28.88	
6,337.0	0.84	320.37	6,308.4	-200.0	340.9	-201.9	1.39	-0.22	92.71	
6,431.0	1.10	322.39	6,402.4	-198.7	339.9	-200.6	0.28	0.28	2.15	
6,526.0	1.10	323.01	6,497.4	-197.3	338.8	-199.2	0.01	0.00	0.65	
6,621.0	1.10	317.12	6,592.4	-195.9	337.6	-197.8	0.12	0.00	-6.20	
6,715.0	0.88	313.25	6,686.4	-194.7	336.5	-196.6	0.24	-0.23	-4.12	
6,809.0	0.79	311.93	6,780.3	-193.8	335.5	-195.7	0.10	-0.10	-1.40	
6,903.0	0.66	283.02	6,874.3	-193.2	334.5	-195.1	0.41	-0.14	-30.76	
6,998.0	0.92	355.70	6,969.3	-192.4	333.9	-194.2	1.01	0.27	76.51	
7,092.0	0.40	357.02	7,063.3	-191.3	333.8	-193.1	0.55	-0.55	1.40	
7,187.0	0.48	221.14	7,158.3	-191.2	333.5	-193.1	0.86	0.08	-143.03	
7,281.0	1.05	191.79	7,252.3	-192.4	333.1	-194.2	0.72	0.61	-31.22	
7,376.0	1.67	197.94	7,347.3	-194.6	332.5	-196.4	0.67	0.65	6.47	
7,469.0	1.85	209.45	7,440.2	-197.1	331.4	-199.0	0.43	0.19	12.38	
7,566.0	0.84	273.70	7,537.2	-198.5	329.9	-200.3	1.72	-1.04	66.24	
7,658.0	2.51	1.94	7,629.2	-196.4	329.3	-198.2	2.85	1.82	95.91	
7,753.0	2.55	352.89	7,724.1	-192.2	329.1	-194.1	0.42	0.04	-9.53	
7,849.0	2.24	354.82	7,820.0	-188.2	328.6	-190.1	0.33	-0.32	2.01	
7,943.0	1.85	354.21	7,914.0	-184.9	328.3	-186.7	0.42	-0.41	-0.65	
8,038.0	1.80	339.18	8,008.9	-182.0	327.6	-183.8	0.51	-0.05	-15.82	
8,133.0	1.54	335.05	8,103.9	-179.4	326.6	-181.3	0.30	-0.27	-4.35	
8,228.0	1.89	339.62	8,198.8	-176.8	325.5	-178.6	0.40	0.37	4.81	
8,323.0	0.62	339.97	8,293.8	-174.9	324.8	-176.7	1.34	-1.34	0.37	
8,417.0	2.37	19.70	8,387.8	-172.5	325.2	-174.4	2.06	1.86	42.27	
8,512.0	2.90	24.97	8,482.7	-168.5	326.9	-170.3	0.61	0.56	5.55	
8,606.0	2.64	24.62	8,576.6	-164.4	328.8	-166.2	0.28	-0.28	-0.37	
8,701.0	2.20	29.37	8,671.5	-160.8	330.6	-162.7	0.51	-0.46	5.00	
8,795.0	1.93	36.04	8,765.4	-158.0	332.4	-159.8	0.38	-0.29	7.10	
8,888.0	1.05	48.35	8,858.4	-156.1	334.0	-158.0	1.00	-0.95	13.24	
8,980.0	0.40	115.06	8,950.4	-155.7	334.9	-157.6	1.05	-0.71	72.51	
9,075.0	0.62	133.25	9,045.4	-156.2	335.6	-158.1	0.28	0.23	19.15	



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,169.0	0.57	157.60	9,139.4	-157.0	336.2	-158.9	0.27	-0.05	25.90
9,264.0	0.66	137.56	9,234.4	-157.8	336.7	-159.7	0.24	0.09	-21.09
9,359.0	0.57	150.57	9,329.4	-158.6	337.3	-160.5	0.17	-0.09	13.69
9,454.0	0.18	161.20	9,424.3	-159.2	337.6	-161.1	0.42	-0.41	11.19
9,548.0	0.53	235.64	9,518.3	-159.6	337.3	-161.5	0.54	0.37	79.19
9,642.0	0.70	238.72	9,612.3	-160.1	336.4	-162.0	0.18	0.18	3.28
9,737.0	1.45	181.15	9,707.3	-161.6	335.9	-163.5	1.29	0.79	-60.60
9,832.0	2.24	157.16	9,802.3	-164.5	336.6	-166.4	1.15	0.83	-25.25
9,925.0	2.46	156.72	9,895.2	-168.0	338.1	-169.9	0.24	0.24	-0.47
10,019.0	2.11	153.91	9,989.1	-171.5	339.6	-173.3	0.39	-0.37	-2.99
10,113.0	1.54	164.80	10,083.1	-174.2	340.7	-176.1	0.71	-0.61	11.59
10,206.0	1.32	170.25	10,176.0	-176.5	341.3	-178.4	0.28	-0.24	5.86
10,300.0	1.23	184.93	10,270.0	-178.6	341.3	-180.5	0.36	-0.10	15.62
10,393.0	1.10	207.17	10,363.0	-180.3	340.9	-182.2	0.50	-0.14	23.91
10,527.0	1.19	200.38	10,497.0	-182.8	339.8	-184.7	0.12	0.07	-5.07
10,622.0	9.01	349.62	10,591.6	-176.4	338.1	-178.3	10.58	8.23	157.09
10,716.0	19.78	342.59	10,682.5	-153.9	332.0	-155.8	11.59	11.46	-7.48
10,809.0	28.79	343.29	10,767.2	-117.4	320.8	-119.2	9.69	9.69	0.75
10,904.0	36.57	344.87	10,847.1	-68.1	306.8	-69.8	8.24	8.19	1.66
10,999.0	52.22	358.06	10,914.9	-2.7	298.1	-4.3	19.05	16.47	13.88
11,093.0	66.37	359.11	10,962.8	77.9	296.2	76.3	15.08	15.05	1.12
11,187.0	78.42	357.62	10,991.2	167.3	293.6	165.7	12.91	12.82	-1.59
11,282.0	87.78	359.81	11,002.6	261.5	291.5	259.9	10.11	9.85	2.31
11,376.0	89.58	0.08	11,004.8	355.5	291.4	353.8	1.94	1.91	0.29
11,470.0	90.07	0.17	11,005.1	449.5	291.6	447.8	0.53	0.52	0.10
11,565.0	90.90	1.66	11,004.3	544.4	293.1	542.8	1.80	0.87	1.57
11,659.0	88.53	1.04	11,004.7	638.4	295.3	636.7	2.61	-2.52	-0.66
11,753.0	89.27	7.20	11,006.5	732.1	302.1	730.4	6.60	0.79	6.55
11,847.0	89.71	9.57	11,007.4	825.1	315.8	823.3	2.56	0.47	2.52
11,942.0	88.79	3.68	11,008.6	919.4	326.7	917.6	6.27	-0.97	-6.20
12,037.0	87.87	0.96	11,011.4	1,014.3	330.6	1,012.4	3.02	-0.97	-2.86
12,131.0	87.78	0.43	11,014.9	1,108.2	331.7	1,106.3	0.57	-0.10	-0.56
12,225.0	88.97	359.11	11,017.6	1,202.2	331.3	1,200.3	1.89	1.27	-1.40
12,320.0	90.95	358.85	11,017.7	1,297.1	329.7	1,295.3	2.10	2.08	-0.27
12,415.0	90.73	358.23	11,016.3	1,392.1	327.2	1,390.2	0.69	-0.23	-0.65
12,509.0	89.80	357.44	11,015.8	1,486.0	323.7	1,484.2	1.30	-0.99	-0.84
12,604.0	90.42	358.06	11,015.7	1,580.9	320.0	1,579.1	0.92	0.65	0.65
12,699.0	94.20	359.90	11,011.8	1,675.8	318.3	1,674.0	4.42	3.98	1.94
12,794.0	92.62	358.76	11,006.2	1,770.7	317.2	1,768.9	2.05	-1.66	-1.20
12,888.0	93.71	358.67	11,001.0	1,864.5	315.0	1,862.7	1.16	1.16	-0.10
12,983.0	91.74	359.29	10,996.5	1,959.4	313.4	1,957.6	2.17	-2.07	0.65
13,078.0	88.92	359.29	10,995.9	2,054.3	312.2	2,052.6	2.97	-2.97	0.00
13,173.0	89.32	358.50	10,997.4	2,149.3	310.3	2,147.5	0.93	0.42	-0.83



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,267.0	88.92	358.67	10,998.8	2,243.3	308.0	2,241.5	0.46	-0.43	0.18	
13,361.0	89.23	358.23	11,000.4	2,337.2	305.5	2,335.5	0.57	0.33	-0.47	
13,456.0	90.68	358.41	11,000.4	2,432.2	302.7	2,430.5	1.54	1.53	0.19	
13,550.0	90.68	359.37	10,999.3	2,526.2	300.9	2,524.4	1.02	0.00	1.02	
13,645.0	90.20	359.11	10,998.6	2,621.1	299.6	2,619.4	0.57	-0.51	-0.27	
13,739.0	90.55	359.37	10,998.0	2,715.1	298.4	2,713.4	0.46	0.37	0.28	
13,834.0	92.79	0.34	10,995.2	2,810.1	298.1	2,808.4	2.57	2.36	1.02	
13,927.0	92.04	0.08	10,991.3	2,903.0	298.5	2,901.3	0.85	-0.81	-0.28	
14,022.0	91.69	359.90	10,988.2	2,998.0	298.5	2,996.2	0.41	-0.37	-0.19	
14,117.0	92.57	0.25	10,984.7	3,092.9	298.6	3,091.2	1.00	0.93	0.37	
14,211.0	91.56	0.17	10,981.3	3,186.8	298.9	3,185.1	1.08	-1.07	-0.09	
14,304.0	91.74	1.57	10,978.6	3,279.8	300.3	3,278.0	1.52	0.19	1.51	
14,398.0	91.96	3.68	10,975.6	3,373.6	304.6	3,371.9	2.26	0.23	2.24	
14,493.0	88.09	1.92	10,975.5	3,468.5	309.3	3,466.7	4.48	-4.07	-1.85	
14,587.0	83.43	359.55	10,982.5	3,562.2	310.5	3,560.4	5.56	-4.96	-2.52	
14,619.0	86.15	358.58	10,985.4	3,594.0	310.0	3,592.3	9.02	8.50	-3.03	
14,683.0	89.23	358.23	10,988.0	3,658.0	308.2	3,656.2	4.84	4.81	-0.55	
14,777.0	89.27	358.06	10,989.2	3,751.9	305.1	3,750.1	0.19	0.04	-0.18	
14,870.0	89.85	358.41	10,989.9	3,844.9	302.3	3,843.1	0.73	0.62	0.38	
14,963.0	88.88	357.97	10,990.9	3,937.8	299.3	3,936.1	1.15	-1.04	-0.47	
15,058.0	87.03	356.30	10,994.3	4,032.6	294.6	4,030.9	2.62	-1.95	-1.76	
15,152.0	90.86	355.86	10,996.0	4,126.4	288.2	4,124.7	4.10	4.07	-0.47	
15,246.0	91.16	355.77	10,994.4	4,220.1	281.3	4,218.5	0.33	0.32	-0.10	
15,282.0	90.99	355.24	10,993.7	4,256.0	278.5	4,254.4	1.55	-0.47	-1.47	
15,348.0	90.99	355.24	10,992.6	4,321.7	273.0	4,320.1	0.00	0.00	0.00	



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
T3 (Nailed It Fed Com - actual wellpath misses target center by 72.3usft at 11040.5usft MD (10938.5 TVD, 31.4 N, 297.1 E) - Rectangle (sides W100.0 H724.0 D20.0)	0.00	179.68	10,990.0	1.9	338.5	364,380.89	695,415.46	32° 0' 2.842 N	103° 50' 10.633 W
1500'VS (Nailed It Fed - actual wellpath misses target center by 12.2usft at 12524.6usft MD (11015.9 TVD, 1501.6 N, 323.0 E) - Point	0.00	179.68	11,006.0	1,501.9	330.1	365,880.90	695,407.10	32° 0' 17.687 N	103° 50' 10.650 W
T1 (Nailed It Fed Com - actual wellpath misses target center by 84.0usft at 11048.7usft MD (10942.8 TVD, 38.5 N, 296.9 E) - Rectangle (sides W100.0 H1,708.0 D20.0)	0.00	179.68	11,006.0	1.9	338.5	364,380.89	695,415.46	32° 0' 2.842 N	103° 50' 10.633 W
FTP (Nailed It Fed Co - actual wellpath misses target center by 156.6usft at 10973.1usft MD (10898.3 TVD, -22.5 N, 299.3 E) - Point	0.00	0.00	11,006.0	-129.0	339.0	364,250.00	695,416.00	32° 0' 1.547 N	103° 50' 10.634 W
T2 (Nailed It Fed Com - actual wellpath misses target center by 84.0usft at 11048.7usft MD (10942.8 TVD, 38.5 N, 296.9 E) - Rectangle (sides W100.0 H2,077.0 D20.0)	0.00	179.68	11,006.0	1.9	338.5	364,380.89	695,415.46	32° 0' 2.842 N	103° 50' 10.633 W
PBHL (Nailed It Fed C - actual wellpath misses target center by 82.4usft at 15348.0usft MD (10992.6 TVD, 4321.7 N, 273.0 E) - Point	0.50	359.68	11,031.1	4,382.0	314.0	368,761.00	695,391.00	32° 0' 46.189 N	103° 50' 10.683 W
LTP (Nailed It Fed Co - actual wellpath misses target center by 51.9usft at 15274.5usft MD (10993.8 TVD, 4248.5 N, 279.1 E) - Point	0.00	0.01	11,031.1	4,252.0	315.0	368,631.00	695,392.00	32° 0' 44.902 N	103° 50' 10.679 W

Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,066.5	1,066.0	Rustler Anhydrite			
1,301.9	1,301.0	Top Salt			
3,392.8	3,382.0	Base Salt			
3,590.1	3,577.5	Lamar			
3,590.6	3,578.0	Delaware Mountain			
3,613.8	3,601.0	Bell Canyon			
3,627.9	3,615.0	Ramsey Sand			
4,817.5	4,792.0	Cherry Canyon			
5,748.5	5,720.0	Brushy Canyon			
7,539.8	7,511.0	Bone Spring Lime			
7,634.8	7,606.0	Upper Avalon			
8,009.6	7,980.5	Middle Avalon			
8,289.2	8,260.0	Lower Avalon			
8,469.3	8,440.0	1st Bone Spring Sand			
8,961.6	8,932.0	2nd Bone Spring Carb			
9,140.1	9,110.5	2nd Bone Spring Sand			
9,702.2	9,672.5	3rd Bone Spring Carb			
10,379.0	10,349.0	3rd Bone Spring Sand			
10,683.9	10,652.0	3rd BS W Sand			
10,782.2	10,743.5	Wolfcamp A X Sand			
10,894.5	10,839.5	Wolfcamp A Y Sand			
10,994.2	10,912.0	Wolfcamp A Lower			



Intrepid Survey Report



Company:	Tap Rock Resources, LLC	Local Co-ordinate Reference:	Well Nailed It Fed Com #202H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB @ 3044.0usft (H&P 312)
Site:	(Nailed It) Sec-36_T-26-S_R-30-E	MD Reference:	KB @ 3044.0usft (H&P 312)
Well:	Nailed It Fed Com #202H	North Reference:	Grid
Wellbore:	OWB	Survey Calculation Method:	Minimum Curvature
Design:	AWB	Database:	EDM 5000.15 Single User Db

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
10,783.4	10,744.5	-128.7	324.2	FTP @ 10783.4'MD, 100'FSL & 501.2'FEL
15,278.4	10,993.8	4,252.4	278.8	LTP @ 15278.4'MD, 330'FNL & 523.5'FEL
15,282.0	10,993.7	4,256.0	278.5	LAST SVY
15,348.0	10,992.6	4,321.7	273.0	Projection to TD @ 15348'MD, 260.6'FNL & 528.9'FEL

Checked By: _____ Approved By: _____ Date: _____



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print Report

12/28/2021

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Section 1 - General

Well Completion Report Id: 82368	Submission Date: N/A until DB Work	
BLM Office: Carlsbad Field Office	User: JEFFREY TRLICA	Title: Regulatory Analyst
Federal/Indian: FEDERAL	Lease Number: NMNM138850	Lease Acres:
Agreement in place?: NO	Federal or Indian Agreement:	
Agreement Number:	Agreement Name:	
Keep this Well Completion Report confidential?: NO		
APD Operator: TAP ROCK OPERATING LLC		

Section 2 - Well Information

Field/Pool or Exploratory: Field/Pool	Pool Name: Wolfcamp	Field Name: PURPLE SAGE
Well Type: CONVENTIONAL GAS WELL		
Spud Date: 07-11-2021		
Date Total Measured Depth Reached: 09-29-2021		
Drill & Abandon or Ready To Produce: READY TO PRODUCE		
Well Class: HORIZONTAL		

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
QUATERNARY	OTHER	None	3016	0	0	NONE	
RUSTLER	ANHYDRITE		2185	877	883	OTHER	Salt

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Section 3 - Geologic Formations

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral Resources
SALADO	SALT		1633	1428	1435	OTHER	Salt
BASE OF SALT	SALT		-406	3391	3404	OTHER	Salt
LAMAR	LIMESTONE		-618	3589	3602	NONE	
BELL CANYON	SANDSTONE		-637	3617	3629	NATURAL GAS, OIL	
CHERRY CANYON	SANDSTONE		-1784	4816	4842	NATURAL GAS, OIL	
BRUSHY CANYON	SANDSTONE		-2737	5814	5843	NATURAL GAS, OIL	
BONE SPRING	LIMESTONE		-4486	7525	7553	NATURAL GAS, OIL	
BONE SPRING 1ST	SANDSTONE		-5431	8439	8464	NATURAL GAS, OIL	
BONE SPRING 2ND	SANDSTONE		-5781	9094	9124	NATURAL GAS, OIL	
BONE SPRING 3RD	SANDSTONE		-6665	10371	10401	NATURAL GAS, OIL	
WOLFCAMP	OTHER	Shale	-7724	10754	10794	NATURAL GAS, OIL	

Completion and Completed Intervals

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S8	1	NMNM138850	NMNM138850	NEW		PGW	10-29-2021	11-20-2021	WOLFCA MP	10965	15195	Y	.41	430	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S8	1	Y	ACID FRAC	216069		Spud well on 7/11/2021 at 07:00 9/29/2021: TD Reached at 15348 ft MD, 10993 ft TVD. Rig Release on 10/1/2021 at 15:30. 10/13/2021: Pressure test casing to 5130 psi for 30 minutes, good test. 10/15/2021 to 10/25/2021: Perforate from 10965 ft to 15195 ft, 2 SPF, .41 inch holes with 430 total shots. 15 stage frac with

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
							9,708,940 lbs of 100 mesh sand. 10/28/2021: Drill out plugs Plug Back Measured depth at 15282 ft MD, 10994 ft TVD. 10/29/2021: Ready to produce

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S8	1			FLows FROM WELL		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S8	1		24	704	3544	2202	5034	25/64			2800

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Well Location

Survey Type: RECTANGULAR

Survey Number: 11401

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0007875	-103.8373779	3016	STATE	STATE				230	FSL	1840	FWL	26S	30E	36	Lot 3
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0004314	-103.8363344	-7729	STATE	STATE				100	FSL	2163	FWL	26S	30E	36	Lot 3
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0004314	-103.8363344	-7729	STATE	STATE				100	FSL	2163	FWL	26S	30E	36	Lot 3
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0060564	-103.8363362	-7982	STATE	STATE				2146	FSL	2163	FWL	26S	30E	25	SESW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0124744	-103.3864156	-7978	FEDERAL	NMNM138850				2335	FSL	2142	FWL	26S	30E	25	NESW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.0126641	-103.3864331	-7976	FEDERAL	NMNM138850				2404	FSL	2137	FWL	26S	30E	25	NESW

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	1124	13.375	54.5	J-55		BUTT		
00	INTERMEDIATE	8.75	0	3400	7.625	29.7	P-110		BUTT		
00	INTERMEDIATE	12.25	0	3624	9.625	40	K-55		BUTT		
00	PRODUCTION	6.75	0	10219	5.5	20	P-110		OTHER	TXP	
00	INTERMEDIATE	8.75	3624	10435	7.625	29.7	P-110		OTHER	W-441	
00	PRODUCTION	6.75	10219	15348	5.0	18	P-110		OTHER	W-521	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbls)
00	SURFACE		Class C	560	1.72	0	Class C	290	1.33	1124	240.2
00	INTERMEDIATE		None	0	0	0					0
00	INTERMEDIATE		Class C	693	1.84	0	Class C	337	1.33	3624	306.9
00	PRODUCTION		None	0	0	0					0

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume (bbls)
00	INTERMEDIATE		Class C	576	2.12	3624	Class C	139	1.35	10435	250.9
00	PRODUCTION		None	0	0	0	Class H	610	1.32	10219	143.4

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00									

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report Completed?	Wellbore Diagram
00	YES	NO	NO	YES	NO	NO

Operator Name TAP ROCK OPERATING LLC	Well Name NAILED IT FED COM	Well Number 202H	US Well Number 3001546874
SHL Lot 3 Sec 36 26S 30E	County EDDY	State NM	Lease Number(s) NMNM138850, NMNM138850
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s)
Allottee/Tribe Name	Well Pad Name Nailed It Fed Com	Well Pad Number Slot 2	ID 10400046720

Operator Certification

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: TAP ROCK OPERATING LLC

Signed By: JEFFREY TRLICA

Title: Regulatory Analyst

Signed on: 12/14/2021

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Zip: 80401

Phone: (720)772-5910

Email address: JTRLICA@TAPRK.COM

Field Representative

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Extension:

Email address:

Attachments

TAPROCK_PERMIAN_NAILED_IT_FED_COM_202H_2_INCH_VERTICAL_FINAL_20211214134130.pdf

Nailed_It_Fed_Com_202H_Final_Svy_Report_20211214134218.pdf

Nailed_it_Fed_Com_202H_C_102_As_Drilled_20211020_Signed_20211214134235.pdf

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 69188

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 69188
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 69188

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 69188
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/15/2022