

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 37	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001525175	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc 6/1/2022

Subsequent Report

Sundry ID: 2672858

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 05/23/2022	Time Sundry Submitted: 07:24
Date Operation Actually Began: 05/16/2022	

Actual Procedure: Please find final plugging procedure and WBD attached for your use. Thank you!

SR Attachments

- Actual Procedure
- DFU_37_As_Plugged_WBD_20220523072408.pdf
 - DFU_37_P_A_Summary_20220523072408.pdf

Well Name: DODD FEDERAL UNIT	Well Location: T17S / R29E / SEC 14 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 37	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number: NMNM111789X
US Well Number: 3001525175	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: MAY 23, 2022 07:24 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 05/23/2022

Signature: James A. Amos

Start Date	End Date	Summary
5/16/2022	5/16/2022	Drove to location, PJSM, Move rig and all equipment in, RU derrick, dig out surface valves, ND WH, NU BOP, RU tubing equipment, unset packer and POOH w/ 64 stands and packer, RIH 128 jts from derrick and 10 jts from pipe trailer, continue moving equipment in and rigging up, Secure well and SDFN.
5/17/2022	5/17/2022	Drove to location, PJSM, circulate well with gelled brine, mix and pump plug #1 55 sx of class C cement, displace w/ 14.5 bbls of gelled brine, POOH w/ 138 jts, WOC to tag, RIH and tag plug #1 @ 3760', POOH LD 20 jts, RU WL, RIH and perforate @ 3339', POOH and RD WL, pump to get injection rate, pressured up to 500 psi, unable to get injection, BLM rep Gilberto Espinoza approved to drop 50' below perms and pump 70 sx, Mix and pump plug #2 70 sx of class C cement, displace w/ 9.12 bbls of gelled brine, POOH LD 32 jts, secure well and SDFN.
5/18/2022	5/18/2022	Drove to location, PJSM, RIH and tag plug #2 @ 2352', POOH 34 jts LD 42 jts, RU WL, RIH and perforate @1055', POOH RD WL, attempt to establish injection, pressured up to 500 psi, Notified BLM and they told us to perf @ 955', RU WL, RIH and perforate @ 955', POOH RD WL, attempt to establish injection rate, pressured up to 500 psi, notified BLM and rep Gilberto Espinoza approved to drop 150' and pump 25 sx of cement, RIH to 1105', mix and pump plug #3 25 sx of class C cement, displace w/ 2.85 bbl, POOH and WOC, RU WL, RIH and tag plug #3 @ 720', come up to 500' and perforate, attempt to establish injection rate, pressured up to 500 psi, notified BLM and rep Gilberto Espinoza approved to drop 50' below perms and pump 45 sx, mix and pump plug #4 45 sx of class C cement, cement came to surface, secure well and SDFN
5/19/2022	5/19/2022	Drove to location, PJSM, RD tubing equipment, ND BOP, RD derrick and pump equipment, move to next well.

API #	30-015-25175	Dodd Federal Unit #37	County, ST	Eddy County, NM
Operator	Spur Energy Partners		Sec-Twn-Rng	14-17S-29E
Field	Dodd; Glorieta-Upper Yeso		Footage	2310 FNL 25 FWL
Spud Date			Survey	32.8355598, -104.0539703

Formation (MD)	
San Andres	
Glorieta	
Yeso	
Bone Spring	
Wolfcamp	
Canyon	
Strawn	
Atoka	
Morrow	

RKB	3615
GL	3603

Hole Size	12-1/4"
TOC	Surf
Method	Circ 35 sx

Csg Depth	337'
Size	8-5/8"
Weight	24
Grade	
Connections	
Cement	250 sx


Tubing Detail				
Jts	Size	Depth	Length	Detail

Rod Detail				
Rods	Size	Depth	Length	Detail

Hole Size	7-7/8"
TOC	Surf
Method	Circ 75 sx

Csg Depth	4524'
Size	5-1/2"
Weight	15.5
Grade	
Connections	
Cement	1500 sx

Last Update	5/20/2022
By	RCB



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 109748

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 109748
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/1/2022